BIJOA

The Biochemical Journal

THE UNIVERSITY OF MICHIGAN
NOV 29 1972
MEDICAL LIBRARY

INDEX TO VOLUME 128

London: The Biochemical Society © 1972
Price 20p. net (U.S.A. $0.50)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1972–73

Chairman of the Committee
T. W. Goodwin, F.R.S.

Treasurer
D. F. Elliott

Committee Secretary
A. N. Davison

Meetings Secretary
H. M. Keir

International Secretary
A. P. Mathias

Committee
R. B. Beechey
E. A. Dawes
R. M. C. Dawson
D. T. Elmore
K. Griffiths
R. Hoffenberg*‡
G. D. Hunter
V. H. T. James
C. F. Mills
C. A. Pasternak†
P. J. Randle
D. S. Robinson†
T. A. Scott
T. F. Slater
Ruth E. van Heyningen
D. G. Walker*†
A. M. White
T. S. Work

**Ex officio* Member of Committee

†Representative of Editorial Board of the *Biochemical Journal.*

‡Representative of Editorial Board of *Clinical Science.*

Symposium Organizer
R. M. S. Smellie

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines.)]

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1972. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal*. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the subscription is $112 per year (subject to exchange variation) ($22.50 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims can be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., 24/28 Oval Road, London NW1 7DX, or to The Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines.)] Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1–89 (1906–1963) have been recorded on microfilm by the EP Group, Microfilm Division, Bradford Road, East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

Index of Authors

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

ADAMS, C. A. & NICHOLAS, D. J. D. Adenosine 5′-pyrophosphate sulphurylase in baker's yeast 647–654

AHMAD, F. & SALAHUDDIN, A. The denatured state of ovalbumin 49P

AHMED, S. *see* ALAM, M. 62P

AHMED, T. M. A. Effect of ultraviolet irradiation on chlorine residuals in polluted waters 39P

AKHTAR, M. *see* AMER, S. 987–989

ALAM, M. & AHMED, S. Preparation of *Entamoeba histolytica* antigen for column-chromatographic studies 62P

ALAM, M., BEGUM, S. & SIDDIQI, M. Bacterial metabolism of aromatic compounds 64P

ALAM, M. *see also* MOINUDDIN 56P

ALEXIS, S. D., BASTA, S. & YOUNG, V. R. Dietary protein intake and skeletal-muscle protein metabolism in rats. Studies with salt-washed ribosomes and transfer factors 521–530

ALI, R. *see* ANSARI, A. S. 58P–59P

ALLEN, A. *see* SNARY, D. 123P–124P; STARKEY, B. J. 123P

ALLEN, C. *see* LEE, D. 142P

ALLISON, A. C. *see* DAVIES, P. 78P–79P

AMARLAL, S. & KRISHNA MURTI, C. R. Protein biosynthesis in magnesium-deficient rats 47P

AMER, S. & AKHTAR, M. The regeneration of rhodopsin from all-*trans*-retinal: solubilization of an enzyme system involved in the completion of the visual cycle 987–989

AMIN, P. M. *see* GANAPATI, S. V. 36P

ANAND, S. R. *see* KHER, A. 52P

ANANDARAJ, M. P. J. S. & CHERAYIL, J. D. Fractionation of chick-embryo transfer ribonucleic acid 66P

ANDERSON, J. C. & JACKSON, D. S. The glycoproteins of tendon and their interaction with collagen 122P

ANFINSEN, C. B. The formation and stabilization of protein structure. The sixth Jubilee Lecture 737–749

ANKER, P. & STROUN, M. Bacterial ribonucleic acid synthesis in frog organs after intraperitoneal injection of bacteria 101P

ANKER, P. *see also* STROUN, M. 100P–101P

ANNO, K. *see* ATSUMI, K. 983–985

ANSARI, A. S. & ALI, R. Photolysis of citrulline in the presence of hydrogen peroxide 58P–59P

ANSELL, G. B. The metabolism of phosphatidylcholine in brain tissue 6P–8P

ANTHONY, C. *see* DUNSTAN, P. M. 99–106, 107–115

ANTONINI, E. *see* PHELPS, C. F. 377–382

ANTONY, A. *see* DHANDAPANI, M. 54P

APPAJI RAO, N. *see* RAVINDRANATH, S. D. 27P–28P

ARANDA, A., MONTOYA, E. & HERRERA, E. Effects of hypo- and hyper-thyroidism on liver composition, blood glucose, ketone bodies and insulin in the male rat 597–604

ASHFORD, J. S. *see* BARDSLEY, W. G. 253–263

ATKIN, S. D., PALMER, E. D., ENGLISH, P. D., MORGAN, B., CAWTHORNE, M. A. & GREEN, J. The role of cytochrome *P*-450 in cholesterol biogenesis and catabolism 237–242

ATKINS, E. D. T., PHELPS, C. F. & SHEEHAN, J. K. The conformation of the mucopolysaccharides. Hyaluronates 1255–1263

ATSUMI, K., KAWAI, Y., SENO, N. & ANNO, K. Chondrosulphatase of squid liver 983–985

AVADHANI, N. G. & BUETOW, D. E. Isolation of active polyribosomes from the cytoplasm, mitochondria and chloroplasts of *Euglena gracilis* 353–365

AVERY, R. J. *see* KERR, M. W. 133P–134P

BACHHAWAT, B. K., KOKRADY, S. & SAXENA, S. Cerebroside sulphate biosynthesis in brain 8P

BACHHAWAT, B. K. *see also* FAROOQUI, A. A. 51P–52P

BADAMI, R. C. *see* BASALINGAPPA, S. 44P–45P

BAER, E. Synthesis of naturally occurring phosphonolipids 9P–10P

BAILEY, E. & HORNE, J. A. Formation and utilization of ketone bodies by tissues of the adult pigeon 108P–109P

BAILEY, E., HORNE, J. A., IZATT, M. E. G. & HILL, L. The role of ketone bodies on the metabolism of the adult desert locust 79P

BAILEY-WOOD, R. & TUDBALL, N. Studies on the reaction of glutamate dehydrogenase with ethoxyformic anhydride 137P

BAIRD, G. D., HEITZMAN, R. J. & HIBBITT, K. G. Effects of starvation on intermediary metabolism in the lactating cow. A comparison with metabolic changes occurring during bovine ketosis 1311–1318

BAJAJ, K. L. *see* BHATIA, I. S. 56P

BAJAJ, Y. P. S. *see* BOPP, M. 32P–33P

BAJWA, S. S. & SASTRY, P. S. Incorporation of fatty acids into monogalactosyl diglycerides by spinach leaf cell-free preparations 44P

BALASUBRAMANIAM, S. *see* MITROPOULOS, K. A. 1–9

BALÁZS, R., HAJÓS, F., MICHAELSON, I. A., TAPIA, R. & WILKIN, G. Isolation of a fraction from rat cerebellum enriched in nerve terminals of one single type (mossy-fibre terminals) 81P–82P

BALDWIN, R. W., HARRIS, J. R. & PRICE, M. R. Isolation of plasma-membrane-associated tumour-specific antigen from rat hepatoma cells 130P–131P

BAMJI, M. S. & SHARDA, D. Hepatic enzymes and vitamin deficiency 58P

BANKS, P. & MAYOR, D. Axoplasmic transport in postganglionic sympathetic neurons 77P–78P

BARDSLEY, W. G. & ASHFORD, J. S. Inhibition of pig kidney diamine oxidase by substrate analogues 253–263

BARNES, J. *see* MEGO, J. L. 763–769

BARNES, R., CONNELLY, J. L. & JONES, O. T. G. The utilization of iron and its complexes by mammalian mitochondria 1043–1055

BARRELL, B. G. *see* JEPPESEN, P. G. N. 993–1006
BARTOOV, B. *see* FUKAMACHI, S. 299–309; MITRA, R. S. 1033–1041
BASALINGAPPA, S., BADAMI, R. C. & KUDARI, S. M. The gross fatty acid composition of the body fat from the termite (*Odontotermes assmuthi*) queen 44P–45P
BASTA, S. *see* ALEXIS, S. D. 521–530
BATT, R. D. *see* HOCKING, J. D. 69–78
BEASTALL, G. H., REES, H. H. & GOODWIN, T. W. Studies on phytosterol biosynthesis: metabolism of 24,25-dihydrolanosterol and cholesterol in *Ochromonas malhamensis* 179–181
BECK, F. *see* LLOYD, J. B. 144P–145P
BÉDARD, P. *see* CARLSSON, A. 70P–71P
BEEBEE, T. J. C. & BOND, R. P. M. Different ribonucleic acid polymerase activities in larval and adult blowflies 91P
BEECH, G. A. *see* SENIOR, P. J. 1193–1201
BEELEY, J. G. Cyanogen bromide cleavage of ovomucoid 119P–120P
BEELEY, J. G. *see also* MCCAIRNS, E. 120P
BEGUM, S. *see* ALAM, M. 64P; SALEEMUDDIN, M. 42P
BELL, E. A. The ecological significance of 'unusual' amino acids in plants 22P
BENJAMIN, A. M. & QUASTEL, J. H. Locations of amino acids in brain slices from the rat. Tetrodotoxin-sensitive release of amino acids 631–646
BENSON, A. A. & LEE, R. F. The sulphoglycolytic pathway in plants 29P–30P
BENSON, A. A. & LEE, R. F. Wax esters: major marine metabolic energy sources 10P
BESSELL, E. M., FOSTER, A. B. & WESTWOOD, J. H. The use of deoxyfluoro-D-glucopyranoses and related compounds in a study of yeast hexokinase specificity 199–204
BEYTIA, E. *see* SLAKEY, L. L. 16P–17P
BHAGWAT, A. S. *see* MAHADEVAN, P. R. 66P
BHAI, I. *see* NATHANI, M. G. 57P–58P
BHANDARKAR, A., RAMANANDA RAO, G. & SIRSI, M. Ribonuclease in Yoshida ascites sarcoma 52P
BHASKARAN, T. R. Control of environmental pollution arising out of industrial wastes 38P–39P
BHAT, J. V. *see* NAMBUDIRI, A. M. D. 63P; VENKATA RAO, B. 38P
BHAT, P. V. & RAMA RAO, P. B. Studies on the incorporation of [U-^{14}C]glucose into intestinal lipids in vitamin A-deficient rats 42P–43P
BHAT, P. V. *see also* PONNAPPA, B. C. 43P
BHATIA, I. S. & BAJAJ, K. L. Tannins in black-plum (*Syzygium cumini* L.) seeds 56P
BHIDE, S. V. & KALE, N. R. Ligand-induced conformational changes in amylose, studied by spectrophotometric and enzymic methods 60P–61P
BIEBUYCK, J. F., LUND, P. & KREBS, H. A. The effects of halothane (2-bromo-2-chloro-1,1,1-trifluoroethane) on glycolysis and biosynthetic processes of the isolated perfused rat liver 711–720
BIEBUYCK, J. F., LUND, P. & KREBS, H. A. The protective effect of oleate on metabolic changes produced by halothane in rat liver 721–723
BIRD, I. F., CORNELIUS, M. J., KEYS, A. J. & WHITTINGHAM, C. P. Adenosine triphosphate synthesis and the natural electron acceptor for synthesis of serine from glycine in leaves 191–192
BOND, R. P. M. *see* BEEBEE, T. J. C. 91P
BOPP, M. & BAJAJ, Y. P. S. Enzymic patterns in plant tissue culture 32P–33P
BORKAR, P. S. *see* THADHANI, S. B. 49P–50P
BORRILL, D. *see* SHELTAWY, A. 579–586
BOSE, S. K. *see* SENGUPTA, S. 47–52
BOUCHIER, I. A. D. *see* KYD, P. A. 169–172, 80P
BOULTER, D. *see* BROWN, R. H. 971–974
BOULTON, C. A. *see* LARGE, P. J. 137P–138P
BOURKE, E. *see* COSTELLO, J. 79P–80P, 80P–81P
BOVERIS, A., OSHINO, N. & CHANCE, B. The cellular production of hydrogen peroxide 617–630
BOWEN, V. & LAZARUS, N. R. Glucose-mediated insulin release from mouse islets of Langerhans: cyclic nucleotide phosphodiesterase 97P
BOWYER, D. E. *see* HOWARD, A. N. 41P
BOXALL, R. R. & PHIZACKERLEY, P. J. R. Inhibition by ascorbic acid of the sodium-plus-potassium ion-stimulated adenosine triphosphatase in rat brain 139P
BOYNS, A. R. *see* GOLDER, M. P. 725–727
BRADY, R. O. Disorders of lipid metabolism 4P–6P
BRAGANCA, B. M. & PATEL, T. N. Cobra-venom protein preferentially cytotoxic to certain cell types including Yoshida sarcoma cells and its effects on lipid constituents of cell surface membrane 46P
BRAMMER, M. *see* SHELTAWY, A. 579–586
BRAND, K. *see* KATHER, H. 1089–1096, 1097–1102
BREUER, H. *see* KNUPPEN, R. 1369–1370
BRIDGES, J. W. *see* HOUSTON, J. B. 141P–142P
BRIEDIS, A. *see* SLAKEY, L. L. 16P–17P
BRITTON, H. G., CARRERAS, J. & GRISOLIA, S. Formation of active phosphoenzymes with the diphosphoglycerate-dependent phosphoglycerate mutases 100P
BRITTON, H. G. & CLARKE, J. B. The mechanism of phosphoglucomutase from *Micrococcus lysodeikticus* 99P
BRITTON, H. G. & CLARKE, J. B. The order of addition of substrates to yeast hexokinase 104P
BROCKLEHURST, K., CROOK, E. M. & KIERSTAN, M. The mutability of stem bromelain: evidence for perturbation by structural transitions of the parameters that characterize the reaction of the essential thiol group of bromelain with 2,2′-dipyridyl disulphide 979–982
BROCKLEHURST, K., KIERSTAN, M. & LITTLE, G. The reaction of papain with Ellman's reagent [5,5′-dithiobis-(2-nitrobenzoate) dianion] 811–816
BROCKLEHURST, K. & LITTLE, G. Reactivities of the various protonic states in the reactions of papain and of L-cysteine with 2,2′- and with 4,4′-dipyridyl disulphide: evidence for nucleophilic reactivity in the un-ionized thiol group of the cysteine-25 residue of papain occasioned by its interaction with the histidine-159–asparagine-175 hydrogen-bonded system 471–474
BROCKLEHURST, K. *see also* LITTLE, G. 475–477
BRONK, J. R. *see* LEESE, H. J. 455–457
BROPHY, P. J. & GOWER, D. B. 16-Unsaturated C_{19} 3-oxo steroids as metabolic intermediates in boar testis 945–952
BROWN, R. H., RICHARDSON, M., BOULTER, D., RAMSHAW, J. A. M. & JEFFERIES, R. P. S. The amino acid sequence of cytochrome *c* from *Helix aspersa* Müller (garden snail) 971–974
BRUNORI, M. *see* PHELPS, C. F. 377–382
BRUSH, M. G. *see* SUMNER, N. A. 103P–104P
BUETOW, D. E. *see* AVADHANI, N. G. 353–365

Bu'Lock, J. D. *see* De Rosa, M. 751–754
Burford, G. D. & Pickering, B. T. The number of neurophysins in the rat. Influence of the concentration of Bromophenol Blue, used as a tracking dye, on the resolution of proteins by polyacrylamide-gel electrophoresis 941–944
Burke, B., Olavesen, A. H., Curtis, C. G. & Powell, G. M. The metabolism of some anionic surface-active compounds in the rat 139P–140P
Butt, V. S. *see* Halliwell, B. 87P–88P; Leek, A. E. 87P
Bygrave, F. L. *see* Meli, J. 415–420

Cain, R. B. *see* Wright, K. A. 543–559, 561–568
Cama, H. R. *see* Singh, H. 11P
Campbell, A. M. *see* Jolly, D. J. 569–578
Carlsson, A., Bédard, P., Lindqvist, M. & Magnusson, T. The influence of nerve-impulse flow on the synthesis and metabolism of 5-hydroxytryptamine 70P–71P
Carreras, J. *see* Britton, H. G. 100P
Cater, D. B. *see* Woo, J. 1273–1284
Cattell, K. J. & Donnellan, J. F. The isolation of an acetylcholine- and decamethonium-binding protein from housefly heads 187–189
Catterall, F. A. & Williams, P. A. A comparison of some properties of the 1,2-dihydroxynaphthalene oxygenase and catechol 2,3-oxygenase activities in naphthalene-grown *Pseudomonas* sp. N.C.I.B. 9816 88P–89P
Cawthorne, M. A. *see* Atkin, S. D. 237–242
Chain, E. B. *see* Das, I. 95P–96P; Hearse, D. J. 1125–1133
Chakrabarti, S., Dube, D. K. & Roy, S. C. Effects of emetine and cycloheximide on mitochondrial protein synthesis in different systems 461–462
Chance, B. *see* Boveris, A. 617–630; Lloyd, D. 1171–1182
Chandra, A. L. & Jarvis, B. Observations on the mode of action of the polyene antibiotic A-435 59P
Chandrasekaran, D. *see* Lakshmana Rao, N. S. 36P
Chapman, M. J., Mills, G. L. & Taylaur, C. E. Lipoprotein particles from the Golgi apparatus of guinea-pig liver 779–787
Chen, C. *see* Shaw, Y.-S. 1285–1291
Chen, J. C. *see* Sanadi, D. R. 21P–22P
Cherayil, J. D. *see* Anandaraj, M. P. J. S. 66P; Maya Sundari, R. 65P; Prasada Rao, Y. S. 67P; Rao, U. V. 67P
Clamp, J. R. Structural analysis of glycoproteins 116P–117P
Clandinin, M. T. & Cossins, E. A. Localization and interconversion of tetrahydropteroylglutamates in isolated pea mitochondria 29–40
Clark, J. B. *see* Ferris, G. M. 869–877
Clarke, J. B. *see* Britton, H. G. 99P, 104P
Clausen, J. & Srivastava, K. C. The biosynthesis of prostaglandins in thrombocytes 4P
Clemens, M. J., Lofthouse, R. & Tata, J. R. Oestrogen-induced secretion of egg-yolk proteins by male *Xenopus* liver in organ culture 97P–98P
Colby, J. & Zatman, L. J. Hexose phosphate synthase and tricarboxylic acid-cycle enzymes in bacterium 4B6, an obligate methylotroph 1373–1376
Collins, J. P. Conformational changes of IRC-50 Arvin at high pH 132P
Connelly, J. L. *see* Barnes, R. 1043–1055
Contractor, S. F. & Shane, B. Purification and characterization of lysosomal β-glucuronidase from human placenta 11–18
Cook, K. A. *see* Eady, R. R. 655–675
Coombs, T. L., Fletcher, T. C. & White, A. Interaction of metal ions with mucus from the plaice (*Pleuronectes platessa* L.) 128P–129P
Cooper, J. R. *see* Kent, P. W. 101P–102P
Cooper, R. A. *see* Hopper, D. J. 321–329
Cornelius, M. J. *see* Bird, I. F. 191–192
Coscia, C. J. *see* Madyastha, K. M. 34P
Cossins, E. A. *see* Clandinin, M. T. 29–40
Costello, J., Keane, D. M. & Bourke, E. Measurement of the specific radioactivity of glutamine and glutamate in plasma 79P–80P
Costello, J., Scott, J. M., Wilson, P. & Bourke, E. Studies on glycolysis in the dog kidney *in vivo* 80P–81P
Coulson, A. R. *see* Jeppesen, P. G. N. 993–1006
Cowan, N. J. & Milstein, C. Automatic monitoring of biochemical parameters in tissue culture. Studies on synchronously growing mouse myeloma cells 445–454
Crabbe, M. J. C. *see* Large, P. J. 137P–138P
Crabtree, B. *see* Newsholme, E. A. 89–97
Craig, M. C. *see* Slakey, L. L. 16P–17P
Crane, F. L. The role of lipids in membrane structure 21P
Crathorn, A. R. *see* Lawley, P. D. 133–138
Croft, L. R. The amino acid sequence of γ-crystallin (fraction II) from calf lens 961–970
Crook, E. M. *see* Brocklehurst, K. 979–982
Cross, M. E. Changes in nuclear protein during the cell cycle in cultured mast cells separated by zonal centrifugation 1213–1219
Cummins, P. & Perry, S. V. Subunit structure and biological activity of tropomyosin B from different muscle types 106P–107P
Curtis, C. G. *see* Burke, B. 139P–140P; Dolly, J. O. 347–352; Ittyerah, T. R. 733–734, 131P

Daginawala, H. F. *see* Nathani, M. G. 57P–58P
Dale, J. W. & Smith, J. T. A direct comparison of two unusual R-factor-mediated β-lactamases 173–174
Darby, F. J. & Grundy, R. K. Glutathione *S*-aryltransferase: the effect of treating male and female rats with phenobarbitone on the apparent kinetic parameters for the conjugation of 1,2-dichloro-4-nitrobenzene and 1-chloro-2,4-dinitrobenzene with glutathione 175–177
Darvey, I. G. The application of product inhibition studies to one substrate–one product enzymic reactions 383–387
Das, A. B. Seasonal biochemical acclimatization in *Channa punctatus* 40P
Das, A. K. Breeding of an Indian carp (*Cirrhana mrigala*) under different environmental temperatures 40P
Das, I. & Chain, E. B. An effect of insulin on the adenosine 3′:5′-cyclic monophosphate phosphodiesterase and guanosine 3′:5′-cyclic monophosphate phosphodiesterase activities in the perfused Langendorff and working hearts of normal and diabetic rats 95P–96P

DAS, M. & RADHAKRISHNAN, A. N. Substrate specificity of a highly active dipeptidase purified from monkey small intestine 463–465
DATTA, A. G. *see* HALDAR, I. 50P
DAVIES, J. I. *see* PEERS, D. G. 94P
DAVIES, P., ALLISON, A. C., FOX, R. I., POLYZONIS, M. & HASWELL, A. D. The exocytosis of polymorphonuclear-leucocyte lysosomal enzymes induced by cytochalasin B 78P–79P
DAVIS, B. & LAZARUS, N. R. Glucose-mediated insulin release from mouse islets of Langerhans: adenylate cyclase 96P–97P
DAVISON, A. N. Metabolism of myelin lipids in the developing brain 68P
DAWES, E. A. *see* SENIOR, P. J. 1193–1201
DAWSON, R. M. C., MILLER, E. & JUNGALWALA, F. B. Turnover and exchange of phospholipids in the membranes of the nervous system 18P
DE HAAS, G. H. Structure and enzymic properties of phospholipase A from porcine pancreas 9P
DE ROSA, M., GAMBACORTA, A., MINALE, L. & BU'LOCK, J. D. The formation of ω-cyclohexyl-fatty acids from shikimate in an acidophilic thermophilic bacillus. A new biosynthetic pathway 751–754
DELUCA, H. F. 1,25-Dihydroxycholecalciferol: a hormonal form of vitamin D active on intestine 14P–15P
DENNER, W. H. B., STOKES, A. M. & DODGSON, K. S. Separation of the adenosine 3′-phosphate 5′-sulphatophosphate-degrading enzymes of bovine liver 133P–134P
DENNER, W. H. B. *see also* STOKES, A. M. 134P–135P
DENTON, R. M., RANDLE, P. J. & MARTIN, B. R. Stimulation by calcium ions of pyruvate dehydrogenase phosphate phosphatase 161–163
DENTON, R. M. *see also* NEELY, J. R. 147–159
DESAI, C. S. *see* MUTHE, A. V. 47P
DEVARE, S. G. & PADAYATTY, J. D. Synthesis of the late proteins of bacteriophage T_4 amber mutant 48P
DHANDAPANI, M., ANTONY, A. & SUBBA RAO, P. V. Purification and properties of phenylalanine ammonia-lyase from plant tissue cultures 54P
DHARMALINGAM, K. & JAYARAMAN, J. J. Do phospholipases cause the breakdown of mitochondrial membrane? 45P
DILS, R. *see* STRONG, C. R. 509–519, 1303–1309
DODAKUNDI, G. B. *see* RODGI, S. S. 37P
DODGSON, K. S. *see* DENNER, W. H. B. 133P–134P; DOLLY, J. O. 337–345, 347–352; ITTYERAH, T. R. 733–734; MILSOM, D. W. 331–336; STOKES, A. M. 134P–135P
DOIG, R. I. & LAIDMAN, D. L. The occurrence of an induced glyoxylate cycle in wheat aleurone tissue 88P
DOLLY, J. O., CURTIS, C. G., DODGSON, K. S. & ROSE, F. A. Metabolism of sodium oestrone [^{35}S]sulphate in the guinea pig 347–352
DOLLY, J. O., DODGSON, K. S. & ROSE, F. A. Studies on the oestrogen sulphatase and arylsulphatase C activities of rat liver 337–345
DONNELLAN, J. F. *see* CATTELL, K. J. 187–189
DOUGLAS, A. P., KERLEY, R. & ISSELBACHER, K. J. Preparation and characterization of the lateral and basal plasma membranes of the rat intestinal epithelial cell 1329–1338
DOWE, G. H. C. *see* WHITTAKER, V. P. 833–845
DRABBLE, W. T. *see* DUNSTAN, P. M. 99–106, 107–115
DREWIENKIEWICZ, C. E. *see* WILLIAMSON, R. 92P–93P
DUBE, D. K. *see* CHAKRABARTI, S. 461–462
DUCKWORTH, H. W. *see* SANWAL, B. D. 26P–27P
DUGAN, R. E. *see* SLAKEY, L. L. 16P–17P
DUNSTAN, P. M., ANTHONY, C. & DRABBLE, W. T. Microbial metabolism of C_1 and C_2 compounds. The involvement of glycollate in the metabolism of ethanol and of acetate by *Pseudomonas* AM1 99–106
DUNSTAN, P. M., ANTHONY, C. & DRABBLE, W. T. Microbial metabolism of C_1 and C_2 compounds. The role of glyoxylate, glycollate and acetate in the growth of *Pseudomonas* AM1 on ethanol and on C_1 compounds 107–115

EADY, R. R., SMITH, B. E., COOK, K. A. & POSTGATE, J. R. Nitrogenase of *Klebsiella pneumoniae*. Purification and properties of the component proteins 655–675
ECCLESTON, D. *see* WALTER, D. S. 85P–86P
ELLAR, D. J. *see* HUNT, R. C. 125P
ELLEMAN, T. C. The amino acid sequence of protein SCMK-B2C from the high-sulphur fraction of wool keratin 1229–1239
ELLEMAN, T. C. *see also* LINDLEY, H. 859–867
ENGLAND, P. J. *see* NEELY, J. R. 147–159
ENGLISH, P. D. *see* ATKIN, S. D. 237–242
ESFAHANI, M. *see* WAKIL, S. J. 20P
ESSMAN, W. B. *see* WHITTAKER, V. P. 833–845
EVANS, R. W. *see* HOLBROOK, J. J. 933–940
EVANS, W. H. & GURD, J. W. Preparation and properties of nexuses and lipid-enriched vesicles from mouse liver plasma membranes 691–700

FARB, R. M. *see* MEGO, J. L. 763–769
FAROOQUI, A. A. & BACHHAWAT, B. K. Purification and properties of arylsulphatase A from chicken brain 51P–52P
FELDBRUEGGE, D. H. *see* SLAKEY, L. L. 16P–17P
FERRIS, G. M. & CLARK, J. B. The control of nucleic acid and nicotinamide nucleotide synthesis in regenerating rat liver 869–877
FISHER, R. J. *see* SANADI, D. R. 21P–22P
FITT, P. S. *see* LOUIS, B. G. 755–762
FLEET, G. W. J., KNOWLES, J. R. & PORTER, R. R. The antibody binding site. Labelling of a specific antibody against the photo-precursor of an aryl nitrene 499–508
FLETCHER, T. C. *see* COOMBS, T. L. 128P–129P
FLYNN, T. G. & MCKAY, D. Partial purification and characterization of triokinase from ox and human liver 135P–136P
FOGARTY, W. M. & GRIFFIN, P. J. Preliminary investigations on the production, purification and properties of an extracellular xylanase from *Bacillus polymyxa* 125P–126P
FOGARTY, W. M. *see also* WARD, O. P. 126P
FORSYTH, I. *see* STRONG, C. R. 509–519
FOSTER, A. B. *see* BESSELL, E. M. 199–204
FOX, R. I. *see* DAVIES, P. 78P–79P
FRANCIS, M. J. O., SMITH, R. & MACMILLAN, D. C. Age-related changes in the stability of human skin polymeric collagen 122P–123P
FRANGIONE, B. *see* LAMM, M. E. 1357–1359

FREEMAN, K. B. *see* FUKAMACHI, S. 299–309; MITRA, R. S. 1033–1041
FUKAMACHI, S., BARTOOV, B. & FREEMAN, K. B. Synthesis of ribonucleic acid by isolated rat liver mitochondria 299–309

GAHMBERG, C. G. *see* RENKONEN, O. 20P–21P
GAINEY, P. A. & PHELPS, C. F. Uridine diphosphate glucuronic acid production and utilization in various tissues actively synthesizing glycosaminoglycans 215–227
GAJA, G. *see* HEMS, D. A. 421–426
GAMBACORTA, A. *see* DE ROSA, M. 751–754
GANAPATI, S. V. & AMIN, P. M. Microbiology of the viscous scum formed by certain Indian sewages and sewage effluents 36P
GANGULI, N. C. *see* SINGH, A. 48P
GANGULY, J., SUBBAIAH, P. V. & PARTHASARATHY, S. Absorption of lipids 8P–9P
GARG, N. K. *see* KAPOOR, C. L. 45P
GAYATHRI DEVI, B., RAMAKRISHNAN, T. & GOPINATHAN, K. P. Enzymic interaction between isoniazid and nicotinamide–adenine dinucleotide 63P
GIBB, W. & JEFFERY, J. Studies on the active centre for the 3-hydroxy steroid–nicotinamide–adenine dinucleotide oxidoreductase activity of cortisone reductase 136P–137P
GIBB, W. & JEFFERY, J. Studies on the functional specificity of cortisone reductase 136P
GIBSON, R. A. & PALEG, L. G. Lysysomal nature of hormonally induced enzymes in wheat aleurone cells 367–375
GILLIBRAND, I. M. & MIALL, P. A. The relation between calcium ion transport and adenylate cyclase activity in myocardial sarcoplasmic-reticulum preparations 109P
GLENCROSS, R. G., POPE, G. S. & MUNRO, I. B. Concentration of oestrogens in jugular-venous plasma of cows during the oestrous cycle 81P
GNANAM, A. *see* VIVEKANANDHAN, M. 55P
GNANAPRAKASAM, M. S. & SRIVASTAVA, L. M. Distribution of sodium-plus-potassium ion-stimulated adenosine triphosphatase along the length of rat small intestine and its subcellular localization 53P–54P
GOAD, L. J. *see* SMITH, A. G. 1371–1372
GODBOLE, S. S. & NADKARNI, G. B. The metabolic factors limiting the growth of *Saccharomyces cerevisiae* subjected to γ-irradiation 64P
GOLDER, M. P., BOYNS, A. R., HARPER, M. E. & GRIFFITHS, K. An effect of prolactin on prostatic adenylate cyclase activity 725–727
GOODFELLOW, R. *see* SMITH, A. G. 1371–1372
GOODMAN, DEW. S., MUTO, Y., SMITH, J. E. & MILCH, P. Retinol transport in rat plasma and its nutritional regulation 15P–16P
GOODWIN, T. W. Recent developments in the study of the biosynthesis of carotenoids 11P–12P
GOODWIN, T. W. *see also* BEASTALL, G. H. 179–181
GOPINATHAN, K. P. *see* GAYATHRI DEVI, B. 63P; SHAILA, M. S. 47P
GORE, M. G. *see* HOLBROOK, J. J. 933–940
GOWDA, T. K. S. & PATIL, R. B. Effect of pesticides applied to the soil on the biological activity of the soil 56P–57P
GOWER, D. B. *see* BROPHY, P. J. 945–952
GRAY, W. J. H. & MIDGLEY, J. E. M. The control of ribonucleic acid synthesis in bacteria. The synthesis and stability of ribonucleic acids in relaxed and stringent amino acid auxotrophs of *Escherichia coli* 1007–1020
GRAY, W. J. H., VICKERS, T. G. & MIDGLEY, J. E. M. The control of ribonucleic acid synthesis in bacteria. Polymerization rates for ribonucleic acids in amino acid-starved relaxed and stringent auxotrophs of *Escherichia coli* 1021–1031
GRAZI, E., MAGRI, E. & SANGIORGI, G. Stimulation by cortisol and insulin of 'ureotelic' arginase activity of chicken liver 735–736
GREEN, J. *see* ATKIN, S. D. 237–242
GREEN, M. L. & LLEWELLIN, J. M. Purification and properties of a fraction of chicken pepsin 108P
GREENGARD, P. Adenosine 3′:5′-cyclic monophosphate as a mediator in the action of neurohumoral agents 75P–77P
GREENWOOD, C. *see* HOLBROOK, J. J. 933–940
GREGORIADIS, G. & RYMAN, B. E. Lysosomal localization of enzyme-containing liposomes injected into rats 142P–143P
GRESHAM, G. A. *see* HOWARD, A. N. 41P
GRIFFIN, P. J. *see* FOGARTY, W. M. 125P–126P
GRIFFITHS, K. *see* GOLDER, M. P. 725–727
GRIFFITHS, L. A. & SMITH, G. E. Metabolism of apigenin and related compounds in the rat. Metabolite formation *in vivo* and by the intestinal microflora *in vitro* 901–911
GRISOLIA, S. *see* BRITTON, H. G. 100P
GROVER, A., SUNDHARADAS, G. & TALWAR, G. P. Regulation of serine transfer ribonucleic acid during oestrogen-induced synthesis of phosvitin in rooster liver 65P
GRUNDY, R. K. *see* DARBY, F. J. 175–177
GSCHWENDT, M. & HAMILTON, T. H. The transformation of the cytoplasmic oestradiol–receptor complex into the nuclear complex in a uterine cell-free system 611–616
GUARNACCIA, R. *see* MADYASTHA, K. M. 34P
GURD, J. W. *see* EVANS, W. H. 691–700
GÜTTLER, F. Phospholipid synthesis in HeLa cells exposed to immunoglobulin G and complement 953–960

HAHLBROCK, K. Biosynthesis of flavonoid compounds: enzyme activities in relation to cell growth and differentiation 25P
HAJÓS, F. *see* BALÁZS, R. 81P–82P
HALDAR, I., MAHAJANI, U. & DATTA, A. G. Comparative study of the thyroid-gland and submaxillary-gland peroxidases 50P
HALES, C. N. *see* STEIN, J. M. 531–541
HALLIWELL, B., LEEK, A. E. & BUTT, V. S. Oxidative decarboxylation of glycollate and glyoxylate by leaf peroxisomes 87P–88P
HAMILTON, T. H. *see* GSCHWENDT, M. 611–616
HANDA, B. K. *see* SIDDIQUI, R. H. 35P
HANDLEY, C. J. & PHELPS, C. F. The biosynthesis *in vitro* of keratan sulphate in bovine cornea 205–213
HARDINGHAM, T. E. *see* TSIGANOS, C. P. 121P
HARPER, M. E. *see* GOLDER, M. P. 725–727
HARRIS, J. R. *see* BALDWIN, R. W. 130P–131P

HARWOOD, R. & ITZHAKI, S. The use of [5-^{3}H]uridine for pulse-labelling ribonucleic acid of mouse Ehrlich ascites-tumour cells 91P–92P
HASHIMOTO, T. *see* NUMA, S. 2P
HASWELL, A. D. *see* DAVIES, P. 78P–79P
HAUPT, O. *see* KNUPPEN, R. 1369–1370
HAWKES, H. A. Biology of water pollution: effects and control 145P
HAWTHORNE, J. N. Inositol lipid metabolism and the cell membrane 19P–20P
HEARSE, D. J. & CHAIN, E. B. The role of glucose in the survival and 'recovery' of the anoxic isolated perfused rat heart 1125–1133
HEITZMAN, R. J. *see* BAIRD, G. D. 1311–1318
HELLER, J. S. & VILLEMEZ, C. L. Solubilization of a mannose-polymerizing enzyme from *Phaseolus aureus* 243–252
HEMMING, F. W. *see* RICHARDS, J. B. 1345–1352
HEMS, D. A. & GAJA, G. Carbohydrate metabolism in the isolated perfused rat kidney 421–426
HENDRE, R. R., MASCARENHAS, A. F., PATHAK, M., SEETARAMA RAO, B. & JAGANNATHAN, V. Studies on tissue cultures of maize, wheat, rice and sorghum 27P
HENDRY, I. A. Developmental changes in tissue and plasma concentrations of the biologically active species of nerve growth factor in the mouse, by using a two-site radioimmunoassay 1265–1272
HENDRY, I. A. & IVERSEN, L. L. Factors influencing the development of the sympathetic nervous system: trans-synaptic regulation and the influence of nerve growth factor 84P
HERRERA, E. *see* ARANDA, A. 597–604
HETLING, L. J. *see* WASHINGTON, D. R. 35P
HIBBITT, K. G. *see* BAIRD, G. D. 1311–1318
HIDER, R. C. & MEADE, L. The conversion of [1-^{14}C]-pyruvate into [^{14}C]alanine in rat skeletal muscle: its relevance to the effect of insulin on protein synthesis 165–167
HIGGINS, S. J. *see* NEWSHOLME, E. A. 89–97
HILL, J. M. The oxidation of Schiff bases of pyridoxamine with α-oxo acids by manganous ions and peroxidase 701–709
HILL, L. *see* BAILEY, E. 79P
HOCKING, J. D., JOLLY, R. D. & BATT, R. D. Deficiency of α-mannosidase in Angus cattle. An inherited lysosomal storage disease 69–78
HODGES, R. S., SODEK, J. & SMILLIE, L. B. The cyanogen bromide fragments of rabbit skeletal-muscle tropomyosin 102P
HOLBROOK, J. J. Protein fluorescence of lactate dehydrogenase 921–931
HOLBROOK, J. J., YATES, D. W., REYNOLDS, S. J., EVANS, R. W., GREENWOOD, C. & GORE, M. G. Protein fluorescence of nicotinamide nucleotide-dependent dehydrogenases 933–940
HOLLIER, M. L. *see* SANWAL, B. D. 26P–27P
HOPPER, D. J. & COOPER, R. A. The purification and properties of *Escherichia coli* methylglyoxal synthase 321–329
HORECKER, B. L. Structure and possible regulatory properties of plant aldolases 28P
HORNE, J. A. *see* BAILEY, E. 79P, 108P–109P
HOUSTON, J. B., UPSHALL, D. G. & BRIDGES, J. W. The absorption of aliphatic carbamates by everted gut sacs of rat 141P–142P
HOWARD, A. N., PATELSKI, J., BOWYER, D. E. & GRESHAM, G. A. Aortic lipolytic enzymes in atherosclerosis 41P
HUGHES, R. D., MILLBURN, P., SMITH, R. L. & WILLIAMS, R. T. The molecular-weight factor in the biliary excretion of quaternary ammonium cations 144P
HUNT, R. C. & ELLAR, D. J. Biosynthesis of pellicle glycoproteins of *Leptomonas collosoma* 125P
HUNTER, G. D. *see* SUCKLING, A. J. 128P

IQBAL, Z., JAFFERY, N. F. & TALWAR, G. P. Studies on the biochemical parameters of the ontogenesis of electrical activity in developing chick-embryo brain 58P
ISHIMURA, Y. *see* NOZAKI, M. 24P–25P
ISSELBACHER, K. J. *see* DOUGLAS, A. P. 1329–1338
ITTYERAH, T. R. & CURTIS, C. G. Studies on fibrinogen degradation in the rat 131P
ITTYERAH, T. R., DODGSON, K. S. & CURTIS, C. G. Plasma fibrinogen concentrations after intravenous administration of fibrinopeptides to rats 733–734
ITZHAKI, S. *see* HARWOOD, R. 91P–92P
IVERSEN, L. L. *see* HENDRY, I. A. 84P; MACKAY, A. V. P. 83P–84P
IYENGAR, L., PANDEY, M. P., VENKOBACHAR, C. & PRABHAKARA RAO, A. V. S. Biochemical evaluation of pesticides 39P–40P
IZATT, M. E. G. *see* BAILEY, E. 79P

JACKSON, D. S. *see* ANDERSON, J. C. 122P
JACOB, T. M. *see* KHAN, S. A. 67P–68P; MAYA SUNDARI, R. 65P
JAENICKE, L. Biochemistry of the sex attractants of marine plants 30P
JAFFERY, N. F. *see* IQBAL, Z. 58P
JAGANNATHAN, V. *see* HENDRE, R. R. 27P; MASKATI, F. S. 62P; RANJEKAR, V. K. 51P
JAILKHANI, B. & TALWAR, G. P. Induction of phosvitin synthesis in chicken liver by oestrogens: evidence for gene duplication 66P–67P
JAMES, A. T. The biosynthesis of unsaturated fatty acids 3P
JARVIS, B. *see* CHANDRA, A. L. 59P
JATZKEWITZ, H. Two cerebral sphingolipidoses (metachromatic leucodystrophy and infantile amaurotic idiocy) as human inborn errors of metabolism 6P
JAYARAM, M. & RAMAN, T. S. Metabolism of ergosterol in the larva of the rice moth (*Corcyra cephalonica* St.) 46P
JAYARAMAN, J. J. *see* DHARMALINGAM, K. 45P
JAYARAMAN, K. Biosynthesis of polymyxin, a peptide antibiotic 48P
JEACOCK, M. K. *see* RATTENBURY, J. M. 143P–144P
JEFFERIES, R. P. S. *see* BROWN, R. H. 971–974
JEFFERY, J. *see* GIBB, W. 136P, 136P–137P
JEPPESEN, P. G. N., BARRELL, B. G., SANGER, F. & COULSON, A. R. Nucleotide sequences of two fragments from the coat-protein cistron of bacteriophage R17 ribonucleic acid 993–1006

JOLLY, D. J. & CAMPBELL, A. M. The three-dimensional structure of supercoiled deoxyribonucleic acid in solution. Evidence obtained from the angular distribution of scattered light 569–578
JOLLY, R. D. *see* HOCKING, J. D. 69–78
JONES, O. T. G. *see* BARNES, R. 1043–1055
JOSE, P. J. & SLATER, T. F. Increased concentrations of malonaldehyde in the livers of rats treated with carbon tetrachloride 141P
JOSEPH, P. K. & SUBRAHMANYAM, K. Effect of hormones on renal gluconeogenesis 60P
JOSEPH, P. K. & SUBRAHMANYAM, K. Evaluation of the rate-limiting steps in the pathway of glucose metabolism in kidney cortex of normal, diabetic, cortisone-treated and growth hormone-treated rats 1293–1301
JOSHI, V. C. Mechanism of malonyl-coenzyme A–acyl-carrier protein transacylase 43P–44P
JUNGALWALA, F. B. *see* DAWSON, R. M. C. 18P

KAARIAINEN, L. *see* RENKONEN, O. 20P–21P
KALE, N. R. *see* BHIDE, S. V. 60P–61P; MUTHE, A. V. 47P; PATIL, N. B. 61P
KAMALAVALLI, D., PRATHAPASENAN, G., RAMANANDA RAO, G. & PATHAK, C. H. Metabolic changes during germination of cotton and sorghum and the role of gibberellic acid 55P
KANABUR, V. V. *see* RODGI, S. S. 37P
KANDASWAMI, C. & VAIDYANATHAN, C. S. Oxidation of catechol in plants 30P–31P
KANNAGARA, C. G. *see* STUMPF, P. K. 29P
KANOH, H. & LINDSAY, D. B. Synthesis of fatty acids from [1-^{14}C]acetyl-coenzyme A in subcellular particles of rat epididymal adipose tissue 847–857
KAPLAY, S. S. *see* SANADI, D. R. 21P–22P
KAPOOR, C. L., PRASAD, R. & GARG, N. K. Effects of cabbage phospholipase D on the lipids and enzyme activities of rat liver microsomal fraction 45P
KATHER, H., RIVERA, M. & BRAND, K. Interrelationship and control of glucose metabolism and lipogenesis in isolated fat-cells. Control of pentose phosphate-cycle activity by cellular requirement for reduced nicotinamide–adenine dinucleotide phosphate 1097–1102
KATHER, H., RIVERA, M. & BRAND, K. Interrelationship and control of glucose metabolism and lipogenesis in isolated fat-cells. Effect of the amount of glucose uptake on the rates of the pentose phosphate cycle and of fatty acid synthesis 1089–1096
KATZ, J. & WALS, P. A. Pentose cycle and reducing equivalents in rat mammary-gland slices 879–899
KAWAI, Y. *see* ATSUMI, K. 983–985
KEANE, D. M. *see* COSTELLO, J. 79P–80P
KENT, P. W., Observations on the relationship between glycoprotein biosynthesis and glycolipid biosynthesis 111P–112P
KENT, P. W. & COOPER, J. R. Biosynthetic studies of glycocalyx-bound glycoprotein and glycolipid components in isolated brush borders of the rabbit small intestine 101P–102P
KERLEY, R. *see* DOUGLAS, A. P. 1329–1338
KERR, M. W. & AVERY, R. J. Studies on the mode of action of anilinopropionamide herbicides 132P–133P
KEYS, A. J. *see* BIRD, I. F. 191–192
KHADILKAR, C. H. The design and operation of sewage and industrial-waste treatment processes 37P
KHAN, A. N., UMAR, S., KHAN, S. Y. & SIDDIQI, M. Hypocholesterolaemic and hypolipidaemic role of 3-hydroxy-3-methylglutarate in rabbits fed on an atherogenic diet 41P–42P
KHAN, S. A., KRANDIKAR, S. S. & JACOB, T. M. Pyrimidine clusters in the deoxyribonucleic acid of *Azobacter vinelandii* 67P–68P
KHAN, S. Y. *see* KHAN, A. N. 41P–42P
KHER, A. & ANAND, S. R. Bull semen phosphodiesterase 52P
KIDSTON, M. E. *see* LLOYD, J. B. 144P–145P
KIERSTAN, M. *see* BROCKLEHURST, K. 811–816, 979–982
KING, A. M. Q. & NICHOLSON, B. H. Thiol groups of ribonucleic acid polymerase 90P–91P
KINI, G. R. *see* SASTRY, C. A. 38P
KLENK, E. The polyenoic fatty acids of phospholipids and the problem of essential fatty acids 3P
KNIGHT, V. A. *see* OWEN, E. 130P
KNOWLES, J. R. *see* FLEET, G. W. J. 499–508
KNUPPEN, R., HAUPT, O. & BREUER, H. Isolation and identification of 2-hydroxyoestrone 3-methyl ether from the urine of pregnant women 1369–1370
KNUTTON, S. *see* WAKIL, S. J. 20P
KOKRADY, S. *see* BACHHAWAT, B. K. 8P
KONCEWICZ, M. A. Glycoproteins in the cell envelope of *Halobacterium halobium* 124P
KORNBERG, H. L. & REEVES, R. E. Inducible phosphoenolpyruvate-dependent hexose phosphotransferase activities in *Escherichia coli* 1339–1344
KOTTKE, B. A. *see* SUBBIAH, M. T. R. 42P
KRANDIKAR, S. S. *see* KHAN, S. A. 67P–68P
KREBS, H. A. *see* BIEBUYCK, J. F. 711–720, 721–723
KRISHNA KANTHA, T. P. The pattern of response of rat hepatic lobes to Atromid-S (ethyl α-*p*-chlorophenoxyisobutyrate) administration 59P
KRISHNA MALLIA, A. *see* SINGH, H. 11P
KRISHNA MURTI, C. R. Role of indol-3-ylacetic acid in the induction of enzymes during seed germination 25P–26P
KRISHNA MURTI, C. R. *see also* AMARLAL, S. 47P
KRISHNAN, P. S. *see* SREE KUMAR, K. 1079–1088
KRISHNARAJ, R. & TALWAR, G. P. Mechanism of regulation of the immune response 57P
KUDARI, S. M. *see* BASALINGAPPA, S. 44P–45P
KUMAR, V. *see* PAUL, B. 55P–56P
KUTTAN, R. & RADHAKRISHNAN, A. N. Studies on the metabolism of *sym*-homospermidine in sandal (*Santalum album* L.) 22P–23P
KYD, P. A. & BOUCHIER, I. A. D. Cholesterol metabolism in rabbits with dietary-induced gall-stones 80P
KYD, P. A. & BOUCHIER, I. A. D. Experimental oleic acid-induced cholelithiasis in the rabbit associated with increased biliary 5α-deoxycholic acid 169–172

LABOW, R. S. & LAYNE, D. S. The formation of glucosides of isoflavones and of some other phenols by rabbit liver microsomal fractions 491–497
LAGNADO, J. R., LYONS, C. A., WELLER, M. & PHILLIPSON, O. The possible significance of adenosine 3′:5′-cyclic monophosphate-stimulated protein kinase activity associated with purified microtubular protein preparations from mammalian brain 95P
LAIDMAN, D. L. *see* DOIG, R. I. 88P

LAKSHMANA RAO, N. S. & CHANDRASEKARAN, D. Sedimentation in trapezoidal grit chambers with new outlet weirs 36P
LAKSHMI, M. B. & SUBRAHMANYAM, D. Studies on phosphatases of the mosquito *Culex pipiens fatigans* 51P
LAMM, M. E. & FRANGIONE, B. Intrachain disulphide bridges of rabbit immunoglobulin light chains of allotypes b4 and b5 1357–1359
LANGER, B. W., JR., SMITH, W. J. & THEODORIDES, V. J. Nematode metabolism: the adenosine triphosphatase of *Ascaris suum* muscle 991–992
LANYON, W. G., PAUL, J. & WILLIAMSON, R. Studies on the heterogeneity of mouse globin messenger ribonucleic acid 93P
LARGE, P. J., BOULTON, C. A. & CRABBE, M. J. C. The reduced nicotinamide–adenine dinucleotide phosphate- and oxygen-dependent *N*-oxygenation of trimethylamine by *Pseudomonas aminovorans* 137P–138P
LARGE, P. J. *see also* SALEM, A. R. 1203–1211
LAWLEY, P. D., CRATHORN, A. R., SHAH, S. A. & SMITH, B. A. Biomethylation of deoxyribonucleic acid in cultured human tumour cells (HeLa). Methylated bases other than 5-methylcytosine not detected 133–138
LAWLEY, P. D. & SHAH, S. A. Methylation of ribonucleic acid by the carcinogens dimethyl sulphate, *N*-methyl-*N*-nitrosourea and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. Comparisons of chemical analyses at the nucleoside and base levels 117–132
LAYNE, D. S. *see* LABOW, R. S. 491–497
LAZARUS, N. R. *see* BOWEN, V. 97P; DAVIS, B. 96P–97P
LEABACK, D. H. A new theory concerning the biological significance of glycoproteins 127P–128P
LEABACK, D. H. The structure of secreted proteins 126P–127P
LEDERER, E. Correlation of chemical structure and biological activity of mycobacterial cell walls and derived lipids 17P
LEE, D. & ALLEN, C. The effect of increasing concentrations of potassium chloride on rat liver lysosomes 142P
LEE, R. F. *see* BENSON, A. A. 10P, 29P–30P
LEEK, A. E. & BUTT, V. S. Oxidation of oxalate and formate by leaf peroxisomes 87P
LEEK, A. E. *see also* HALLIWELL, B. 87P–88P
LEESE, H. J. & BRONK, J. R. Glucose accumulation by rat small-intestinal mucosa after depletion of intracellular adenosine triphosphate 455–457
LENNARZ, W. J. Studies on the cell membrane of bacilli 18P
LEWIN, S. Criteria of de-adherence of hydrophobic associations in proteins 104P–105P
LIMBRICK, A. R. *see* WAKIL, S. J. 20P
LINDLEY, H. & ELLEMAN, T. C. The preparation and properties of a group of proteins from the high-sulphur fraction of wool 859–867
LINDQVIST, M. *see* CARLSSON, A. 70P–71P
LINDSAY, D. B. *see* KANOH, H. 847–857; WATSON, H. R. 53–57
LITTLE, G. & BROCKLEHURST, K. Kinetics of the reversible reaction of papain with 5,5'-dithiobis-(2-nitrobenzoate) dianion: evidence for nucleophilic reactivity in the unionized thiol group of cysteine-25 and for general acid catalysis by histidine-159 of the reaction of the 5-mercapto-2-nitrobenzoate dianion with the papain–5-mercapto-2-nitrobenzoate mixed disulphide 475–477
LITTLE, G. *see also* BROCKLEHURST, K. 471–474, 811–816
LLEWELLIN, J. M. *see* GREEN, M. L. 108P
LLOYD, D. & CHANCE, B. The cytochromes of mitochondria from *Tetrahymena pyriformis* strain ST 1171–1182
LLOYD, J. B., WILLIAMS, K. E., BECK, F. & KIDSTON, M. E. A kinetic analysis of pinocytosis in rat yolk-sac 144P–145P
LOFTFIELD, R. B. & VANDERJAGT, D. The frequency of errors in protein biosynthesis 1353–1356
LOFTHOUSE, R. *see* CLEMENS, M. J. 97P–98P
LOMBART, C. & WINZLER, R. J. Isolation and characterization of canine submaxillary mucin 975–977
LOUIS, B. G. & FITT, P. S. Purification and properties of the ribonucleic acid-dependent ribonucleic acid polymerase from *Halobacterium cutirubrum* 755–762
LUDLUM, D. B. & MAGEE, P. N. Reaction of nitrosoureas with polycytidylate templates for ribonucleic acid polymerase 729–731
LUDWIG, S. A. & VILLEMEZ, C. L. Characterization of a long-chain ^{14}C-labelled alcohol resulting from a plant enzyme-catalysed reaction with *S*-adenosyl[*methyl*-^{14}C]-methionine 605–610
LUND, P. *see* BIEBUYCK, J. F. 711–720, 721–723
LUTHRA, M. G. & SHELTAWY, A. The distribution of molecular species of phosphatidylinositol in ox brain and its subcellular fractions 587–595
LYNEN, F. Enzyme systems for fatty acid synthesis 1P–2P
LYONS, C. A. *see* LAGNADO, J. R. 95P

MACKAY, A. V. P. & IVERSEN, L. L. Effect of potassium ion concentration on cultured sympathetic ganglia: conclusions about trans-synaptic modulation 83P–84P
MACMILLAN, D. C. *see* FRANCIS, M. J. O. 122P–123P
MADYASTHA, K. M., GUARNACCIA, R. & COSCIA, C. J. Carboxyl group methylation of loganic acid by a cell-free enzyme preparation from *Vinca rosea* 34P
MAGEE, P. N. *see* LUDLUM, D. B. 729–731
MAGNUSSON, T. *see* CARLSSON, A. 70P–71P
MAGRI, E. *see* GRAZI, E. 735–736
MAHADEVAN, P. R. & BHAGWAT, A. S. An inhibitor of ribonucleic acid polymerase from *Neurospora crassa* 66P
MAHAJANI, U. *see* HALDAR, I. 50P
MAHMOOD, A. & SHARMA, D. P. Effect of ionic media on the intestinal transport of amino acids in rats *in vitro* 61P–62P
MALATHI, K. *see* PADMANABAN, G. 27P
MALCOLM, A. A. & SHEPHERD, M. G. Purification and properties of *Penicillium* glucose 6-phosphate dehydrogenase 817–831
MALCOLM, A. D. B. Temperature-jump studies on glutamate dehydrogenase 98P
MANCHESTER, K. L. *see* TURNER, L. V. 789–801, 803–809
MARGISON, G. P. & O'CONNOR, P. J. Resistance of alkylated deoxyribonucleic acid to nuclease attack 138P–139P
MARTIN, B. R. *see* DENTON, R. M. 161–163

MARTIN, W. J. *see* SUBBIAH, M. T. R. 42P
MASCARENHAS, A. F. *see* HENDRE, R. R. 27P
MASKATI, F. S., RAGHAVENDRA RAO, M. R., SUBRAMANIAN, S. S. & JAGANNATHAN, V. Metabolism of (−)-citramalate 62P
MASON, R. M. & MAYES, R. W. Solubilization of cartilage protein–polysaccharide with lanthanum chloride 120P–121P
MATTOCKS, A. R. *see* WHITE, I. N. H. 291–297
MAYA SUNDARI, R., CHERAYIL, J. D. & JACOB, T. M. Studies on transfer ribonucleic acid in developing chick embryo 65P
MAYES, R. W. *see* MASON, R. M. 120P–121P
MAYOR, D. *see* BANKS, P. 77P–78P
MCCAIRNS, E. & BEELEY, J. G. Biosynthesis of ovomucoid *in vitro* 120P
MCCALLUM, M. A. & SPRAGG, S. P. The statistical estimation of molecular weights from normal and difference ultracentrifuge boundaries 389–402
MCCRAE, S. I. *see* WOOD, T. M. 1183–1192
MCILWAIN, H. Regulatory significance of the release and action of adenine derivatives in cerebral systems 74P–75P
MCKAY, D. *see* FLYNN, T. G. 135P–136P
MEADE, L. *see* HIDER, R. C. 165–167
MEGO, J. L., FARB, R. M. & BARNES, J. An adenosine triphosphate-dependent stabilization of proteolytic activity in heterolysosomes. Evidence for a proton pump 763–769
MELI, J. & BYGRAVE, F. L. The role of mitochondria in modifying calcium-sensitive cytoplasmic metabolic activities. Modification of pyruvate kinase activity 415–420
MIALL, P. A. *see* GILLIBRAND, I. M. 109P
MICHAELSON, I. A. *see* BALÁZS, R. 81P–82P
MIDGLEY, J. E. M. *see* GRAY, W. J. H. 1007–1020, 1021–1031
MILBORROW, B. V. Stereochemical aspects of the formation of double bonds in abscisic acid 1135–1146
MILCH, P. *see* GOODMAN, DEW. S. 15P–16P
MILLBURN, P. *see* HUGHES, R. D. 144P
MILLER, E. *see* DAWSON, R. M. C. 18P
MILLS, G. L. *see* CHAPMAN, M. J. 779–787
MILLSON, G. C. *see* SUCKLING, A. J. 128P
MILNER-WHITE, E. J. Quaternary structure of oligomers with dihedral symmetry 107P
MILSOM, D. W., ROSE, F. A. & DODGSON, K. S. The specific assay of arylsulphatase C, a rat liver microsomal marker enzyme 331–336
MILSTEIN, C. *see* COWAN, N. J. 445–454; SVASTI, J. 427–444
MINALE, L. *see* DE ROSA, M. 751–754
MITRA, R. S., BARTOOV, B., MONAHAN, J. & FREEMAN, K. B. Comparison of mammalian mitochondrial ribosomal ribonucleic acid from different species 1033–1041
MITROPOULOS, K. A. & BALASUBRAMANIAM, S. Cholesterol 7α-hydroxylase in rat liver microsomal preparations 1–9
MOHANRAO, G. J., SUBRAHMANYAM, P. V. R. & SRINIVASAN, M. V. Treatment and utilization of wood-hydrolysate wastes 37P–38P
MOHANRAO, G. J. *see also* SASTRY, C. A. 38P
MOINUDDIN, SIDDIQI, M. & ALAM, M. A comparative study of soluble sugars and nitrogenous constituents of the seeds of members of the Cucurbitaceae family 56P
MOINUDDIN *see also* SALEEMUDDIN, M. 42P
MONAHAN, J. *see* MITRA, R. S. 1033–1041
MONTOYA, E. *see* ARANDA, A. 597–604
MORGAN, B. *see* ATKIN, S. D. 237–242
MORTON, R. A. The chemistry and biochemistry of polyprenol alcohols such as solanesol and dolichol 11P
MUESING, R. A. *see* SLAKEY, L. L. 16P–17P
MUIR, H. *see* TSIGANOS, C. P. 121P
MUNRO, A. J. *see* STOTT, D. I. 1221–1227
MUNRO, I. B. *see* GLENCROSS, R. G. 81P
MURAMATSU, M. *see* ONISHI, T. 1361–1364
MURRAY, K., SALA-TREPAT, J. M. & WILLIAMS, P. A. The divergent *meta*-cleavage pathway for the metabolism of benzoate, 3-methylbenzoate and 4-methylbenzoate by *Pseudomonas arvilla* mt-2 89P–90P
MUTHE, A. V., DESAI, C. S. & KALE, N. R. Studies on the dissociation of tissue factor (tissue thromboplastin) on treatment with butan-1-ol 47P
MUTO, Y. *see* GOODMAN, DEW. S. 15P–16P

NADKARNI, G. B. *see* GODBOLE, S. S. 64P
NAIK, M. S. *see* SAWHNEY, S. K. 23P
NAIR, P. M. Induction of asparagine synthetase in γ-irradiated potatoes 24P
NAKANISHI, S. *see* NUMA, S. 2P
NAMBUDIRI, A. M. D., BHAT, J. V. & SUBBA RAO, P. V. Enzymic conversion of *p*-coumarate into caffeate by *Streptomyces nigrifaciens* 63P
NATH, M. C. *see* NATHANI, M. G. 57P–58P
NATH, N. *see* NATHANI, M. G. 57P–58P
NATH, R. *see* SINGH, K. 48P–49P
NATHANI, M. G., BHAI, I., NATH, N., DAGINAWALA, H. F. & NATH, M. C. Studies on some aspects of ascorbate metabolism in adrenalectomized rats 57P–58P
NAUTIYAL, G. C. *see* PANT, R. 46P
NEELY, J. R., DENTON, R. M., ENGLAND, P. J. & RANDLE, P. J. The effects of increased heart work on the tricarboxylate cycle and its interactions with glycolysis in the perfused rat heart 147–159
NEUHOFF, V. *see* OSBORNE, N. N. 82P–83P
NEWSHOLME, E. A., CRABTREE, B., HIGGINS, S. J., THORNTON, S. D. & START, C. The activities of fructose diphosphatase in flight muscles from the bumble-bee and the role of this enzyme in heat generation 89–97
NICHOLAS, D. J. D. Metabolism of inorganic nitrogen compounds in plants and micro-organisms 24P
NICHOLAS, D. J. D. *see also* ADAMS, C. A. 647–654
NICHOLLS, P. Haem–haem interactions associated with ligand binding by cytochrome oxidase 98P–99P
NICHOLSON, B. H. *see* KING, A. M. Q. 90P–91P; ZAHEER, F. 90P
NIRMALA, J. & SIVARAMA SASTRY, K. The effect of thiourea on ureide metabolism in *Neurospora crassa* 65P
NOZAKI, M. & ISHIMURA, Y. Tryptophan metabolism in micro-organisms 24P–25P
NUMA, S., HASHIMOTO, T. & NAKANISHI, S. Regulatory mechanisms for liver acetyl-coenzyme A carboxylase 2P

O'CONNOR, P. J. *see* MARGISON, G. P. 138P–139P
OGSTON, A. G. & WELLS, J. D. The osmotic properties of sulphoethyl-Sephadex. A model for cartilage 685–690
OKA, T. *see* WAKIL, S. J. 20P
OKAMOTO, K. & QUASTEL, J. H. Uptake and release of glutamate in cerebral-cortex slices from the rat 1117–1124
OLAVESEN, A. H. *see* BURKE, B. 139P–140P
OLIVER, J. M. A possible role for 5-phosphoribosyl 1-pyrophosphate in the stimulation of uterine purine nucleotide synthesis in response to oestradiol-17β 771–777
ONISHI, T. & MURAMATSU, M. Inhibition by derivatives of rifamycin of soluble ribonucleic acid polymerase from rat liver 1361–1364
OSBORNE, N. N. & NEUHOFF, V. Use of dansyl chloride and micro-chromatography to detect and study the metabolism of suspected transmitter substances and amino acids in single neurons 82P–83P
OSHINO, N. *see* BOVERIS, A. 617–630
OWEN, E., KNIGHT, V. A. & THOMAS, H. W. The iodination of mammalian cells catalysed by lactoperoxidase as a probe for externally located proteins of the plasma membrane 130P

PADAYATTY, J. D. *see* DEVARE, S. G. 48P
PADMANABAN, G. & MALATHI, K. Role of δ-amino-laevulinate dehydratase in the regulation of haem synthesis 27P
PAGE, M. A. & WILLIAMSON, D. H. Lactating mammary gland of the rat: a potential major site of ketone-body utilization 459–460
PAIN, R. H. *see* SNARY, D. 123P–124P
PALEG, L. G. *see* GIBSON, R. A. 367–375
PALMER, E. D. *see* ATKIN, S. D. 237–242
PAN, M. W. *see* RIGGS, T. R. 19–27
PANDEY, M. P. *see* IYENGAR, L. 39P–40P
PANDIAN, M. R. & TALWAR, G. P. Influence of growth hormone on thymus metabolism *in vivo* and *in vitro* 57P
PANINI, S. R. Effect of α-*p*-chlorophenoxyisobutyrate on oxidative phosphorylation 50P–51P
PANT, R. & NAUTIYAL, G. C. Studies on lipids in insects (Lepidoptera: Saturniidae) 46P
PARHAD, N. M. & RAO, N. U. Decrease of the bacterial content in different types of oxidation ponds 37P
PARTHASARATHY, S. *see* GANGULY, J. 8P–9P
PARTIS, M. D. *see* SWANLJUNG, P. 479–480
PASCOE, G. *see* STEVENS, L. 279–289
PATEL, M. S. The effect of phenylpyruvate on pyruvate metabolism in rat brain 677–684
PATEL, T. N. *see* BRAGANCA, B. M. 46P
PATELSKI, J. *see* HOWARD, A. N. 41P
PATHAK, C. H. *see* KAMALAVALLI, D. 55P
PATHAK, M. *see* HENDRE, R. R. 27P
PATIL, H. S. *see* RODGI, S. S. 37P
PATIL, N. B. & KALE, N. R. Isolation and characterization of high-molecular-weight amylose by dispersion of starch granules with urea 61P
PATIL, R. B. *see* GOWDA, T. K. S. 56P–57P
PAUL, B., KUMAR, V. & SINGH, R. Studies on the ureide metabolism of germinating oilseeds and legumes 55P–56P
PAUL, J. *see* LANYON, W. G. 93P
PEERS, D. G. & DAVIES, J. I. The effects of catecholamines and methylxanthines on glucose utilization in isolated fat-cells derived from the rat 94P
PEGG, A. E. Studies of the ethylation of rat liver transfer ribonucleic acid after administration of L-ethionine 59–68
PERRIE, W. T., SMILLIE, L. B. & PERRY, S. V. A phosphorylated light-chain component of myosin 105P–106P
PERRY, S. V. *see* CUMMINS, P. 106P–107P; PERRIE, W. T. 105P–106P; STONE, D. 106P
PHELPS, C. F., ANTONINI, E. & BRUNORI, M. The binding of ethyl isocyanide to ferroperoxidase 377–382
PHELPS, C. F. *see also* ATKINS, E. D. T. 1255–1263; GAINEY, P. A. 215–227; HANDLEY, C. J. 205–213
PHILLIPSON, O. *see* LAGNADO, J. R. 95P
PHIZACKERLEY, P. J. R. *see* BOXALL, R. R. 139P
PICKERING, B. T. *see* BURFORD, G. D. 941–944
PILGAOKAR, A. K., PRADHAN, D. S. & SREENIVASAN, A. Thymine starvation and deoxyribonucleic acid synthesis in *Escherichia coli* 66P
PILLAI, S. C. *see* SRIDHAR, M. K. C. 35P
PIRIE, A. Fluorescence of *N'*-formylkynurenine and of proteins exposed to sunlight 1365–1367
POLLITT, R. J. & PRETTY, K. M. Glycoasparagines in the urine of patients with aspartylglycosaminuria 129P–130P
POLYZONIS, M. *see* DAVIES, P. 78P–79P
PONNAPPA, B. C., BHAT, P. V. & RAMA RAO, P. B. Studies on the intestinal lipids in normal and vitamin A-deficient rats 43P
POPE, G. S. *see* GLENCROSS, R. G. 81P
PORTER, J. W. *see* SLAKEY, L. L. 16P–17P
PORTER, R. R. *see* FLEET, G. W. J. 499–508
POSTGATE, J. R. *see* EADY, R. R. 655–675
POTYRAJ, J. J. *see* RUSSELL, D. H. 1109–1115
POWELL, G. M. *see* BURKE, B. 139P–140P
PRABHAKARA RAO, A. V. S. *see* IYENGAR, L. 39P–40P
PRADHAN, D. S. *see* PILGAOKAR, A. K. 66P
PRASAD, R. *see* KAPOOR, C. L. 45P
PRASADA RAO, Y. S., THIMMAPPAYYA, B. & CHERAYIL, J. D. Thionucleotides in the transfer ribonucleic acids of *Pseudomonas aeruginosa* and *Escherichia coli* 67P
PRASADA REDDY, T. L., SURYANARAYANA MURTHY, P. & VENKITASUBRAMANIAN, T. A. Isolation of a particulate (membrane) fraction from *Mycobacterium smegmatis* showing phosphorylation coupled to malate oxidation 63P
PRATHAPASENAN, G. & RAMANANDA RAO, G. Localization of isocitrate lyase in germinating seeds of cotton (*Gossypium herbaceum* L.) 54P
PRATHAPASENAN, G. *see also* KAMALAVALLI, D. 55P
PRETTY, K. M. *see* POLLITT, R. J. 129P–130P
PRICE, M. R. *see* BALDWIN, R. W. 130P–131P

QUASTEL, J. H. *see* BENJAMIN, A. M. 631–646; OKAMOTO, K. 1117–1124
QUAYLE, J. R. *see* SALEM, A. R. 1203–1211
QUIRK, S. J. & ROBINSON, G. B. Isolation and characterization of rabbit kidney brush borders 1319–1328
QURESHI, A. *see* SLAKEY, L. L. 16P–17P

RADHAKRISHNA, G. N. *see* SETTY, A. G. T. 36P
RADHAKRISHNAN, A. N. *see* DAS, M. 463–465; KUTTAN, R. 22P–23P; SEETHARAM, B. 53P
RAGHAVENDRA RAO, M. R. *see* MASKATI, F. S. 62P; SHAILAJA, M. S. 53P
RAJAN, B. L. C. Influence of D-alanine, glycine and egg albumin on biological oxygen demand 39P
RAJU, K. S. & RANGASWAMI, G. Studies on microbial degradation of herbicides in soil 40P
RAMA RAO, P. B. *see* BHAT, P. V. 42P–43P; PONNAPPA, B. C. 43P
RAMACHANDRAN, S. *see* THADHANI, S. B. 49P–50P
RAMAKRISHNAN, T. *see* GAYATHRI DEVI, B. 63P; SHAILA, M. S. 47P
RAMAN, T. S. *see* JAYARAM, M. 46P
RAMANANDA RAO, G. *see* BHANDARKAR, A. 52P; KAMALAVALLI, D. 55P; PRATHAPASENAN, G. 54P
RAMANATHAN, C. R. & RAVINDRAM, M. Studies on the development of catalysts for the removal of carbon monoxide from motor-car exhausts 40P–41P
RAMASARMA, T. Biogenetic interrelationship between ubiquinone and cholesterol 12P–13P
RAMSHAW, J. A. M. *see* BROWN, R. H. 971–974
RANDLE, P. J. *see* DENTON, R. M. 161–163; NEELY, J. R. 147–159
RANGASWAMI, G. *see* RAJU, K. S. 40P
RANJEKAR, V. K. & JAGANNATHAN, V. Acyl phosphatase of *Vigna catjang* 51P
RAO, N. U. *see* RARHAD, N. M. 37P
RAO, S. S. *see* WASHINGTON, D. R. 35P
RAO, U. V. & CHERAYIL, J. D. Changes in the ribosomal ribonucleic acid content during development of the chick embryo 67P
RATTENBURY, J. M., JEACOCK, M. K. & SHEPHERD, D. A. L. Ornithine metabolism in the developing sheep 143P–144P
RAVINDRAM, M. *see* RAMANATHAN, C. R. 40P–41P
RAVINDRANATH, S. D. & APPAJI RAO, N. Regulation of coenzyme nucleotide metabolism in plants 27P–28P
REDDY, T. V., VISWANATHAN, L. & VENKITASUBRAMANIAN, T. A. Factors affecting aflatoxin production on a synthetic medium 61P
REES, H. H. *see* BEASTALL, G. H. 179–181
REEVES, R. E. *see* KORNBERG, H. L. 1339–1344
REICHL, D. Lipoprotein lipase activity in the adipose tissue of rats adapted to controlled feeding schedules 79–87
RENKONEN, O., GAHMBERG, C. G., KAARIAINEN, L. & SIMONS, K. Envelope of Semliki Forest virus as a membrane model 20P–21P
REYNOLDS, S. J. *see* HOLBROOK, J. J. 933–940
RICHARDS, J. B. & HEMMING, F. W. Dolichols, ubiquinones, geranylgeraniol and farnesol as the major metabolites of mevalonate in *Phytophthora cactorum* 1345–1352
RICHARDSON, M. *see* BROWN, R. H. 971–974
RIGGS, T. R. & PAN, M. W. Transport of amino acids into the oestrogen-primed uterus. Enhancement of the uptake by a preliminary incubation 19–27
RITCHIE, G. A. F. *see* SENIOR, P. J. 1193–1201
RIVERA, M. *see* KATHER, H. 1089–1096, 1097–1102
ROBERTS, N. B. & TAYLOR, W. H. A comparison of the properties of pure human pepsins 1, 2, 3 and 5 103P
ROBINSON, D. S. The role of clearing-factor lipase in the removal of triglyceride fatty acids from the plasma 9P
ROBINSON, G. B. *see* QUIRK, S. J. 1319–1328
ROBINSON, J. W. Properties of the ribonucleic acid bacteriophage ZIK/1 coat protein and its synthesis in an *Escherichia coli* cell-free system 481–489
RODGI, S. S., KANABUR, V. V., DODAKUNDI, G. B. & PATIL, H. S. Rise of pH in oxidation ponds 37P
RODWELL, V. W. Cholesterol regulation of hepatic 3-hydroxy-3-methylglutaryl-coenzyme A reductase 16P
ROSE, F. A. *see* DOLLY, J. O. 337–345, 347–352; MILSOM, D. W. 331–336
ROY, S. C. *see* CHAKRABARTI, S. 461–462
RUDNEY, H. Cell-free biosynthesis of precursors of polyprenyl derivatives of *p*-hydroxybenzoate in mammalian and bacterial systems 13P–14P
RUSSELL, D. H. & POTYRAJ, J. J. Spermine synthesis in the uterus of the ovariectomized rat in response to oestradiol-17β 1109–1115
RYAN, H. *see* RYAN, J. P. 139–146
RYAN, J. P. & RYAN, H. The role of intracellular pH in the regulation of cation exchanges in yeast 139–146
RYDER, E. The presence of acetyl-coenzyme A carboxylase apoenzyme in [illegible]er of newly hatched chicks 183–185
RYLEY, H. C. Glycopeptides of the sputum gel phase 129P
RYMAN, B. E. *see* GREGORIADIS, G. 142P–143P

SAGGERSON, E. D. The regulation of glyceride synthesis in isolated white-fat cells. The effects of acetate, pyruvate, lactate, palmitate, electron-acceptors, uncoupling agents and oligomycin 1069–1078
SAGGERSON, E. D. The regulation of glyceride synthesis in isolated white-fat cells. The effects of palmitate and lipolytic agents 1057–1067
SALAHUDDIN, A. *see* AHMAD, F. 49P; WAHEED, A. 49P
SALA-TREPAT, J. M. *see* MURRAY, K. 89P–90P
SALEEMUDDIN, M., SIDDIQI, M., BEGUM, S. & MOINUDDIN Effects of cycloheximide and actinomycin D on hepatic 3-hydroxy-3-methylglutaryl-coenzyme A hydrolase activity 42P
SALEM, A. R., LARGE, P. J. & QUAYLE, J. R. Glycine formation during growth of *Pseudomonas* AM1 on methanol and succinate 1203–1211
SAMUELSSON, B. The synthesis and biological role of prostaglandins 4P
SANADI, D. R., FISHER, R. J., KAPLAY, S. S., CHEN, J. C. & SANI, B. P. A soluble mitochondrial adenosine triphosphate synthetase complex and its stimulation by the membrane fraction 21P–22P
SANE, P. V. Distribution of photosystems 1 and 2 in the chloroplast lamellar structure 33P
SANGER, F. *see* JEPPESEN, P. G. N. 993–1006
SANGIORGI, G. *see* GRAZI, E. 735–736
SANI, B. P. *see* SANADI, D. R. 21P–22P
SAN PIETRO, A. Generation of reducing potential in photosynthesis 28P–29P
SANWAL, B. D., DUCKWORTH, H. W. & HOLLIER, M. L. Regulation of phosphoglucomutase 26P–27P
SASTRY, C. A., KINI, G. R. & MOHANRAO, G. J. Treatment of dairy wastes by the activated-sludge process 38P
SASTRY, P. S. *see* BAJWA, S. S. 44P

SAWHNEY, S. K. & NAIK, M. S. Role of light in the induction of nitrate reductase and nitrite reductase in rice seedlings 23P
SAXENA, S. *see* BACHHAWAT, B. K. 8P
SCHAUER, R. Biosynthesis of glycoprotein precursors and the mechanism of their assembly 112P–114P
SCOTT, J. M. *see* COSTELLO, J. 80P–81P
SEETARAMA RAO, B. *see* HENDRE, R. R. 27P
SEETHARAM, B. & RADHAKRISHNAN, A. N. Studies on mammalian hetero-β-galactosidases 53P
SELWYN, M. J. *see* WATLING, A. S. 86P–87P
SENGUPTA, S. & BOSE, S. K. Peptides from a mycobacillin-synthesizing cell-free system 47–52
SENIOR, P. J., BEECH, G. A., RITCHIE, G. A. F. & DAWES, E. A. The role of oxygen limitation in the formation of poly-β-hydroxybutyrate during batch and continuous culture of *Azotobacter beijerinckii* 1193–1201
SENO, N. *see* ATSUMI, K. 983–985
SERAFINI-CESSI, F. Conversion of allyl alcohol into acrolein by rat liver 1103–1107
SESHADRI, R., SURYANARAYANA MURTHY, P. & VENKITASUBRAMANIAN, T. A. Malate metabolism in mycobacteria 62P
SETTY, A. G. T., RADHAKRISHNA, G. N. & SIDDIQUI, R. H. Characterization of sludge from the extended aeration system to the activated-sludge system 36P
SHAH, S. A. *see* LAWLEY, P. D. 117–132, 133–138
SHAILA, M. S., GOPINATHAN, K. P. & RAMAKRISHNAN, T. Protein synthesis in *Mycobacterium tuberculosis* $H_{37}R_v$ and the effect of streptomycin 47P
SHAILAJA, M. S. & RAGHAVENDRA RAO, M. R. Homoserine dehydrogenase of *Serratia marcescens* 53P
SHANE, B. *see* CONTRACTOR, S. F. 11–18
SHARDA, D. *see* BAMJI, M. S. 58P
SHARMA, D. P. *see* MAHMOOD, A. 61P–62P
SHARMA, N. C. & TALWAR, G. P. Ribonucleoprotein nature of an organ-specific protein from monkey and goat brain 68P
SHAW, D. C. & WELLS, J. R. E. Radiochemical determination of a unique sequence around the reactive serine residue of a di-isopropyl phosphorofluoridate-sensitive plant carboxypeptidase and a yeast peptidase 229–235
SHAW, Y.-S. & CHEN, C. Ring hydroxylation of di-t-butylhydroxytoluene by rat liver microsomal preparations 1285–1291
SHEEHAN, J. K. *see* ATKINS, E. D. T. 1255–1263
SHELTAWY, A., BRAMMER, M. & BORRILL, D. The subcellular distribution of triphosphoinositide phosphomonoesterase in guinea-pig brain 579–586
SHELTAWY, A. *see also* LUTHRA, M. G. 587–595
SHEPHERD, D. A. L. *see* RATTENBURY, J. M. 143P–144P
SHEPHERD, M. G. *see* MALCOLM, A. A. 817–831
SHUKLA, O. P. Microbial transformation of α-picoline, 2-ethylpyridine and α-picolinate 64P
SIDDIQI, M. *see* ALAM, M. 64P; KHAN, A. N. 41P–42P; MOINUDDIN 56P; SALEEMUDDIN, M. 42P
SIDDIQUI, R. H. & HANDA, B. K. Application of continuous-culture theory to biological waste-treatment systems 35P
SIDDIQUI, R. H. *see also* SETTY, A. G. T. 36P
SIMONARSON, B. & WATTS, D. C. Purification and properties of adenosine triphosphate–creatine phosphotransferase from muscle of the dogfish *Scylliorhinus canicula* 1241–1253
SIMONS, K. *see* RENKONEN, O. 20P–21P
SIMS, P. *see* WATERFALL, J. F. 265–277
SINGH, A. & GANGULI, N. C. Amino acid incorporation by mammary gland as effected by milk and liver tissue extract 48P
SINGH, H., KRISHNA MALLIA, A. & CAMA, H. R. Metabolism of β-apocarotenals 11P
SINGH, K. & NATH, R. Studies on the identification of the cadmium-binding protein in rat testis 48P–49P
SINGH, R. *see* PAUL, B. 55P–56P
SIRSI, M. *see* BHANDARKAR, A. 52P
SITARMAYYA, A. *see* SREE KUMAR, K. 1079–1088
SIVARAMA SASTRY, K. *see* NIRMALA, J. 65P
SLAKEY, L. L., CRAIG, M. C., BEYTIA, E., BRIEDIS, A., FELDBRUEGGE, D. H., DUGAN, R. E., MUESING, R. A., QURESHI, A., SUBBARAYAN, C. & PORTER, J. W. The effects of starvation and re-feeding on the rates of synthesis and degradation of enzymes effecting intermediate reactions in the synthesis of cholesterol and fatty acids in rat liver 16P–17P
SLATER, T. F. *see* JOSE, P. J. 141P
SMILLIE, L. B. *see* HODGES, R. S. 102P; PERRIE, W. T. 105P–106P
SMITH, A. D. Cellular control of the uptake, storage and release of catecholamines 77P
SMITH, A. G., GOODFELLOW, R. & GOAD, L. J. The intermediacy of 3-oxo steroids in the conversion of cholest-5-en-3β-ol into 5α-cholestan-3β-ol by the starfish *Asterias rubens* and *Porania pulvillus* 1371–1372
SMITH, B. A. *see* LAWLEY, P. D. 133–138
SMITH, B. E. *see* EADY, R. R. 655–675
SMITH, G. E. *see* GRIFFITHS, L. A. 901–911
SMITH, J. E. *see* GOODMAN, DEW. S. 15P–16P
SMITH, J. T. *see* DALE, J. W. 173–174
SMITH, R. *see* FRANCIS, M. J. O. 122P–123P
SMITH, R. L. & TIMBRELL, J. A. Metabolism of [*acetyl*-^{14}C]phenacetin in various species 140P–141P
SMITH, R. L. *see also* HUGHES, R. D. 144P
SMITH, W. J. *see* LANGER, B. W., JR. 991–992
SNARY, D., ALLEN, A. & PAIN, R. H. The effect of caesium chloride on the tertiary structure of the water-soluble pig gastric mucus 123P–124P
SNARY, D. *see also* STARKEY, B. J. 123P
SNELL, K. & WALKER, D. G. The adaptive behaviour of isoenzyme forms of rat liver alanine aminotransferases during development 403–413
SODEK, J. *see* HODGES, R. S. 102P
SOIFER, D. & WHITTAKER, V. P. Morphology of subcellular fractions derived from the electric organ of *Torpedo*. *Appendix to*: The isolation of pure cholinergic synaptic vesicles from the electric organs of elasmobranch fish of the family Torpedinidae (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 845–846
SORGER, G. J. *see* SUBRAMANIAN, K. N. 23P
SPRAGG, S. P. *see* MCCALLUM, M. A. 389–402
SREE KUMAR, K., SITARAMAYYA, A. & KRISHNAN, P. S. Guanine deaminase in rat liver and mouse liver and brain 1079–1088
SREENIVASAN, A. *see* PILGAOKAR, A. K. 66P
SRIDHAR, M. K. C. & PILLAI, S. C. Catalase and protease activities in sewage, sludges and effluents 35P
SRINIVASA RAO, P. & SUBBA RAO, K. The fatty acid composition of different classes of lipids in developing human brain 44P

SRINIVASAN, A. Effect of hydrogen peroxide on buffalo milk proteins 50P
SRINIVASAN, M. V. *see* MOHANRAO, G. J. 37P–38P
SRIVASTAVA, K. C. *see* CLAUSEN, J. 4P
SRIVASTAVA, L. M. *see* GNANAPRAKASAM, M. S. 53P–54P
STARKEY, B. J., SNARY, D. & ALLEN, A. Fractionation of water-soluble pig gastric mucus by equilibrium density-gradient centrifugation in caesium chloride 123P
START, C. *see* NEWSHOLME, E. A. 89–97
STEIN, J. M. & HALES, C. N. Effect of adrenaline on ^{32}P incorporation into rat fat-cell phospholipids 531–541
STEVENS, L. & PASCOE, G. The location of spermine in bacterial ribosomes as indicated by 1,5-difluoro-2,4-dinitrobenzene and by ethidium bromide 279–289
STOKES, A. M., DENNER, W. H. B. & DODGSON, K. S. The purification and properties of adenosine 5′-sulphatophosphate sulphohydrolase from bovine liver 134P–135P
STOKES, A. M. *see also* DENNER, W. H. B. 133P–134P
STOKES, D. M. & WALKER, D. A. Photosynthesis by isolated chloroplasts. Inhibition by DL-glyceraldehyde of carbon dioxide assimilation 1147–1157
STONE, D. & PERRY, S. V. A proteolytic fragment of 26000 molecular weight from the heavy-chain fraction of myosin 106P
STOTT, D. I. & MUNRO, A. J. The formation of pyrrolid-2-one-5-carboxylic acid at the *N*-terminus of immunoglobulin G heavy chain 1221–1227
STRONG, C. R. & DILS, R. Fatty acid biosynthesis in rabbit mammary gland during pregnancy and early lactation 1303–1309
STRONG, C. R., FORSYTH, I. & DILS, R. The effects of hormones on milk-fat synthesis in mammary explants from pseudopregnant rabbits 509–519
STROUN, M. & ANKER, P. Nucleic acids spontaneously released by living frog auricles 100P–101P
STROUN, M. *see also* ANKER, P. 101P
STUMPF, P. K. Biosynthesis of unsaturated fatty acids by higher-plant systems 3P
STUMPF, P. K. & KANNAGARA, C. G. Biosynthesis of fatty acids by isolated chloroplasts 29P
SUBBA RAO, K. *see* SRINIVASA RAO, P. 44P
SUBBA RAO, P. V. *see* DHANADPANI, M. 54P; NAMBUDIRI, A. M. D. 63P
SUBBAIAH, P. V. *see* GANGULY, J. 8P–9P
SUBBARAYAN, C. *see* SLAKEY, L. L. 16P–17P
SUBBIAH, M. T. R., KOTTKE, B. A. & MARTIN, W. J. Unusual features of sterol excretion and distribution in the white carneau pigeon 42P
SUBRAHYMANYAM, D. *see* LAKSHMI, M. B. 51P
SUBRAHMANYAM, K. *see* JOSEPH, P. K. 60P, 1293–1301; VISWESWARAN, P. 60P
SUBRAHMANYAM, P. V. R. *see* MOHANRAO, G. J. 37P–38P
SUBRAMANIAN, K. N. & SORGER, G. J. The regulation of nitrate reductase in *Neurospora crassa* 23P
SUBRAMANIAN, S. S. *see* MASKATI, F. S. 62P
SUCKLING, A. J., MILLSON, G. C. & HUNTER, G. D. Glycoprotein biosynthesis and scrapie 128P
SUMNER, N. A. & BRUSH, M. G. Isoenzymes of acid phosphatase in human endometrium 103P–104P
SUNDHARADAS, G. *see* GROVER, A. 65P
SURYANARAYANA MURTHY, P. *see* PRASADA REDDY, T. L. 63P; SESHADRI, R. 62P
SUTTON, W. D. & WALKER, P. M. B. Self-renaturing fractions in the separated strands of mouse satellite deoxyribonucleic acid 193–198
SVASTI, J. & MILSTEIN, C. The complete amino acid sequence of a mouse κ light chain 427–444
SWANLJUNG, H. *see* SWANLJUNG, P. 479–480
SWANLJUNG, P., SWANLJUNG, H. & PARTIS, M. D. Correlation between oligomycin-sensitivity and ergosterol in a purified mitochondrial adenosine triphosphatase from *Saccharomyces cerevisiae* 479–480

TAIT, A. D. The conversion of 23,24-dinor-chol-5-en-3β-ol into steroid hormones 467–470
TAIT, G. H. 5-Aminolaevulinate synthetase of *Micrococcus denitrificans* 32P
TAIT, G. H. Coproporphyrinogenase activities in extracts of *Rhodopseudomonas spheroides* and *Chromatium* strain D 1159–1169
TALWAR, G. P. *see* GROVER, A. 65P; IQBAL, Z. 58P; JAILKHANI, B. 66P–67P; KRISHNARAJ, R. 57P; PANDIAN, M. R. 57P; SHARMA, N. C. 68P
TAPIA, R. *see* BALÁZS, R. 81P–82P
TATA, J. R. Co-ordinated synthesis of membrane phospholipids with the formation of ribosomes and accelerated protein synthesis during growth and development 18P
TATA, J. R. *see also* CLEMENS, M. J. 97P–98P
TAYLAUR, C. E. *see* CHAPMAN, M. J. 779–787
TAYLOR, W. H. *see* ROBERTS, N. B. 103P
THADHANI, S. B., BORKAR, P. S. & RAMACHANDRAN, S. Structural requirements of inducer for the formation of penicillin acylase in *Fusarium* sp. 7.5–5 49P–50P
THEODORIDES, V. J. *see* LANGER, B. W., JR. 991–992
THIMMAPPAYYA, B. *see* PRASADA RAO, Y. S. 67P
THOENEN, H. Neuronally mediated enzyme induction 69P–70P
THOMAS, H. W. *see* OWEN, E. 130P
THOMAS, P. *see* TUDBALL, N. 41–46, 133P
THOMPSON, R. H. S. Fatty acid metabolism in multiple sclerosis 4P
THORNTON, S. D. *see* NEWSHOLME, E. A. 89–97
TIMBRELL, J. A. *see* SMITH, R. L. 140P–141P
TIPTON, K. F. Inhibition of monoamine oxidase by substituted hydrazines 913–919
TIPTON, K. F. *see also* TURNER, A. J. 93P–94P
TSIGANOS, C. P., HARDINGHAM, T. E. & MUIR, H. Aggregation of cartilage proteoglycans 121P
TUDBALL, N. & THOMAS, P. Studies on the L-serine *O*-sulphate-degrading activity of pig liver 133P
TUDBALL, N. & THOMAS, P. The enzymic degradation of L-serine *O*-sulphate. Mechanism of the reaction 41–46
TUDBALL, N. *see also* BAILEY-WOOD, R. 137P
TURNER, A. J. & TIPTON, K. F. The separation of two aldehyde reductases from pig brain 93P–94P
TURNER, L. V. & MANCHESTER, K. L. Effects of denervation on the activities of some tricarboxylic acid-cycle-associated dehydrogenases and adenine-metabolizing enzymes in rat diaphragm muscle 803–809
TURNER, L. V. & MANCHESTER, K. L. Effects of denervation on the glycogen content and on the activities of enzymes of glucose and glycogen metabolism in rat diaphragm muscle 789–801

UMAR, S. *see* KHAN, A. N. 41P–42P
UPSHALL, D. G. *see* HOUSTON, J. B. 141P–142P

VAIDYANATHAN, C. S. *see* KANDASWAMI, C. 30P–31P
VAN DEENEN, L. L. M. Lipid composition, permeability and structure of biological membranes 19P
VAN DEN BERG, C. J. The structure of the metabolic pathways involved in the metabolism of neurotransmitters, with emphasis on the γ-aminobutyrate system 85P
VANDERJAGT, D. *see* LOFTFIELD, R. B. 1353–1356
VASIL, I. K. Hormonal control of cell division and differentiation *in vitro* 33P
VENKATA RAO, B. & BHAT, J. V. Stabilization of waste water containing phenols with yeast-enriched activated sludge 38P
VENKITASUBRAMANIAN, T. A. *see* PRASADA REDDY, T. L. 63P; REDDY, T. V. 61P; SESHADRI, R. 62P
VENKOBACHAR, C. *see* IYENGAR, L. 39P–40P
VICKERS, T. G. *see* GRAY, W. J. H. 1021–1031
VILLEMEZ, C. L. *see* HELLER, J. S. 243–252; LUDWIG, S. A. 605–610
VISWANATHAN, L. *see* REDDY, T. V. 61P
VISWESWARAN, P. & SUBRAHMANYAM, K. Effect of L-glutamate on glucose metabolism in rat cerebral cortex 60P
VIVEKANANDHAN, M. & GNANAM, A. 3-Amino-1,2,4-triazole, a herbicide affecting chloroplast development 55P

WAHEED, A. & SALAHUDDIN, A. Studies on ovomucoid: hydrogen ion equilibrium in the acid pH range 49P
WAKIL, S. J., ESFAHANI, M., LIMBRICK, A. R., KNUTTON, S. & OKA, T. The molecular organization of lipids in the membrane of *Escherichia coli* 20P
WALKER, D. A. *see* STOKES, D. M. 1147–1157
WALKER, D. G. *see* SNELL, K. 403–413
WALKER, P. M. B. *see* SUTTON, W. D. 193–198
WALS, P. A. *see* KATZ, J. 879–899
WALTER, D. S. & ECCLESTON, D. The effect of electrical stimulation of the locus coeruleus on the endogenous concentration of 4-hydroxy-3-methoxyphenylethylene glycol in rat brain 85P–86P
WARD, O. P. & FOGARTY, W. M. Polygalacturonate lyase of a *Bacillus* sp. associated with increased permeability of Sitka spruce (*Picea sitchensis*) 126P
WASHINGTON, D. R., HETLING, L. J. & RAO, S. S. Long-term adaptation of activated-sludge organisms to accumulated sludge mass 35P
WATERFALL, J. F. & SIMS, P. Epoxy derivatives of aromatic polycyclic hydrocarbons. The preparation and metabolism of epoxides related to benzo[*a*]pyrene and to 7,8- and 9,10-dihydrobenzo[*a*]pyrene 265–277
WATKINS, J. C. Metabolic regulation in the release and action of excitatory and inhibitory amino acids 71P–73P
WATKINS, W. M. Structure, genetics and biosynthesis of blood-group-specific glycoproteins 114P–116P
WATLING, A. S. & SELWYN, M. J. Effects of diphenyleneiodonium and trialkyltin compounds on photophosphorylation and chloride–hydroxide exchange in isolated chloroplasts 86P–87P
WATSON, H. R. & LINDSAY, D. B. 3-Hydroxybutyrate dehydrogenase in tissues from normal and ketonaemic sheep 53–57
WATTS, D. C. *see* SIMONARSON, B. 1241–1253
WELLER, M. *see* LAGNADO, J. R. 95P
WELLS, J. D. *see* OGSTON, A. G. 685–690
WELLS, J. R. E. *see* SHAW, D. C. 229–235
WESTWOOD, J. H. *see* BESSELL, E. M. 199–204
WHITE, A. *see* COOMBS, T. L. 128P–129P
WHITE, I. N. H. & MATTOCKS, A. R. Reaction of dihydropyrrolizines with deoxyribonucleic acids *in vitro* 291–297
WHITTAKER, V. P. The storage and release of acetylcholine 73P–74P
WHITTAKER, V. P., ESSMAN, W. B. & DOWE, G. H. C. The isolation of pure cholinergic synaptic vesicles from the electric organs of elasmobranch fish of the family Torpedinidae 833–845
WHITTAKER, V. P. *see also* SOIFER, D. 845–846
WHITTINGHAM, C. P. *see* BIRD, I. F. 191–192
WILKIN, G. *see* BALÁZS, R. 81P–82P
WILLIAMS, K. E. *see* LLOYD, J. B. 144P–145P
WILLIAMS, P. A. *see* CATTERALL, F. A. 88P–89P; MURRAY, K. 89P–90P
WILLIAMS, R. T. *see* HUGHES, R. D. 144P
WILLIAMSON, D. H. *see* PAGE, M. A. 459–460
WILLIAMSON, R. & DREWIENKIEWICZ, C. E. A demonstration that embryonic mouse liver heterogeneous nuclear ribonucleic acid contains globin messenger ribonucleic acid sequences 92P–93P
WILLIAMSON, R. *see also* LANYON, W. G. 93P
WILSON, P. *see* COSTELLO, J. 80P–81P
WINTERBURN, P. J. On the function of the carbohydrate moieties of glycoproteins 118P–119P
WINZLER, R. J. *see* LOMBART, C. 975–977
WOO, J. & CATER, D. B. A study of the cell surface of tumour, foetal and lymph-node cells by cell electrophoresis after antibody and enzymic treatment 1273–1284
WOOD, T. M. & MCCRAE, S. I. The purification and properties of the C_1 component of *Trichoderma koningii* cellulase 1183–1192
WRIGHT, K. A. & CAIN, R. B. Microbial metabolism of pyridinium compounds. Metabolism of 4-carboxyl-1-methylpyridinium chloride, a photolytic product of paraquat 543–559
WRIGHT, K. A. & CAIN, R. B. Microbial metabolism of pyridinium compounds. Radioisotope studies of the metabolic fate of 4-carboxy-1-methylpyridinium chloride 561–568

YAGI, K. Flavoprotein semiquinone 31P
YATES, D. W. *see* HOLBROOK, J. J. 933–940
YON, R. J. Wheat-germ aspartate transcarbamoylase. Kinetic behaviour suggesting an allosteric mechanism of regulation 311–320
YOUNG, V. R. *see* ALEXIS, S. D. 521–530

ZAHEER, F. & NICHOLSON, B. H. Fluorescence studies on ribonucleic acid polymerase 90P
ZATMAN, L. J. *see* COLBY, J. 1373–1376

Index of Subjects

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

Abscisic acid, stereochemical aspects of the formation of double bonds in, biosynthesized by avocado fruit (Milborrow, B. V.) 1135–1146

Acetate, effect of, on the regulation of glyceride biosynthesis in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078

Acetate, effects of, on the tricarboxylic acid cycle and its interactions with glycolysis in the perfused rat heart (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159

Acetate, involvement of glycollate in the metabolism of, by *Pseudomonas* AM1 (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 99–106

Acetate, role of, in the growth of *Pseudomonas* AM1 on ethanol and on C_1 compounds (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115

Acetoacetate, identification of the lactating mammary gland as a potential major site for the utilization of 3-hydroxybutyrate and, in the rat (Page, M. A. & Williamson, D. H.) 459–460

Acetylcholine, isolation of a protein binding decamethonium and, from heads of houseflies (Cattell, K. J. & Donnellan, J. F.) 187–189

Acetylcholine, storage and release of, by cholinergic nerve terminals in tissues from non-mammalian sources (Whittaker, V. P.) 73P–74P

Acetylcholine, subcellular distribution of, in the electric organs of *Torpedo marmorata* and other fish of the Family Torpedinidae (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 833–845

[1-^{14}C]Acetyl-coenzyme A, biosynthesis of fatty acids from, by subcellular fractions of rat epididymal adipose tissue (Kanoh, H. & Lindsay, D. B.) 847–857

Acetyl-coenzyme A carboxylase apoenzyme, presence of, in the liver of newly hatched chicks (Ryder, E.) 183–185

Acetyl-coenzyme A carboxylase, liver, regulatory mechanisms for (Numa, S., Hashimoto, T. & Nakanishi, S.) 2P

p-Acetylphenyl sulphate, potassium, use of, as a substrate in a specific assay method for measuring the activity of arylsulphatase C, a marker enzyme for rat liver microsomal fraction (Milsom, D. W., Rose, F. A. & Dodgson, K. S.) 331–336

Achromobacter D, metabolism of *N*-methylisonicotinate by (Wright, K. A. & Cain, R. B.) 543–559

Achromobacter D, use of radioactively labelled substrate to study the metabolism of *N*-methylisonicotinate by (Wright, K. A. & Cain, R. B.) 561–568

Acid phosphatase, *see* Phosphatase, acid

Acrolein, *see* Acrylic aldehyde

Acrylic aldehyde, conversion of allyl alcohol into, by rat liver preparations (Serafini-Cessi, F.) 1103–1107

Acyl phosphatase, purification and properties of, from *Vigna catjang* seeds (Ranjekar, V. K. & Jagannathan, V.) 51P

Adenine nucleotides, effects of denervation on the activities of enzymes involved in the metabolism of, in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 803–809

Adenine nucleotides, role of glucose in maintaining the concentrations of, in the anoxic isolated perfused rat heart (Hearse, D. J. & Chain, E. B.) 1125–1133

Adenine, regulatory significance of the release and action of derivatives of, in cerebral systems (McIlwain, H.) 74P–75P

Adenosine 3′:5′-cyclic monophosphate, mediation of, in the action of neurohumoral agents (Greengard, P.) 75P–77P

Adenosine diphosphate sulphurylase, *see* Sulphate adenylyltransferase (adenosine diphosphate)

Adenosine 3′-phosphate 5′-sulphatophosphate, separation of the ox liver enzymes degrading (Denner, W. H. B., Stokes, A. M. & Dodgson, K. S.) 133P–134P

Adenosine 5′-pyrophosphate, *see* Adenosine diphosphate

Adenosine 5′-sulphatophosphate sulphatase, purification and properties of, from ox liver (Stokes, A. M., Denner, W. H. B. & Dodgson, K. S.) 134P–135P

Adenosine triphosphatase, mitochondrial, yeast, purified, correlation between oligomycin-sensitivity and ergosterol content of (Swanljung, P., Swanljung, H. & Partis, M. D.) 479–480

Adenosine triphosphatase, properties of the activity of, of muscle from the nematode *Ascaris suum* (Langer, B. W., Jr., Smith, W. J. & Theodorides, V. J.) 991–992

Adenosine triphosphatase, sodium-plus-potassium ion-stimulated, activity of, in lateral and basal plasma membranes isolated from rat small-intestinal epithelial cells (Douglas, A. P., Kerley, R. & Isselbacher, K. J.) 1329–1338

Adenosine triphosphatase, sodium-plus-potassium ion-stimulated, distribution of, along the length of rat small intestine and its subcellular distribution (Gnanaprakasam, M. S. & Srivastava, L. M.) 53P–54P

Adenosine triphosphatase, sodium-plus-potassium ion-stimulated, inhibition by ascorbate of the activity of, in rat brain (Boxall, R. R. & Phizackerley, P. J. R.) 139P

Adenosine triphosphatases, activity of, in brush borders isolated from rabbit kidney cortex (Quirk, S. J. & Robinson, G. B.) 1319–1328

Adenosine triphosphate, intracellular, accumulation of glucose by rat small-intestinal mucosa after depletion of (Leese, H. J. & Bronk, J. R.) 455–457

Adenosine triphosphate, relationship between the biosynthesis of, and the natural electron acceptor for the biosynthesis of serine from glycine in tobacco leaves (Bird, I. F., Cornelius, M. J., Keys, A. J. & Whittingham, C. P.) 191–192

Adenosine triphosphate, stabilization by, of proteolytic activity in mouse kidney and liver heterolysosomes (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769

Adenosine triphosphate synthetase complex, mitochondrial, soluble, properties of, and its stimulation by the membrane fraction (Sanadi, D. R., Fisher, R. J., Kaplay, S. S., Chen, J. C. & Sani, B. P.) 21P–22P

S-Adenosyl[*Me*-^{14}C]methionine, characterization of a ^{14}C-labelled long-chain alcohol formed in a reaction involving, catalysed by an enzyme obtained from mung-bean seedlings (Ludwig, S. A. & Villemez, C. L.) 605–610

S-Adenosylmethionine, requirement for, for the anaerobic coproporphyrinogenase activities in extracts of *Rhodopseudomonas spheroides* N.C.I.B. 8253 and *Chromatium* strain D (Tait, G. H.) 1159–1169

Adenylate cyclase, effect of prolactin on the activity of, in rat prostate-gland homogenate (Golder, M. P., Boyns, A. R., Harper, M. E. & Griffiths, K.) 725–727

Adipocytes, epididymal, rat, effect of adrenaline on the incorporation of inorganic [^{32}P]phosphate into phospholipids of (Stein, J. M. & Hales, C. N.) 531–541

Adipocytes, epididymal, rat, isolated, control of the activity of the pentose phosphate pathway by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for fatty acid biosynthesis in (Kather, H., Rivera, M. & Brand, K.) 1097–1102

Adipocytes, epididymal, rat, isolated, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of glyceride biosynthesis in (Saggerson, E. D.) 1069–1078

Adipocytes, epididymal, rat, isolated, effects of palmitate and lipolytic agents on the regulation of glyceride biosynthesis in (Saggerson, E. D.) 1057–1067

Adipocytes, epididymal, rat, isolated, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of fatty acid biosynthesis in (Kather, H., Rivera, M. & Brand, K.) 1089–1096

Adipose tissue, clearing-factor lipase activity in, of rats adapted to controlled feeding schedules (Reichl, D.) 79–87

Adipose tissue, epididymal, rat, biosynthesis of fatty acids from [1-^{14}C]acetyl-coenzyme A by subcellular fractions of (Kanoh, H. & Lindsay, D. B.) 847–857

Adipose tissue, epididymal, rat, control of the activity of the pentose phosphate pathway by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for fatty acid biosynthesis in isolated fat-cells from (Kather, H., Rivera, M. & Brand, K.) 1097–1102

Adipose tissue, epididymal, rat, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of fatty acid biosynthesis in isolated fat-cells from (Kather, H., Rivera, M. & Brand, K.) 1089–1096

Adipose tissue, white, epididymal, rat, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of glyceride biosynthesis in isolated fat-cells from (Saggerson, E. D.) 1069–1078

Adipose tissue, white, epididymal, rat, effects of palmitate and lipolytic agents on the regulation of glyceride biosynthesis in isolated fat-cells from (Saggerson, E. D.) 1057–1067

Adrenal gland, ox, conversion of 23,24-dinor-chol-5-en-3β-ol into steroid hormones by homogenates of (Tait, A. D.) 467–470

Adrenaline, effect of, on the incorporation of inorganic [^{32}P]phosphate into the phospholipids of fat-cells prepared from rat epididymal fat-pads (Stein, J. M. & Hales, C. N.) 531–541

α- and β-Adrenergic blocking agents, effects of, on the incorporation of inorganic [^{32}P]phosphate into phospholipids of fat-cells prepared from rat epididymal fat-pads (Stein, J. M. & Hales, C. N.) 531–541

Aflatoxin, factors affecting the production of, by *Aspergillus parasiticus* A.T.C.C. 15517 grown on a synthetic medium (Reddy, T. V., Viswanathan, L. & Venkitasubramanian, T. A.) 61P

Alanine aminotransferases, liver, rat, adaptive behaviour of isoenzyme forms of, during development (Snell, K. & Walker, D. G.) 403–413

[^{14}C]Alanine, conversion of [1-^{14}C]pyruvate into, in rat skeletal muscle and its relevance to the effect of insulin on protein biosynthesis (Hider, R. C. & Meade, L.) 165–167

Alcohol dehydrogenase, liver, horse, protein fluorescence of (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940

Alcohol, long-chain, ^{14}C-labelled, characterization of, formed in a reaction involving *S*-adenosyl[*Me*-^{14}C]-methionine catalysed by an enzyme obtained from mung-bean seedlings (Ludwig, S. A. & Villemez, C. L.) 605–610

Aldehyde reductases, two, separation of, from pig brain (Turner, A. J. & Tipton, K. F.) 93P–94P

Aldolase, *see* Fructose diphosphate aldolase

Aleurone cells, wheat, lysosomal nature of hormonally induced enzymes in (Gibson, R. A. & Paleg, L. G.) 367–375

Alkaline phosphatase, *see* Phosphatase, alkaline

Alloxan-diabetes, *see* Diabetes, alloxan-

Allyl alcohol, conversion of, into acrylic aldehyde by rat liver preparations (Serafini-Cessi, F.) 1103–1107

Amino acid sequence, complete, of the κ light chain of the myeloma protein secreted by mouse plasmacytoma MOPC 21 (Svasti, J. & Milstein, C.) 427–444

Amino acid sequence of γ-crystallin (fraction II) from calf lens (Croft, L. R.) 961–970

Amino acid sequence of cytochrome *c* from the garden snail *Helix aspersa* Müller (Brown, R. H., Richardson, M., Boulter, D., Ramshaw, J. A. M. & Jefferies, R. P. S.) 971–974

Amino acid sequence of protein SCMK-B2C from the high-sulphur fraction of wool keratin (Elleman, T. C.) 1229–1239

Amino acid sequence, unique, radiochemical determination of, around the reactive serine residue of a French-bean carboxypeptidase and a yeast peptidase that are inhibited by reaction with di-isopropyl phosphorofluoridate (Shaw, D. C. & Wells, J. R. E.) 229–235

Amino acid sequences of proteins SCMK-B2A, SCMK-B2B and SCMK-B2C from the high-sulphur fraction of wool keratin (Lindley, H. & Elleman, T. C.) 859–867

Amino acid, *N*-terminal, formation of pyrrolid-2-one-5-carboxylic acid as, of mouse plasmacytoma Adj PC5 immunoglobulin G heavy chain (Stott, D. I. & Munro, A. J.) 1221–1227

Amino acids, effect of dietary protein intake on the incorporation of, into protein by cell-free systems containing ribosomes and transferases I and II obtained from rat

skeletal muscle (Alexis, S. D., Basta, S. & Young, V. R.) 521–530
Amino acids, effect of ionic media on the transport of, by rat small intestine *in vitro* (Mahmood, A. & Sharma, D. P.) 61P
Amino acids, enhancement by a preliminary incubation of the uptake of, by oestradiol-primed rat uterus (Riggs, T. R. & Pan, M. W.) 19–27
Amino acids, excitatory and inhibitory, metabolic regulation in the release and action of, in the central nervous system (Watkins, J. C.) 71P–73P
Amino acids, incorporation of, into protein by polyribosomes isolated from the cytoplasm, mitochondria and chloroplasts of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365
Amino acids, polymerization rates for ribonucleic acids in relaxed and stringent amino acid auxotrophs of *Escherichia coli* deprived of (Gray, W. J. H., Vickers, T. G. & Midgley, J. E. M.) 1021–1031
Amino acids, relationship between the tetrodotoxin-sensitive release of, and their locations in rat cerebral-cortex slices (Benjamin, A. M. & Quastel, J. H.) 631–646
Amino acids, synthesis and stability of ribonucleic acids in relaxed and stringent amino acid auxotrophs of *Escherichia coli* deprived of (Gray, W. J. H. & Midgley, J. E. M.) 1007–1020
Amino acids, 'unusual', ecological significance of, in plants (Bell, E. A.) 22P
Amino acids, use of 5-dimethylaminonaphthalene-1-sulphonyl chloride and micro-chromatography to detect and study the metabolism of suspected neurotransmitter substances and, in single neurons (Osborne, N. N. & Neuhoff, V.) 82P–83P
Aminoacyl-transfer-ribonucleic acids, effect of dietary protein intake on the capacity of rat skeletal-muscle ribosomes to bind (Alexis, S. D., Basta, S. & Young, V. R.) 521–530
4-Aminobutyrate, interrelationship between neurons and glia in the metabolism of glutamate, glutamine and, in rat cerebral cortex (Benjamin, A. M. & Quastel, J. H.) 631–646
4-Aminobutyrate, structure of the metabolic pathways involved in the metabolism of, and other neurotransmitters in brain (Van den Berg, C. J.) 85P
α-Aminoisobutyrate, enhancement by a preliminary incubation of the uptake of, by oestradiol-primed rat uterus (Riggs, T. R. & Pan, M. W.) 19–27
5-Aminolaevulinate synthetase, purification and properties of, from *Micrococcus denitrificans* (Tait, G. H.) 32P
Aminopeptidase, activity of, in brush borders isolated from rabbit kidney cortex (Quirk, S. J. & Robinson, G. B.) 1319–1328
Ammonium cations, quaternary, molecular-weight factor in the biliary excretion of (Hughes, R. D., Millburn, P., Smith, R. L. & Williams, R. T.) 144P
α-Amylase, lysosomal nature of, induced by gibberellic acid in wheat aleurone cells (Gibson, R. A. & Paleg, L. G.) 367–375
Amylose, high-molecular-weight, isolation and characterization of, by dispersion of starch granules with urea (Patil, N. B. & Kale, N. R.) 61P
Amylose, ligand-induced conformational changes in, studied by spectrophotometric and enzymic methods (Bhide, S. V. & Kale, N. R.) 60P–61P
[7α-^{3}H]Androsta-4,16-dien-3-one, metabolism of, by boar testis homogenate (Brophy, P. J. & Gower, D. B.) 945–952
[5α-^{3}H]5α-Androst-16-en-3-one, metabolism of, by boar testis homogenate (Brophy, P. J. & Gower, D. B.) 945–952
Anilinopropionamide herbicides, mode of action of (Kerr, M. W. & Avery, R. J.) 132P–133P
Anoxia, role of glucose in the survival and 'recovery' of the isolated perfused rat heart subjected to periods of (Hearse, D. J. & Chain, E. B.) 1125–1133
Antibiotic A-435, polyene, mode of action of, isolated from *Streptomyces rimosus* strain AC$_2$435 (Chandra, A. L. & Jarvis, B.) 59P
Antibodies, anti-(nerve growth factor), ^{125}I-labelled, specific, use of, for the radioimmunoassay of the biologically active species of nerve growth factor in tissues and plasma (Hendry, I. A.) 1265–1272
Antibodies, specific, study of the surface membrane of tumour and adult rat and foetal rat liver cells by cell electrophoresis after treatment with (Woo, J. & Cater, D. B.) 1273–1284
Antibodies, use of, for the detection of folded and unfolded forms of proteins and polypeptide fragments (Anfinsen, C. B.) 737–749
Antibody, rabbit, specific, labelling of the binding site of, with aryl nitrene on photolysis of its complex with the hapten ε-(4-azido-2-nitrophenyl)-L-lysine (Fleet, G. W. J., Knowles, J. R. & Porter, R. R.) 499–508
Antigen, *Entamoeba histolytica*, preparation of, for column-chromatographic studies (Alam, M. & Ahmed, S.) 62P
Apigenin, metabolism of, and related flavonoids in the rat *in vivo* and by the intestinal microflora *in vitro* (Griffiths, L. A. & Smith, G. E.) 901–911
β-Apocarotenals, metabolism of (Singh, H., Krishna Mallia, A. & Cama, H. R.) 11P
Arginase, 'ureotelic', stimulation by cortisol and by insulin of the activity of, in chicken liver (Grazi, E., Magri, E. & Sangiorgi, G.) 735–736
Arthritis, adjuvant-induced, cytochrome *P*-450 content, drug-metabolizing enzyme activity and the rate of biosynthesis of cholesterol in the liver of rats suffering from (Atkin, S. D., Palmer, E. D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242
Arvin, IRC-50, conformational changes in, at high pH (Collins, J. P.) 132P
Aryl nitrene, labelling of the antibody binding site with, on photolysis of the complex of specific rabbit antibody and the hapten ε-(4-azido-2-nitrophenyl)-L-lysine (Fleet, G. W. J., Knowles, J. R. & Porter, R. R.) 499–508
Arylsulphatase A, purification and properties of, from chicken brain (Farooqui, A. A. & Bachhawat, B. K.) 51P–52P
Arylsulphatase C, evidence for the identity of oestrogen sulphatase and, in rat liver microsomal fraction (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Arylsulphatase C, use of potassium *p*-acetylphenyl sulphate as substrate in a specific assay method for measuring the activity of, a marker enzyme for rat liver microsomal fraction (Milsom, D. W., Rose, F. A. & Dodgson, K. S.) 331–336

Ascaris suum, properties of the adenosine triphosphatase activity of muscle from (Langer, B. W., Jr., Smith, W. J. & Theodorides, V. J.) 991–992
Ascorbate, aspects of the metabolism of, in adrenalectomized rats (Nathani, M. G., Bhai, I., Nath, N., Daginawala, H. F. & Nath, M. C.) 57P–58P
Asparagine synthetase, induction of, in γ-irradiated potatoes (Nair, P. M.) 24P
Aspartate carbamoyltransferase, wheat-germ, kinetic behaviour suggesting an allosteric mechanism for regulation of the activity of (Yon, R. J.) 311–320
Asterias rubens, *see* Starfish
Avocado (*Persea gratissima*) fruit, stereochemical aspects of the formation of double bonds in abscisic acid biosynthesized by (Milborrow, B. V.) 1135–1146
4-Azido-2-nitrophenyl group, labelling with aryl nitrene of the binding site of specific rabbit antibody for (Fleet, G. W. J., Knowles, J. R. & Porter, R. R.) 499–508
ϵ-(4-Azido-2-nitrophenyl)-L-lysine, labelling of the antibody binding site with aryl nitrene on photolysis of the complex of specific rabbit antibody with (Fleet, G. W. J., Knowles, J. R. & Porter, R. R.) 499–508
Azotobacter beijerinckii N.C.I.B. 9067, role of oxygen limitation in the formation of poly-3-hydroxybutyrate during batch and continuous culture of (Senior, P. J., Beech, G. A., Ritchie, G. A. F. & Dawes, E. A.) 1193–1201

Bacillus acidocaldarius, formation of ω-cyclohexyl-fatty acids from shikimate in (De Rosa, M., Gambacorta, A., Minale, L. & Bu'Lock, J. D.) 751–754
Bacillus stearothermophilus N.C.I.B. 8923, location of spermine in ribosomes from, as indicated by treatment with 1,5-difluoro-2,4-dinitrobenzene and with ethidium bromide (Stevens, L. & Pascoe, G.) 279–289
Bacillus subtilis B_3, isolation of peptides from a mycobacillin-synthesizing cell-free system prepared from (Sengupta, S. & Bose, S. K.) 47–52
Bacteriophage R17, nucleotide sequences of two fragments from the coat-protein cistron of the ribonucleic acid of (Jeppesen, P. G. N., Barrell, B. G., Sanger, F. & Coulson, A. R.) 993–1006
Bacteriophage ZIK/1, ribonucleic acid, properties of the coat protein of, and its biosynthesis by a cell-free system prepared from *Escherichia coli* A19 (Robinson, J. W.) 481–489
Bacteriophage ϕX174, use of light-scattering to obtain evidence about the three-dimensional structure of supercoiled deoxyribonucleic acid from, in solution (Jolly, D. J. & Campbell, A. M.) 569–578
Bacterium 4B6 (obligate methylotroph), activities of hexose phosphate synthase and tricarboxylic acid-cycle enzymes in (Colby, J. & Zatman, L. J.) 1373–1376
Bean, French (*Phaseolus vulgaris*), radiochemical determination of the amino acid sequence around the reactive serine residue of a di-isopropyl phosphorofluoridate-sensitive carboxypeptidase from the leaves of (Shaw, D. C. & Wells, J. R. E.) 229–235
Bean, mung (*Phaseolus aureus*), characterization of a ^{14}C-labelled long-chain alcohol formed in a reaction involving *S*-adenosyl[*Me*-^{14}C]methionine catalysed by an enzyme obtained from seedlings of (Ludwig, S. A. & Villemez, C. L.) 605–610
Bean, mung (*Phaseolus aureus*), solubilization and properties of a mannose-polymerizing enzyme from seedlings of (Heller, J. S. & Villemez, C. L.) 243–252
Bees, bumble-, *see* Bumble-bees
Benzaldehyde, bacterial metabolism of vanillin and (Alam, M., Begum, S. & Siddiqi, M.) 64P
Benzoate, divergent *meta*-cleavage pathway for the metabolism of 3-methylbenzoate, 4-methylbenzoate and, by *Pseudomonas arvilla* mt-2 (Murray, K., Sala-Trepat, J. M. & Williams, P. A.) 89P–90P
Benzo[*a*]pyrene epoxides, synthesis of, and their metabolism by rat liver preparations (Waterfall, J. F. & Sims, P.) 265–277
Bile, association of increased amounts of 5α-deoxycholate in, with experimental oleate-induced cholelithiasis in the rabbit (Kyd, P. A. & Bouchier, I. A. D.) 169–172
Bile, excretion of metabolites of sodium oestrone [^{35}S]-sulphate in, in the guinea pig (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 347–352
Blood, comparison of the effects of starvation and bovine ketosis on the concentrations of intermediary metabolites in, of the lactating cow (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318
Blood, effects of hypo- and hyper-thyroidism on the concentrations of glucose, ketone bodies and insulin in, in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Bombus spp., *see* Bumble-bees
Bovine ketosis, *see* Ketosis, bovine
Brain, chick-embryo, developing, biochemical parameters of the ontogenesis of electrical activity in (Iqbal, Z., Jaffery, N. F. & Talwar, G. P.) 58P
Brain cortex, rat, relationship between the tetrodotoxin-sensitive release of amino acids and their locations in slices of (Benjamin, A. M. & Quastel, J. H.) 631–646
Brain cortex, rat, uptake and release of glutamate by slices of (Okamoto, K. & Quastel, J. H.) 1117–1124
Brain, guinea-pig, subcellular distribution of triphosphoinositide phosphomonoesterase in (Sheltawy, A., Brammer, M. & Borrill, D.) 579–586
Brain, ox, distribution of molecular species of phosphatidylinositol in, and its subcellular fractions (Luthra, M. G. & Sheltawy, A.) 587–595
Brain, pig, inhibition by substituted hydrazines of the activities of monoamine oxidases from rat liver and (Tipton, K. F.) 913–919
Brain, rat and mouse, purification and properties of guanine deaminase isoenzymes from (Sree Kumar, K., Sitaramayya, A. & Krishnan, P. S.) 1079–1088
Brain, rat, effect of phenylpyruvate on the metabolism of pyruvate by mitochondria from (Patel, M. S.) 677–684
Bromelain, stem, evidence for perturbation by structural transitions of the parameters that characterize the reaction of 2,2′-dipyridyl disulphide with the essential thiol group of (Brocklehurst, K., Crook, E. M. & Kierstan, M.) 979–982
2-Bromo-2-chloro-1,1,1-trifluoroethane, effects of, on glycolysis and biosynthetic processes in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 711–720
2-Bromo-2-chloro-1,1,1-trifluoroethane, protective effect of oleate on metabolic changes produced by, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 721–723

Bromophenol Blue, effect of the concentration of, on the resolution of rat neurophysins by polyacrylamide-gel electrophoresis (Burford, G. D. & Pickering, B. T.) 941–944
Brush borders, kidney-cortex, rabbit, isolation and characterization of (Quirk, S. J. & Robinson, G. B.) 1319–1328
Bumble-bees (*Bombus* spp.), activity of fructose diphosphatase in flight muscles from, and the role of this enzyme in heat generation (Newsholme, E. A., Crabtree, B., Higgins, S. J., Thornton, S. D. & Start, C.) 89–97
Butylated hydroxytoluene, *see* 3,5-Di-t-butyl-4-hydroxytoluene

Calcium ions, possible role of mitochondria in modification of pyruvate kinase activity and other metabolic activities sensitive to, in the cytoplasm (Meli, J. & Bygrave, F. L.) 415–420
Calcium ions, relation between adenylate cyclase activity and the transport of, in dog myocardial sarcoplasmic-reticulum preparations (Gillibrand, I. M. & Miall, P. A.) 109P
Calcium ions, stimulation by, of the activity of pyruvate dehydrogenase phosphate phosphatase from various mammalian sources (Denton, R. M., Randle, P. J. & Martin, B. R.) 161–163
Carbamates, aliphatic, absorption of, by everted gut sacs from the rat (Houston, J. B., Upshall, D. G. & Bridges, J. W.) 141P–142P
Carbohydrate, metabolism of, in isolated perfused rat kidney (Hems, D. A. & Gaja, G.) 421–426
Carbon dioxide, inhibition by DL-glyceraldehyde of the assimilation of, during photosynthesis by isolated chloroplasts from pea shoots and spinach leaves (Stokes, D. M. & Walker, D. A.) 1147–1157
Carbon disulphide, effects of the administration of, on cytochrome *P*-450 content, drug-metabolizing enzyme activity and cholesterol 7α-hydroxylase activity in rat liver (Atkin, S. D., Palmer, E. D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242
Carbon monoxide, development of catalysts for the removal of, from motor-car exhausts (Ramanathan, C. R. & Ravindram, M.) 40P–41P
Carbon tetrachloride, increased concentrations of malonaldehyde in the liver of rats treated with (Jose, P. J. & Slater, T. F.) 141P
4-Carboxy-1-methylpyridinium chloride (*N*-methylisonicotinate), metabolism of, by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 543–559
4-Carboxy-1-methylpyridinium chloride (*N*-methylisonicotinate), use of radioactively labelled substrate to study the metabolism of, by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 561–568
Carboxypeptidase, leaf, French-bean, radiochemical determination of a unique amino acid sequence around the reactive serine residue of a yeast peptidase and, that are inhibited by reaction with di-isopropyl phosphorofluoridate (Shaw, D. C. & Wells, J. R. E.) 229–235
Carotenoids, recent developments in the study of the biosynthesis of (Goodwin, T. W.) 11P–12P
Carp, Indian (*Cirrhana mrigala*), breeding of, under different environmental temperatures (Das, A. K.) 40P
Cartilage, nasal-septum, sheep, production and utilization of uridine diphosphate glucuronic acid for the biosynthesis of glycosaminoglycans in (Gainey, P. A. & Phelps, C. F.) 215–227
Cartilage, use of sulphoethyl-Sephadex as a model for estimation of the inner osmotic pressure of (Ogston, A. G. & Wells, J. D.) 685–690
Catechol, oxidation of, in plants (Kandaswami, C. & Vaidyanathan, C. S.) 30P–31P
Catechol 2,3-oxygenase, comparison of the properties of the activities of 1,2-dihydroxynaphthalene oxygenase and, in naphthalene-grown *Pseudomonas* sp. N.C.I.B. 9816 (Catterall, F. A. & Williams, P. A.) 88P–89P
Cathepsin, adenosine triphosphate-dependent stabilization of the activity of, in mouse kidney and liver heterolysosomes (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Cations, role of intracellular pH in the regulation of exchanges of, in baker's yeast (Ryan, J. P. & Ryan, H.) 139–146
Cell walls, mycobacterial, correlation of chemical structure and biological activity of, and derived lipids (Lederer, E.) 17P
Cells, HeLa, cultured, biosynthesis of phospholipids in, exposed to immunoglobulin G and complement (Güttler, F.) 953–960
Cells, HeLa, cultured, detection of 5-methylcytosine as the sole methylated base in deoxyribonucleic acid from (Lawley, P. D., Crathorn, A. R., Shah, S. A. & Smith, B. A.) 133–138
Cells, hepatoma 223, rat, study of the surface membrane of, by cell electrophoresis after treatment with specific antibodies and enzymes (Woo, J. & Cater, D. B.) 1273–1284
Cells, liver, rat, adult and foetal, study of the surface membrane of, by cell electrophoresis after treatment with specific antibodies and enzymes (Woo, J. & Cater, D. B.) 1273–1284
Cells, lymph-node, mouse, study of the surface membrane of, by cell electrophoresis after treatment with ribonuclease (Woo, J. & Cater, D. B.) 1273–1284
Cells, mammalian, apparatus for the automatic monitoring of biochemical parameters of, in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Cells, mast, P815Y, mouse, cultured, changes in nuclear proteins during the cell cycle in, separated by zonal centrifugation (Cross, M. E.) 1213–1219
Cells, monocotyledonous-plant, studies on tissue cultures of (Hendre, R. R., Mascarenhas, A. F., Pathak, M., Seetarama Rao, B. & Jagannathan, V.) 27P
Cells, myeloma P3, mouse, cyclic changes in the incorporation of labelled precursors into nucleic acids and protein in, during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Cells, plant, enzymic patterns in, in tissue culture (Bopp, M. & Bajaj, Y. P. S.) 32P–33P
Cells, plant, hormonal control of the division and differentiation of, in tissue culture (Vasil, I. K.) 33P
Cellulase, purification and properties of the C_1 component of, from *Trichoderma koningii* (Wood, T. M. & McCrae, S. I.) 1183–1192
Cerebellum, rat, isolation from, of a fraction enriched in nerve terminals of one single type (mossy-fibre terminals) (Balázs, R., Hajós, F., Michaelson, I. A., Tapia, R. & Wilkin, G.) 81P–82P

Cerebral cortex, rat, relationship between the tetrodotoxin-sensitive release of amino acids and their locations in slices of (Benjamin, A. M. & Quastel, J. H.) 631–646
Cerebral cortex, rat, uptake and release of glutamate by slices of (Okamoto, K. & Quastel, J. H.) 1117–1124
Cerebroside sulphate, biosynthesis of, in brain (Bachhawat, B. K., Kokrady, S. & Saxena, S.) 8P
Cerebrum, guinea-pig, subcellular distribution of triphosphoinositide phosphomonoesterase in (Sheltawy, A., Brammer, M. & Borrill, D.) 579–586
Cerebrum, ox, distribution of molecular species of phosphatidylinositol in, and its subcellular fractions (Luthra, M. G. & Sheltawy, A.) 587–595
Cerebrum, rat, effect of phenylpyruvate on the metabolism of pyruvate by mitochondria from (Patel, M. C.) 677–684
Cervix, uterine, human, normal and cancerous, effects of emetine and of cycloheximide on the biosynthesis of protein by mitochondria from (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462
Channa punctatus, seasonal biochemical acclimatization in (Das, A. B.) 40P
Chick, newly hatched, presence of acetyl-coenzyme A carboxylase apoenzyme in the liver of (Ryder, E.) 183–185
Chicken, stimulation by cortisol and by insulin of the 'ureotelic' arginase activity in liver of (Grazi, E., Magri, E. & Sangiorgi, G.) 735–736
1-Chloro-2,4-dinitrobenzene, effect of treating male and female rats with phenobarbitone on the apparent kinetic parameters for the conjugation of, with reduced glutathione by liver glutathione *S*-aryltransferase (Darby, F. J. & Grundy, R. K.) 175–177
Chloroplasts, distribution of photosystems 1 and 2 in the lamellar structure of (Sane, P. V.) 33P
Chloroplasts, effect of the herbicide 3-amino-1,2,4-triazole on the development of, in plants (Vivekanandhan, M. & Gnanam, A.) 55P
Chloroplasts, isolated, inhibition by DL-glyceraldehyde of the assimilation of carbon dioxide during photosynthesis by, from pea shoots and spinach leaves (Stokes, D. M. & Walker, D. A.) 1147–1157
Chloroplasts, isolation of active polyribosomes from the cytoplasm, mitochondria and, of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365
Chloroplasts, pea, isolated, effects of diphenyleneiodonium and trialkyltin compounds on diphosphorylation and chloride–hydroxide exchange in (Watling, A. S. & Selwyn, M. J.) 86P–87P
Cholelithiasis, oleate-induced, experimental, association of increased amounts of 5α-deoxycholate in the bile with, in the rabbit (Kyd, P. A. & Bouchier, I. A. D.) 169–172
5α-Cholestan-3β-ol, intermediacy of 3-oxo steroids in the conversion of cholest-5-en-3β-ol into, by the starfish *Asterias rubens* and *Porania pulvillus* (Smith, A. G., Goodfellow, R. & Goad, L. J.) 1371–1372
Cholest-5-en-3β-ol, intermediacy of 3-oxo steroids in the conversion of, into 5α-cholestan-3β-ol by the starfish *Asterias rubens* and *Porania pulvillus* (Smith, A. G., Goodfellow, R. & Goad, L. J.) 1371–1372
Cholesterol, biogenetic interrelationship between ubiquinone and (Ramasarma, T.) 12P–13P
Cholesterol 7α-hydroxylase, activity of, in rat liver microsomal preparations (Mitropoulos, K. A. & Balasubramaniam, S.) 1–9
Cholesterol, investigation of the possible role of cytochrome *P*-450 in the biosynthesis and catabolism of, in rat liver *in vivo* and *in vitro* (Atkin, S. D., Palmer, E. D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242
Cholesterol, metabolism of, and the biosynthesis of phytosterols in *Ochromonas malhamensis* (Beastall, G. H., Rees, H. H. & Goodwin, T. W.) 179–181
Cholesterol, metabolism of, in rabbits with dietary-induced gall-stones (Kyd, P. A. & Bouchier, I. A. D.) 80P
Choline acetyltransferase, subcellular distribution of, in the electric organs of *Torpedo marmorata* and other fish of the Family Torpedinidae (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 833–845
Cholinergic synaptic vesicles, pure, isolation of, from the electric organs of *Torpedo marmorata* (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 833–845
Chondrosulphatase, purification and characterization of, from squid liver (Atsumi, K., Kawai, Y., Seno, N. & Anno, K.) 983–985
Chromatium strain D, properties of the anaerobic coproporphyrinogenase activity in extracts of (Tait, G. H.) 1159–1169
Cirrhana mrigala, *see* Carp, Indian
Cistron, coat-protein, nucleotide sequences of two fragments from, of bacteriophage R17 ribonucleic acid (Jeppesen, P. G. N., Barrell, B. G., Sanger, F. & Coulson, A. R.) 993–1006
(−)-Citramalate, metabolism of, by *Pseudomonas* sp. (Maskati, F. S., Raghavendra Rao, M. R., Subramanian, S. S. & Jagannathan, V.) 62P
Citric acid cycle, *see* Tricarboxylic acid cycle
Citrulline, photolysis of, in the presence of hydrogen peroxide (Ansari, A. S. & Ali, R.) 58P–59P
Clearing-factor lipase, *see* Lipase, clearing-factor
Coat protein, nucleotide sequences of two fragments from the cistron for, of bacteriophage R17 ribonucleic acid (Jeppesen, P. G. N., Barrell, B. G., Sanger, F. & Coulson, A. R.) 993–1006
Coat protein, properties of, of ribonucleic acid bacteriophage ZIK/1 and its biosynthesis by a cell-free system prepared from *Escherichia coli* A19 (Robinson, J. W.) 481–489
Collagen, polymeric, skin, human, age-related changes in the stability of (Francis, M. J. O., Smith, R. & Macmillan, D. C.) 122P–123P
Complement, biosynthesis of phospholipids in cultured HeLa cells exposed to immunoglobulin G and (Güttler, F.) 953–960
Coproporphyrinogenase, properties of the activities of, in extracts of *Rhodopseudomonas spheroides* N.C.I.B. 8253 and *Chromatium* strain D (Tait, G. H.) 1159–1169
Cornea, ox, biosynthesis of keratan sulphate in, *in vitro* (Handley, C. J. & Phelps, C. F.) 205–213
Corneal epithelium, ox, production and utilization of uridine diphosphate glucuronic acid for the biosynthesis of glycosaminoglycans in (Gainey, P. A. & Phelps, C. F.) 215–227

Cortisol, stimulation by, of the 'ureotelic' arginase activity of chicken liver (Grazi, E., Magri, E. & Sangiorgi, G.) 735–736

Cortisone, evaluation of the rate-limiting steps in the pathway of glucose metabolism in kidney cortex of rats treated with (Joseph, P. K. & Subrahmanyam, K.) 1293–1301

Cortisone reductase, functional specificity of (Gibb, W. & Jeffery, J.) 136P

Cortisone reductase, properties of the active centre for the nicotinamide–adenine dinucleotide-linked 3-hydroxy steroid dehydrogenase activity of (Gibb, W. & Jeffery, J.) 136P–137P

Cotyledons, pea, localization and interconversion of tetrahydrofolates in mitochondria isolated from (Clandinin, M. T. & Cossins, E. A.) 29–40

p-Coumarate, enzymic conversion of, into caffeate by *Streptomyces nigrifaciens* (Nambudiri, A. M. D., Bhat, J. V. & Subba Rao, P. V.) 63P

Cow, lactating, comparison of the effects of starvation and bovine ketosis on intermediary metabolism in (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318

Creatine kinase, purification and properties of, from dogfish (*Scylliorhinus canicula*) skeletal muscle (Simonarson, B. & Watts, D. C.) 1241–1253

γ-Crystallin (fraction II), lens, calf, amino acid sequence of (Croft, L. R.) 961–970

γ-Crystallin, lens, ox, fluorescence of, after exposure to sunlight (Pirie, A.) 1365–1367

Cycloheximide, effects of emetine and of, on the biosynthesis of protein by mitochondria from mammalian sources (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462

ω-Cyclohexyl-fatty acids, formation of, from shikimate by *Bacillus acidocaldarius* (De Rosa, M., Gambacorta, A., Minale, L. & Bu'Lock, J. D.) 751–754

L-Cysteine, reactivities of the various protonic states in the reactions of papain and of, with 2,2′- and 4,4′-dipyridyl disulphide (Brocklehurst, K. & Little, G.) 471–474

Cysteine residue, active-site, reaction of 5,5′-dithiobis-2-nitrobenzoate dianion with the thiol group of, of papain (Brocklehurst, K., Kierstan, M. & Little, G.) 811–816

Cystine (half) residues, high content of, in repeating amino acid sequences in protein SCMK-B2C from the high-sulphur fraction of wool keratin (Elleman, T. C.) 1229–1239

Cytochalasin B, exocytosis of polymorphonuclear-leucocyte lysosomal enzymes induced by (Davies, P., Allison, A. C., Fox, R. I., Polyzonis, M. & Haswell, A. D.) 78P–79P

Cytochrome *a*, properties of, of mitochondria from *Tetrahymena pyriformis* strain ST (Lloyd, D. & Chance, B.) 1171–1182

Cytochrome b_{560}, properties of, of mitochondria from *Tetrahymena pyriformis* strain ST (Lloyd, D. & Chance, B.) 1171–1182

Cytochrome *c*, amino acid sequence of, from the garden snail *Helix aspersa* Müller (Brown, R. H., Richardson, M., Boulter, D., Ramshaw, J. A. M. & Jefferies, R. P. S.) 971–974

Cytochrome *c* oxidase, haem–haem interactions associated with ligand binding by (Nicholls, P.) 98P–99P

Cytochrome *c* oxidase, properties of, of mitochondria from *Tetrahymena pyriformis* strain ST (Lloyd, D. & Chance, B.) 1171–1182

Cytochrome *c* peroxidase, yeast, use of, for measurement of the generation of hydrogen peroxide by subcellular fractions of rat liver (Boveris, A., Oshino, N. & Chance, B.) 617–630

Cytochrome *o*, properties of, of mitochondria from *Tetrahymena pyriformis* strain ST (Lloyd, D. & Chance, B.) 1171–1182

Cytochrome *P*-450, investigation of the possible role of, in the biosynthesis and catabolism of cholesterol in rat liver *in vivo* and *in vitro* (Atkin, S. D., Palmer, E D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242

Cytochromes, characterization of, of mitochondria from *Tetrahymena pyriformis* strain ST (Lloyd, D. & Chance, B.) 1171–1182

Cytoplasm, isolation of active polyribosomes from the mitochondria, chloroplasts and, of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365

Cytoplasm, possible role of mitochondria in modification of the activity of pyruvate kinase and other calcium ion-sensitive metabolic activities in (Meli, J. & Bygrave, F. L.) 415–420

Cytosol, liver, rat, adaptive behaviour of isoenzyme forms of alanine aminotransferases in, and mitochondria during development (Snell, K. & Walker, D. G.) 403–413

Cytosol, presence of 3-hydroxybutyrate dehydrogenase in, of sheep liver, rumen epithelium and kidney cortex (Watson, H. R. & Lindsay, D. B.) 53–57

Decamethonium, isolation of a protein binding acetylcholine and, from heads of houseflies (Cattell, K. J. & Donnellan, J. F.) 187–189

Decyl sulphate, metabolism of the potassium salts of octadecyl sulphate, undecyl sulphate and, in the rat (Burke, B., Olavesen, A. H., Curtis, C. G. & Powell, G. M.) 139P–140P

Dehydrogenases, effects of denervation on the activities of, associated with the tricarboxylic acid cycle in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 803–809

Dehydrogenases, nicotinamide nucleotide-dependent, protein fluorescence of (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940

Denervation, effects of, on the activities of some dehydrogenases associated with the tricarboxylic acid cycle and of enzymes involved in the metabolism of adenine nucleotides in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 803–809

Denervation, effects of, on the glycogen content and on the activities of enzymes involved in the metabolism of glucose and glycogen in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 789–801

5α-Deoxycholate, association of increased amounts of, in the bile with experimental oleate-induced cholelithiasis in the rabbit (Kyd, P. A. & Bouchier, I. A. D.) 169–172

Deoxyfluoro-D-glucopyranoses, use of, and related compounds in a study of the specificity of yeast hexokinase (Bessell, E. M., Foster, A. B. & Westwood, J. H.) 199–204

Deoxyribonucleic acid, alkylated, resistance of, to attack by deoxyribonucleases (Margison, G. P. & O'Connor, P. J.) 138P–139P

Deoxyribonucleic acid, clusters of pyrimidine bases in, of *Azotobacter vinelandii* (Khan, S. A., Krandikar, S. S. & Jacob, T. M.) 67P–68P

Deoxyribonucleic acid, control of the biosynthesis of nicotinamide nucleotides, ribonucleic acid and, in regenerating rat liver (Ferris, G. M. & Clark, J. B.) 869–877

Deoxyribonucleic acid, cyclic changes in the incorporation of [^{3}H]thymidine into, in mouse myeloma P3 cells during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454

Deoxyribonucleic acid, dependence on, of the biosynthesis of ribonucleic acid by isolated rat liver mitochondria (Fukamachi, S., Bartoov, B. & Freeman, K. B.) 299–309

Deoxyribonucleic acid, detection of 5-methylcytosine as the sole methylated base in, from cultured HeLa cells (Lawley, P. D., Crathorn, A. R., Shah, S. A. & Smith, B. A.) 133–138

Deoxyribonucleic acid, satellite, mouse, self-renaturing fractions in the separated strands of (Sutton, W. D. & Walker, P. M. B.) 193–198

Deoxyribonucleic acid, spontaneous release of, by living frog auricles (Stroun, M. & Anker, P.) 100P–101P

Deoxyribonucleic acid, supercoiled, use of light-scattering to obtain evidence about the three-dimensional structure of, from bacteriophage ϕX174 in solution (Jolly, D. J. & Campbell, A. M.) 569–578

Deoxyribonucleic acid, thymine starvation and the biosynthesis of, in *Escherichia coli* 15T$^-$ (557) (Pilgaokar, A. K., Pradhan, D. S. & Sreenivasan, A.) 66P

Deoxyribonucleic acids, reaction of dihydropyrrolizines with, *in vitro* (White, I. N. H. & Mattocks, A. R.) 291–297

Development, adaptive behaviour of isoenzyme forms of rat liver alanine aminotransferases during (Snell, K. & Walker, D. G.) 403–413

Development, changes in the activity of arylsulphatase C in rat liver during (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345

Development, changes in tissue and plasma concentrations of the biologically active species of nerve growth factor in the mouse during (Hendry, I. A.) 1265–1272

Diabetes, alloxan-, evaluation of the rate-limiting steps in the pathway of glucose metabolism in kidney cortex of rats with (Joseph, P. K. & Subrahmanyam, K.) 1293–1301

Diamine oxidase, kidney, pig, inhibition of, by substrate analogues (Bardsley, W. G. & Ashford, J. S.) 253–263

Diaphragm muscle, rat, effects of denervation on the activities of some dehydrogenases associated with the tricarboxylic acid cycle and of enzymes involved in the metabolism of adenine nucleotides in (Turner, L. V. & Manchester, K. L.) 803–809

Diaphragm muscle, rat, effects of denervation on the glycogen content and on the activities of enzymes involved in the metabolism of glucose and glycogen in (Turner, L. V. & Manchester, K. L.) 789–801

1,2-Dichloro-4-nitrobenzene, effect of treating male and female rats with phenobarbitone on the apparent kinetic parameters for the conjugation of, with reduced glutathione by liver glutathione *S*-aryltransferase (Darby, F. J. & Grundy, R. K.) 175–177

Diet, adaptive behaviour of isoenzyme forms of rat liver alanine aminotransferases to hormonal stimuli and changes in, during development (Snell, K. & Walker, D. G.) 403–413

Diet, clearing-factor lipase activity in the adipose tissue of rats adapted to controlled feeding schedules of (Reichl, D.) 79–87

Diet, effect of the protein content of, on the biosynthesis of protein by cell-free systems containing ribosomes and transferases I and II obtained from rat skeletal muscle (Alexis, S. D., Basta, S. & Young, V. R.) 521–530

1,5-Difluoro-2,4-dinitrobenzene, location of spermine in bacterial ribosomes as indicated by treatment with ethidium bromide and with (Stevens, L. & Pascoe, G.) 279–289

7,8- and 9,10-Dihydrobenzo[*a*]pyrene epoxides, synthesis of, and their metabolism by rat liver preparations (Waterfall, J. F. & Sims, P.) 265–277

24,25-Dihydrolanosterol, metabolism of, and the biosynthesis of phytosterols in *Ochromonas malhamensis* (Beastall, G. H., Rees, H. H. & Goodwin, T. W.) 179–181

Dihydropyrrolizines, reaction of, with deoxyribonucleic acids *in vitro* (White, I. N. H. & Mattocks, A. R.) 291–297

1,25-Dihydroxycholecalciferol, role of, as a hormonal form of vitamin D active on intestine (DeLuca, H. F.) 14P–15P

Di-isopropyl phosphorofluoridate, radiochemical determination of a unique amino acid sequence around the reactive serine residue of a French-bean carboxypeptidase and of a yeast peptidase that are inhibited by reaction with (Shaw, D. C. & Wells, J. R. E.) 229–235

Dimethyl sulphate, comparison of chemical analyses at the nucleoside and base levels in investigation of the methylation of ribonucleic acid by, and other carcinogenic methylating agents (Lawley, P. D. & Shah, S. A.) 117–132

p-Dimethylaminomethylbenzylamine, inhibition by substrate analogues of the oxidation of, by pig kidney diamine oxidase (Bardsley, W. G. & Ashford, J. S.) 253–263

Dimethylsulphonium compounds, inhibition of pig kidney diamine oxidase by, and other substrate analogues (Bardsley, W. G. & Ashford, J. S.) 253–263

23,24-Dinor-chol-5-en-3β-ol, conversion of, into steroid hormones by ox adrenal-gland homogenates (Tait, A. D.) 467–470

Dipeptidase, highly active, substrate specificity of, purified from monkey small intestine (Das, M. & Radhakrishnan, A. N.) 463–465

2,2′-Dipyridyl disulphide, evidence for perturbation by structural transitions of the parameters that characterize the reaction of the essential thiol group of stem bromelain with (Brocklehurst, K., Crook, E. M. & Kierstan, M.) 979–982

2,2′- and 4,4′-Dipyridyl disulphide, reactivities of the various protonic states in the reactions of papain and of L-cysteine with (Brocklehurst, K. & Little, G.) 471–474

Disulphide bridges, intrachain, of rabbit immunoglobulin G light chains of allotypes b4 and b5 (Lamm, M. E. & Frangione, B.) 1357–1359
3,5-Di-t-butyl-4-hydroxytoluene, ring hydroxylation of, by rat liver microsomal preparations (Shaw, Y.-S. & Chen, C.) 1285–1291
5,5′-Dithiobis-(2-nitrobenzoate) dianion, kinetics of the reversible reaction of papain with (Little, G. & Brocklehurst, K.) 475–477
5,5′-Dithiobis-(2-nitrobenzoate) dianion, reaction of papain with (Brocklehurst, K., Kierstan, M. & Little, G.) 811–816
Dogfish (*Scylliorhinus canicula*), purification and properties of creatine kinase from skeletal muscle from (Simonarson, B. & Watts, D. C.) 1241–1253
Dolichols, biosynthesis of geranylgeraniol, farnesol, ubiquinones and, from mevalonate in *Phytophthora cactorum* I.M.I. 21168 (Richards, J. B. & Hemming, F. W.) 1345–1352
Drug-metabolizing enzymes, investigation of the possible relationship between cytochrome *P*-450 content, the activity of, and the biosynthesis and catabolism of cholesterol in rat liver *in vivo* and *in vitro* (Atkin, S. D., Palmer, E. D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242

Electric organs, isolation of pure cholinergic synaptic vesicles from, of *Torpedo marmorata* and other fish of the Family Torpedinidae (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 833–845
Electric organs, morphology of subcellular fractions derived from, of *Torpedo nobiliana* and *Torpedo marmorata* (Soifer, D. & Whittaker, V. P.) 845–846
Electron acceptor, natural, relationship between the biosynthesis of adenosine triphosphate and, for the biosynthesis of serine from glycine in tobacco leaves (Bird, I. F., Cornelius, M. J., Keys, A. J. & Whittingham, C. P.) 191–192
Ellman's reagent, *see* 5,5′-Dithiobis-(2-nitrobenzoate)
Emetine, effects of cycloheximide and of, on the biosynthesis of protein by mitochondria from mammalian sources (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Environmental biochemistry (Symposium) 35P–41P
Enzymes, application of product inhibition studies to one substrate–one product reactions catalysed by (Darvey, I. G.) 383–387
Epididymal fat-pads, clearing-factor lipase activity in, of rats adapted to controlled feeding schedules (Reichl, D.) 79–87
Epididymis, rat, biosynthesis of fatty acids from [1-^{14}C]-acetyl-coenzyme A by subcellular fractions of adipose tissue from (Kanoh, H. & Lindsay, D. B.) 847–857
Epididymis, rat, control of the activity of the pentose phosphate pathway by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for fatty acid biosynthesis in isolated fat-cells from (Kather, H., Rivera, M. & Brand, K.) 1097–1102
Epididymis, rat, effect of adrenaline on the incorporation of inorganic [^{32}P]phosphate into phospholipids of fat-cells prepared from (Stein, J. M. & Hales, C. N.) 531–541
Epididymis, rat, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of glyceride biosynthesis in isolated fat-cells from (Saggerson, E. D.) 1069–1078
Epididymis, rat, effects of palmitate and lipolytic agents on the regulation of glyceride biosynthesis in isolated fat-cells from (Saggerson, E. D.) 1057–1067
Epididymis, rat, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of fatty acid biosynthesis in isolated fat-cells from (Kather, H., Rivera, M. & Brand, K.) 1089–1096
Epinephrine, *see* Adrenaline
Epithelium, small-intestinal, rat, isolation and characterization of lateral and basal plasma membranes from (Douglas, A. P., Kerley, R. & Isselbacher, K. J.) 1329–1338
Epoxides, synthesis of, related to benzo[*a*]pyrene and to 7,8- and 9,10-dihydrobenzo[*a*]pyrene and their metabolism by rat liver preparations (Waterfall, J. F. & Sims, P.) 265–277
Ergosterol, correlation between oligomycin-sensitivity and the content of, of a purified yeast mitochondrial adenosine triphosphatase (Swanljung, P., Swanljung, H. & Partis, M. D.) 479–480
Ergosterol, metabolism of, in the larva of the rice moth (*Corcyra cephalonica*) (Jayaram, M. & Raman, T. S.) 46P
Escherichia coli, activity of the inducible phosphoenolpyruvate-dependent hexose phosphotransferase system in (Kornberg, H. L. & Reeves, R. E.) 1339–1344
Escherichia coli A19, biosynthesis of the coat protein of ribonucleic acid bacteriophage ZIK/1 by a cell-free system prepared from (Robinson, J. W.) 481–489
Escherichia coli, direct comparison of the properties of two unusual R-factor-mediated β-lactamases produced by (Dale, J. W. & Smith, J. T.) 173–174
Escherichia coli K12, purification and properties of methylglyoxal synthase from (Hopper, D. J. & Cooper, R. A.) 321–329
Escherichia coli M.R.E. 600, fixation of spermine to ribosomes from, by treatment with 1,5-difluoro-2,4-dinitrobenzene and other cross-linking reagents (Stevens, L. & Pascoe, G.) 279–289
Escherichia coli, polymerization rates for ribonucleic acids in relaxed and stringent amino acid auxotrophs of, deprived of amino acids (Gray, W. J. H., Vickers, T. G. & Midgley, J. E. M.) 1021–1031
Escherichia coli, reaction of dihydropyrrolizines with deoxyribonucleic acid from, *in vitro* (White, I. N. H. & Mattocks, A. R.) 291–297
Escherichia coli, synthesis and stability of ribonucleic acids in relaxed and stringent amino acid auxotrophs of (Gray, W. J. H. & Midgley, J. E. M.) 1007–1020
Estradiol, *see* Oestradiol
Estrogens, *see* Oestrogens
Estrone, *see* Oestrone
Ethanol, involvement of glycollate in the metabolism of, by *Pseudomonas* AM1 (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 99–106
Ethanol, role of glyoxylate, glycollate and acetate in the growth of *Pseudomonas* AM1 on (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115
Ethidium bromide, location of spermine in bacterial ribosomes as indicated by treatment with 1,5-difluoro-2,4-dinitrobenzene and with (Stevens, L. & Pascoe, G.) 279–289

L-Ethionine, ethylation of rat liver transfer ribonucleic acid after the administration of (Pegg, A. E.) 59–68

Ethyl α-*p*-chlorophenoxyisobutyrate, effect of, on oxidative phosphorylation by rat liver mitochondria (Panini, S. R.) 50P–51P

Ethyl α-*p*-chlorophenoxyisobutyrate, pattern of response of rat liver lobes to the administration of (Krishna Kantha, T. P.) 59P

Ethyl isocyanide, binding of, to horseradish ferroperoxidase (Phelps, C., Antonini, E. & Brunori, M.) 377–382

N-Ethyl-*N*-nitrosourea, modification by reaction with, of polycytidylate used as a template for ribonucleic acid polymerase (Ludlum, D. B. & Magee, P. N.) 729–731

Euglena gracilis, isolation of active polyribosomes from the cytoplasm, mitochondria and chloroplasts of (Avadhani, N. G. & Buetow, D. E.) 353–365

Faeces, excretion of metabolites of apigenin and related flavonoids in, in the rat (Griffiths, L. A. & Smith, G. E.) 901–911

Farnesol, biosynthesis of dolichols, ubiquinones, geranylgeraniol and, from mevalonate in *Phytophthora cactorum* I.M.I. 21168 (Richards, J. B. & Hemming, F. W.) 1345–1352

Fat, body, gross fatty acid composition of, from the termite (*Odontotermes assmuthi*) queen (Basalingappa, S., Badami, R. C. & Kudari, S. M.) 44P–45P

Fat, milk, effects of hormones on the biosynthesis of, in mammary-gland explants from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R.) 509–519

Fat-cells, epididymal, rat, effect of adrenaline on the incorporation of inorganic [^{32}P]phosphate into phospholipids of (Stein, J. M. & Hales, C. N.) 531–541

Fat-cells, epididymal, rat, isolated, control of the activity of the pentose phosphate pathway by the requirement for reduced nicotinamide–adenine nucleotide phosphate for fatty acid biosynthesis in (Kather, H., Rivera, M. & Brand, K.) 1097–1102

Fat-cells, epididymal, rat, isolated, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of glyceride biosynthesis in (Saggerson, E. D.) 1069–1078

Fat-cells, epididymal, rat, isolated, effects of palmitate and lipolytic agents on the regulation of glyceride biosynthesis in (Saggerson, E. D.) 1057–1067

Fat-cells, epididymal, rat, isolated, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of fatty acid biosynthesis in (Kather, H., Rivera, M. & Brand, K.) 1089–1096

Fat-pads, epididymal, clearing-factor lipase activity in, of rats adapted to controlled feeding schedules (Reichl, D.) 79–87

Fatty acids, activity of the pentose phosphate pathway for the metabolism of glucose and the formation of reducing equivalents for the biosynthesis of, in rat mammary-gland slices (Katz, J. & Wals, P. A.) 879–899

Fatty acids, biosynthesis of, by isolated chloroplasts (Stumpf, P. K. & Kannagara, C. G.) 29P

Fatty acids, biosynthesis of, from [1-^{14}C]acetyl-coenzyme A by subcellular fractions of rat epididymal adipose tissue (Kanoh, H. & Lindsay, D. B.) 847–857

Fatty acids, biosynthesis of, in rabbit mammary gland during pregnancy and early lactation (Strong, C. R. & Dils, R.) 1303–1309

Fatty acids, control of the activity of the pentose phosphate pathway by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for the biosynthesis of, in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1097–1102

Fatty acids, ω-cyclohexyl-, formation of, from shikimate by *Bacillus acidocaldarius* (De Rosa, M., Gambacorta, A., Minale, L. & Bu'Lock, J. D.) 751–754

Fatty acids, effect of prolactin in control of the chain length of, biosynthesized in mammary-gland explants from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R.) 509–519

Fatty acids, effects of starvation and re-feeding on the rates of synthesis and degradation of enzymes effecting intermediate reactions in the biosynthesis of cholesterol and, in rat liver (Slakey, L. L., Craig, M. C., Beytia, E., Briedis, A., Feldbruegge, D. H., Dugan, R. E., Muesing, R. A., Qureshi, A., Subbarayan, C. & Porter, J. W.) 16P–17P

Fatty acids, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of biosynthesis of, in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1089–1096

Fatty acids, enzyme systems for the synthesis of (Lynen, F.) 1P–2P

Fatty acids, essential, polyenoic fatty acids of phospholipids and the problem of (Klenk, E.) 3P

Fatty acids, glyceride, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of the biosynthesis of, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078

Fatty acids, glyceride, effects of palmitate and lipolytic agents on the regulation of the biosynthesis of, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1057–1067

Fatty acids, metabolism of, in patients suffering from multiple sclerosis (Thompson, R. H. S.) 4P

Fatty acids, triglyceride, effects of increased heart work on the tricarboxylic acid cycle, glycolysis and the oxidation of, in the perfused rat heart (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159

Fatty acids, triglyceride, role of clearing-factor lipase in the removal of, from plasma (Robinson, D. S.) 9P

Fatty acids, unsaturated, biosynthesis of (James, A. T.) 3P

Fatty acids, unsaturated, biosynthesis of, by higher-plant systems (Stumpf, P. K.) 3P

Ferrochelatase, availability of iron from various complexes to, in rat liver mitochondria (Barnes, R., Connelly, J. L. & Jones, O. T. G.) 1043–1055

Ferroperoxidase, horseradish, binding of ethyl isocyanide to (Phelps, C., Antonini, E. & Brunori, M.) 377–382

Fibrinogen, concentrations of, in plasma after intravenous administration of fibrinopeptides to rats (Ittyerah, T. R., Dodgson, K. S. & Curtis, C. G.) 733–734

Fibrinogen, degradation of, in the rat (Ittyerah, T. R. & Curtis, C. G.) 131P

Fibrinopeptides, fibrinogen concentrations in plasma after intravenous administration of, to rats (Ittyerah, T. R., Dodgson, K. S. & Curtis, C. G.) 733–734

Flavonoid compounds, activities of enzymes involved in the biosynthesis of, in relation to cell growth and differentiation in plants (Hahlbrock, K.) 25P
Flavonoids, metabolism of, related to apigenin in the rat *in vivo* and by the intestinal microflora *in vitro* (Griffiths, L. A. & Smith, G. E.) 901–911
Flavoprotein semiquinone, studies on (Yagi, K.) 31P
Flight muscle, *see* Muscle, flight
Fluorescence, protein, of nicotinamide nucleotide-dependent dehydrogenases (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940
Fluorescence, protein, of pig heart lactate dehydrogenase (Holbrook, J. J.) 921–931
Folates, tetrahydro-, localization and interconversion of, in isolated pea mitochondria (Clandinin, M. T. & Cossin, E. A.) 29–40
Formate, formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 543–559
Formate, use of radioactively labelled substrate to demonstrate the formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 561–568
N'-Formylkynurenine, fluorescence of, and of proteins after exposure to sunlight (Pirie, A.) 1365–1367
French bean, *see* Bean, French
Fructose diphosphatase, activity of, in flight muscles from bumble-bees and the role of this enzyme in heat generation (Newsholme, E. A., Crabtree, B., Higgins, S. J., Thornton, S. D. & Start, C.) 89–97
Fructose diphosphate aldolases, structure and possible regulatory properties of, in plants (Horecker, B. L.) 28P
Fructose, metabolism of, in isolated perfused rat kidney (Hems, D. A. & Gaja, G.) 421–426
Fructose, phosphorylation of, by the inducible phospho-enolpyruvate-dependent hexose phosphotransferase system in *Escherichia coli* (Kornberg, H. L. & Reeves, R. E.) 1339–1344

β-Galactosidases, hetero-, liver, monkey, purification and properties of (Seetharam, B. & Radhakrishnan, A. N.) 53P
Gall-stones, association of increased amounts of 5α-deoxycholate in the bile with the experimental oleate-induced formation of, in the rabbit (Kyd, P. A. & Bouchier, I. A. D.) 169–172
Ganglia, sympathetic, mouse, changes in the concentration of the biologically active species of nerve growth factor in, during development (Hendry, I. A.) 1265–1272
Garden snail, *see* Snail, garden
Geranylgeraniol, biosynthesis of dolichols, ubiquinones, farnesol and, from mevalonate in *Phytophthora cactorum* I.M.I. 21168 (Richards, J. B. & Hemming, F. W.) 1345–1352
Gibberellic acid, lysosomal nature of enzymes induced by, in wheat aleurone cells (Gibson, R. A. & Paleg, L. G.) 367–375
Gibberellic acid, role of, in the metabolic changes occurring during the germination of cotton and sorghum seeds (Kamalavalli, D., Prathapasenan, G., Ramananda Rao, G. & Pathak, C. H.) 55P
Glia, evidence for the existence of separate pools of glutamate in neurons and, of rat cerebral cortex (Okamoto, K. & Quastel, J. H.) 1117–1124
Glia, interrelationship between neurons and, in the metabolism of glutamate, glutamine and 4-aminobutyrate in rat cerebral cortex (Benjamin, A. M. & Quastel, J. H.) 631–646
β-1,4-Glucan cellobiosylhydrolase, identification of the C_1 component of *Trichoderma koningii* cellulase as (Wood, T. M. & McCrae, S. I.) 1183–1192
Gluconeogenesis, comparison of the effects of starvation and bovine ketosis on, in the lactating cow (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318
Gluconeogenesis, effects of hormones on, in rat kidney cortex (Joseph, P. K. & Subrahmanyam, K.) 60P
Gluconeogenesis, evaluation of the rate-limiting steps in the pathway of, in kidney cortex of normal, diabetic, cortisone-treated and growth hormone-treated rats (Joseph, P. K. & Subrahmanyam, K.) 1293–1301
Gluconeogenesis, glycolysis and, in isolated perfused rat kidney (Hems, D. A. & Gaja, G.) 421–426
Gluconeogenesis, inhibitory effect of 2-bromo-2-chloro-1,1,1-trifluoroethane on, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 711–720
Gluconeogenesis, protective effect of oleate on the inhibition by 2-bromo-2-chloro-1,1,1-trifluoroethane of, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 721–723
Glucose, accumulation of, by rat small-intestinal mucosa after depletion of intracellular adenosine triphosphate (Leese, H. J. & Bronk, J. R.) 455–457
Glucose, activity of the pentose phosphate pathway for the metabolism of, and the formation of reducing equivalents in rat mammary-gland slices (Katz, J. & Wals, P. A.) 879–899
Glucose, control of the activity of the pentose phosphate pathway for the metabolism of, by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for fatty acid biosynthesis in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1097–1102
Glucose, effect of L-glutamate on the metabolism of, in rat cerebral cortex (Visweswaran, P. & Subrahmanyam, K.) 60P
Glucose, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of glyceride biosynthesis from, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078
Glucose, effects of catecholamines and methylxanthines on the utilization of, in isolated fat-cells derived from the rat (Peers, D. G. & Davies, J. I.) 94P
Glucose, effects of denervation on the activities of enzymes involved in the metabolism of glycogen and, in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 789–801
Glucose, effects of hypo- and hyper-thyroidism on the concentrations of insulin, ketone bodies and, in blood in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Glucose, effects of increased heart work on the metabolism of, in the perfused rat heart (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159

Glucose, effects of palmitate and lipolytic agents on the regulation of glyceride biosynthesis from, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1057–1067
Glucose, effects of the amount of uptake of, on the activity of the pentose phosphate pathway and on the rate of fatty acid biosynthesis in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1089–1096
Glucose, evaluation of the rate-limiting steps in the pathway of the metabolism of, in kidney cortex of normal, diabetic, cortisone-treated and growth hormone-treated rats (Joseph, P. K. & Subrahmanyam, K.) 1293–1301
[U-^{14}C]Glucose, incorporation of, into glycosaminoglycans in ox cornea *in vitro* (Handley, C. J. & Phelps, C. F.) 205–213
Glucose, metabolism of, in isolated perfused rat kidney (Hems, D. A. & Gaja, G.) 421–426
Glucose 6-phosphate dehydrogenases, purification and properties of, from *Penicillium duponti* and *Penicillium notatum* (Malcolm, A. A. & Shepherd, M. G.) 817–831
Glucose, phosphorylation of, by the inducible phosphoenolpyruvate-dependent hexose phosphotransferase system in *Escherichia coli* (Kornberg, H. L. & Reeves, R. E.) 1339–1344
Glucose, role of, in the survival and 'recovery' of the anoxic isolated perfused rat heart (Hearse, D. J. & Chain, E. B.) 1125–1133
D-Glucose, use of deoxyfluoro derivatives of, and related compounds in a study of the specificity of yeast hexokinase (Bessell, E. M., Foster, A. B. & Westwood, J. H.) 199–204
Glucosides, formation of glucuronides and, of isoflavones and some other phenols by rabbit liver microsomal fraction (Labow, R. S. & Layne, D. S.) 491–497
β-Glucuronidase, lysosomal, purification and characterization of, from human placenta (Contractor, S. F. & Shane, B.) 11–18
Glucuronides, formation of glucosides and, of isoflavones and some other phenols by rabbit liver microsomal fraction (Labow, R. S. & Layne, D. S.) 491–497
Glutamate dehydrogenase, liver, ox, protein fluorescence of (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940
Glutamate dehydrogenase, liver, ox, temperature-jump studies of the kinetics of (Malcolm, A. D. B.) 98P
Glutamate dehydrogenase, protein fluorescence of, from *Neurospora crassa* (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940
Glutamate dehydrogenase, reaction of ethoxyformic anhydride with (Bailey-Wood, R. & Tudball, N.) 137P
Glutamate, interrelationship between neurons and glia in the metabolism of 4-aminobutyrate, glutamine and, in rat cerebral cortex (Benjamin, A. M. & Quastel, J. H.) 631–646
Glutamate, measurement of the specific radioactivity of glutamine and, in plasma (Costello, J., Keane, D. M. & Bourke, E.) 79P–80P
Glutamate, uptake and release of, by rat cerebral-cortex slices (Okamoto, K. & Quastel, J. H.) 1117–1124
Glutamine, interrelationship between neurons and glia in the metabolism of 4-aminobutyrate, glutamate and, in rat cerebral cortex (Benjamin, A. M. & Quastel, J. H.) 631–646
Glutamine residue, *N*-terminal, formation of pyrrolid-2-one-5-carboxylic acid by enzymic cyclization of, of mouse plasmacytoma Adj PC5 immunoglobulin G heavy chain (Stott, D. I. & Munro, A. J.) 1221–1227
Glutathione *S*-aryltransferase, liver, effect of treating male and female rats with phenobarbitone on the apparent kinetic parameters for the conjugation of 1,2-dichloro-4-nitrobenzene and 1-chloro-2,4-dinitrobenzene with reduced glutathione by (Darby, F. J. & Grundy, R. K.) 175–177
Glutathione, reduced, effect of treating male and female rats with phenobarbitone on the apparent kinetic parameters for the conjugation of 1,2-dichloro-4-nitrobenzene and 1-chloro-2,4-dinitrobenzene with, by liver glutathione *S*-aryltransferase (Darby, F. J. & Grundy, R. K.) 175–177
DL-Glyceraldehyde, inhibition by, of carbon dioxide assimilation during photosynthesis by isolated chloroplasts from pea shoots and spinach leaves (Stokes, D. M. & Walker, D. A.) 1147–1157
Glyceraldehyde 3-phosphate dehydrogenase, roles of methylglyoxal synthase and, in the catabolism of triose phosphates in *Escherichia coli* (Hopper, D. J. & Cooper, R. A.) 321–329
Glycerides, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of the biosynthesis of, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078
Glycerides, effects of palmitate and lipolytic agents on the regulation of the biosynthesis of, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1057–1067
Glycerides, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of biosynthesis of, in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1089–1096
L-Glycerol 3-phosphate dehydrogenase, muscle, rabbit, protein fluorescence of (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940
Glycine, formation of, during growth of *Pseudomonas* AM1 on methanol and succinate (Salem, A. R., Large, P. J. & Quayle, J. R.) 1203–1211
Glycine, relationship between the biosynthesis of adenosine triphosphate and the natural electron acceptor for the biosynthesis of serine from, in tobacco leaves (Bird, I. F., Cornelius, M. J., Keys, A. J. & Whittingham, C. P.) 191–192
Glycoasparagines, presence of, in the urine of patients with aspartylglycosaminuria (Pollitt, R. J. & Pretty, K. M.) 129P–130P
Glycogen, effects of denervation on the content of, and on the activities of enzymes involved in its metabolism in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 789–801
Glycollate, involvement of, in the metabolism of ethanol and of acetate by *Pseudomonas* AM1 (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 99–106
Glycollate, role of, in the growth of *Pseudomonas* AM1 on ethanol and C_1 compounds (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115
Glycolysis, effects of increased heart work on the tricarboxylic acid cycle and its interactions with, in the perfused rat heart (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159

Glycolysis, gluconeogenesis and, in isolated perfused rat kidney (Hems, D. A. & Gaja, G.) 421–426
Glycolysis, role of fructose diphosphatase in the regulation of, in flight muscles from bumble-bees (Newsholme, E. A., Crabtree, B., Higgins, S. J., Thornton, S. D. & Start, C.) 89–97
Glycolysis, stimulation by 2-bromo-2-chloro-1,1,1-trifluoroethane of, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 711–720
Glycolysis, studies on, in dog kidney *in vivo* (Costello, J., Scott, J. M., Wilson, P. & Bourke, E.) 80P–81P
Glycopeptides, fractionation of, of sputum gel phase (Ryley, H. C.) 129P
Glycoproteins (Colloquium) 111P–119P
Glycoproteins, biological significance of (Leaback, D. H.) 127P–128P
Glycoproteins, biosynthesis of, and scrapie (Suckling, A. J., Millson, G. C. & Hunter, G. D.) 128P
Glycoproteins, biosynthesis of, of the pellicle of *Leptomonas collosoma* (Hunt, R. C. & Ellar, D. J.) 125P
Glycoproteins, biosynthesis of precursors of, and the mechanisms of their assembly (Schauer, R.) 112P–114P
Glycoproteins, blood-group-specific, structure, genetics and biosynthesis of (Watkins, W. M.) 114P–116P
Glycoproteins, function of the carbohydrate moieties of (Winterburn, P. J.) 118P–119P
Glycoproteins, presence of, in the cell envelope of *Halobacterium halobium* (Koncewicz, M. A.) 124P
Glycoproteins, relationship between the biosynthesis of glycolipids and that of (Kent, P. W.) 111P–112P
Glycoproteins, role of proteins and, in the structural maintenance of nexuses isolated from mouse liver plasma membranes (Evans, W. H. & Gurd, J. W.) 691–700
Glycoproteins, structural analysis of (Clamp, J. R.) 116P–117P
Glycoproteins, studies on the biosynthesis of glycolipids and, bound to the glycocalyx of isolated brush borders of rabbit small intestine (Kent, P. W. & Cooper, J. R.) 101P–102P
Glycoproteins, tendon, interaction of, with collagen (Anderson, J. C. & Jackson, D. S.) 122P
Glycosaminoglycans, biosynthesis of, in ox cornea *in vitro* (Handley, C. J. & Phelps, C. F.) 205–213
Glycosaminoglycans, production and utilization of uridine diphosphate glucuronic acid in various mammalian tissues actively synthesizing (Gainey, P. A. & Phelps, C. F.) 215–227
Glycyl-L-leucine hydrolase, highly active, substrate specificity of, purified from monkey small intestine (Das, M. & Radhakrishnan, A. N.) 463–465
Glyoxylate cycle, induced, occurrence of, in wheat aleurone tissue (Doig, R. I. & Laidman, D. L.) 88P
Glyoxylate, oxidation of the Schiff base of pyridoxamine with, by manganous ions and peroxidase (Hill, J. M.) 701–709
Glyoxylate, role of, in the growth of *Pseudomonas* AM1 on ethanol and C_1 compounds (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115
Golgi apparatus, liver, guinea-pig, evidence that lipoprotein particles in, are precursors of serum very-low-density lipoproteins (Chapman, M. J., Mills, G. L. & Taylaur, C. E.) 779–787
Grit chambers, trapezoidal, sedimentation in, with new outlet weirs (Lakshmana Rao, N. S. & Chandrasekaran, D.) 36P
Growth factor, nerve, changes in tissue and plasma concentrations of the biologically active species of, in the mouse during development (Hendry, I. A.) 1265–1272
Growth hormone, evaluation of the rate-limiting steps in the pathway of glucose metabolism in kidney cortex of rats treated with (Joseph, P. K. & Subrahmanyam, K.) 1293–1301
Growth hormone, influence of, on metabolism in thymus gland *in vivo* and *in vitro* (Pandian, M. R. & Talwar, G. P.) 57P
Guanidinium compounds, inhibition of pig kidney diamine oxidase by, and other substrate analogues (Bardsley, W. G. & Ashford, J. S.) 253–263
Guanine deaminase, purification and properties of isoenzymes of, from rat and mouse liver and brain (Sree Kumar, K., Sitaramayya, A. & Krishnan, P. S.) 1079–1088
Guanine residues, ethylation of, of rat liver transfer ribonucleic acid after the administration of L-ethionine (Pegg, A. E.) 59–68
Guanosine diphosphate mannose, solubilization from mung-bean seedlings and properties of an enzyme synthesizing mannan from (Heller, J. S. & Villemez, C. L.) 243–252

Haem, role of 5-aminolaevulinate dehydratase in the regulation of the biosynthesis of (Padmanaban, G. & Malathi, K.) 27P
Haem, utilization of iron and its complexes for the biosynthesis of, in rat liver mitochondria (Barnes, R., Connelly, J. L. & Jones, O. T. G.) 1043–1055
Haemoglobin, rabbit, natural frequency of errors in translation during the biosynthesis of (Loftfield, R. B. & Vanderjagt, D.) 1353–1356
Haemoproteins, binding of ethyl isocyanide and other ligands to (Phelps, C., Antonini, E. & Brunori, M.) 377–382
Halobacterium cutirubrum N.R.C. 34001, purification and properties of ribonucleic acid-dependent ribonucleic acid polymerase from (Louis, B. G. & Fitt, P. S.) 755–762
Halothane, *see* 2-Bromo-2-chloro-1,1,1-trifluoroethane
Heart, rat, perfused, effects of increased heart work on the tricarboxylic acid cycle and its interactions with glycolysis in (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159
Heart, rat, perfused, isolated, anoxic, role of glucose in the survival and 'recovery' of (Hearse, D. J. & Chain, E. B.) 1125–1133
Heavy chain, immunoglobulin G, plasmacytoma Adj PC5, mouse, formation of pyrrolid-2-one-5-carboxylic acid at the *N*-terminus of (Stott, D. I. & Munro, A. J.) 1221–1227
HeLa cells, cultured, biosynthesis of phospholipids in, exposed to immunoglobulin G and complement (Güttler, F.) 953–960
HeLa cells, cultured, detection of 5-methylcytosine as the sole methylated base in deoxyribonucleic acid from (Lawley, P. D., Crathorn, A. R., Shah, S. A. & Smith, B. A.) 133–138
Helix aspersa Müller, *see* Snail, garden

Hen, *see* Chicken
Hepatoma 223 cells, rat, study of the surface membrane of, by cell electrophoresis after treatment with specific antibodies and enzymes (Woo, J. & Cater, D. B.) 1273–1284
Herbicides, microbial degradation of, in soil (Raju, K. S. & Rangaswami, G.) 40P
Heterolysosomes, kidney and liver, mouse, adenosine triphosphate-dependent stabilization of proteolytic activity in (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Hexokinase, yeast, order of addition of substrates to (Britton, H. G. & Clarke, J. B.) 104P
Hexokinase, yeast, use of deoxyfluoro-D-glucopyranoses and related compounds in a study of the specificity of (Bessell, E. M., Foster, A. B. & Westwood, J. H.) 199–204
Hexose phosphate synthase, activities of tricarboxylic acid-cycle enzymes and, in the obligate methylotroph bacterium 4B6 (Colby, J. & Zatman, L. J.) 1373–1376
Hexose phosphotransferase system, phosphoenolpyruvate-dependent, inducible, activity of, in *Escherichia coli* (Kornberg, H. L. & Reeves, R. E.) 1339–1344
Histidine residues, evidence for the involvement of, in the degradation of L-serine *O*-sulphate by an enzyme system purified from pig liver (Tudball, N. & Thomas, P.) 41–46
Histones, changes in, during the cell cycle in cultured mouse P815Y mast cells separated by zonal centrifugation (Cross, M. E.) 1213–1219
Homoserine dehydrogenases, partial purification and properties of, from *Serratia marcescens* (Shailaja, M. S. & Raghavendra Rao, M. R.) 53P
sym-Homospermidine, metabolism of, in sandal (Kuttan, R. & Radhakrishnan, A. N.) 22P–23P
Hormones, adaptive behaviour of isoenzyme forms of rat liver alanine aminotransferases to stimulation by, and dietary changes during development (Snell, K. & Walker, D. G.) 403–413
Hormones, effects of, on adenylate cyclase activity in rat prostate-gland homogenate (Golder, M. P., Boyns, A. R., Harper, M. E. & Griffiths, K.) 725–727
Hormones, effects of, on the biosynthesis of milk fat in mammary-gland explants from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R. 509–519
Hormones, steroid, conversion of 23,24-dinor-chol-5-en-3β-ol into, by ox adrenal-gland homogenates (Tait, A. D.) 467–470
Houseflies (*Musca domestica*), isolation of an acetylcholine- and decamethonium-binding protein from the heads of (Cattell, K. J. & Donnellan, J. F.) 187–189
Hyaluronate, sodium, conformation of (Atkins, E. D. T., Phelps, C. F. & Sheehan, J. K.) 1255–1263
Hyaluronic acid, conformation of (Atkins, E. D. T., Phelps, C. F. & Sheehan, J. K.) 1255–1263
Hydralzine, *see* 1-Hydrazinophthalazine
Hydrazine, inhibition by derivatives of, of the activities of monoamine oxidases from pig brain and rat liver (Tipton, K. F.) 913–919
1-Hydrazinophthalazine, inhibition by, of the activities of monoamine oxidases from pig brain and rat liver (Tipton, K. F.) 913–919
Hydrocortisone, *see* Cortisol
Hydrogen peroxide, use of yeast cytochrome *c* peroxidase for measurement of the generation of, by subcellular fractions of rat liver (Boveris, A., Oshino, N. & Chance, B.) 617–630
Hydrogen, stereochemical aspects of the elimination of, in the formation of double bonds in abscisic acid biosynthesized by avocado fruit (Milborrow, B. V.) 1135–1146
3-Hydroxybutyrate dehydrogenase, distribution and activity of, in tissues from normal and ketonaemic sheep (Watson, H. R. & Lindsay, D. B.) 53–57
3-Hydroxybutyrate, identification of the lactating mammary gland as a potential major site for the utilization of acetoacetate and, in the rat (Page, M. A. & Williamson, D. H.) 459–460
7α-Hydroxycholesterol, formation of, by the action of cholesterol 7α-hydroxylase in rat liver microsomal preparations (Mitropoulos, K. A. & Balasubramaniam, S.) 1–9
4-Hydroxy-3-methoxyphenylethylene glycol, effect of electrical stimulation of the locus coeruleus on the endogenous concentration of, in rat brain (Walter, D. S. & Eccleston, D.) 85P–86P
3-Hydroxy-3-methylglutarate, hypocholesterolaemic and hypolipidaemic role of, in rabbits fed on an atherogenic diet (Khan, A. N., Umar, S., Khan, S. Y. & Siddiqi, M.) 41P–42P
3-Hydroxy-3-methylglutaryl-coenzyme A hydrolase, effects of cycloheximide and actinomycin D on the activity of, in liver (Saleemuddin, M., Siddiqi, M., Begum, S. & Moinuddin) 42P
3-Hydroxy-3-methylglutaryl-coenzyme A reductase, liver, regulation by cholesterol of the activity of (Rodwell, V. W.) 16P
2-Hydroxyoestrone 3-methyl ether, isolation and identification of, from the urine of pregnant women (Knuppen, R., Haupt, O. & Breuer, H.) 1369–1370
5-Hydroxytryptamine, influence of nerve-impulse flow on the biosynthesis and metabolism of, in the central nervous system (Carlsson, A., Bédard, P., Lindqvist, M. & Magnusson, T.) 70P–71P
Immune response, mechanism of the regulation of (Krishnaraj, R. & Talwar, G. P.) 57P
Immunoglobulin, complete amino acid sequence of the κ light chain of, secreted by mouse plasmacytoma MOPC 21 (Svasti, J. & Milstein, C.) 427–444
Immunoglobulin G, biosynthesis of phospholipids in cultured HeLa cells exposed to complement and (Güttler, F.) 953–960
Immunoglobulin G, plasmacytoma Adj PC5, mouse, formation of pyrrolid-2-one-5-carboxylic acid at the *N*-terminus of the heavy chain of (Stott, D. I. & Munro, A. J.) 1221–1227
Immunoglobulin G, rabbit, intrachain disulphide bridges of the light chains of, of allotypes b4 and b5 (Lamm, M. E. & Frangione, B.) 1357–1359
Indol-3-ylacetic acid, role of, in the induction of enzymes during the germination of seeds (Krishna Murti, C. R.) 25P–26P
Industrial wastes, control of environmental pollution arising out of (Bhaskaran, T. R.) 38P–39P

Industrial wastes, effect of ultraviolet irradiation on chlorine residuals in waters polluted with sewage and (Ahmed, T. M. A.) 39P
Industrial wastes, influence of D-alanine, glycine and egg albumin on the biological oxygen demand of waters containing sewage and (Rajan, B. L. C.) 39P
Industrial wastes, stabilization by yeast-enriched activated sludge of, containing phenols (Venkata Rao, B. & Bhat, J. V.) 38P
Industrial wastes, treatment and utilization of, containing products of wood hydrolysis (Mohanrao, G. J., Subrahmanyam, P. V. R. & Srinivasan, M. V.) 37P–38P
Industrial wastes, treatment by the activated-sludge process of, from dairies and milk-processing units (Sastry, C. A., Kini, G. R. & Mohanrao, G. J.) 38P
Insulin, conversion of [1-^{14}C]pyruvate into [^{14}C]alanine in rat skeletal muscle and its relevance to the effect of, on protein biosynthesis (Hider, R. C. & Meade, L.) 165–167
Insulin, effect of, on the adenosine 3′:5′-cyclic monophosphate phosphodiesterase and guanosine 3′:5′-cyclic monophosphate phosphodiesterase activities in perfused Langendorff and working hearts from normal and diabetic rats (Das, I. & Chain, E. B.) 95P–96P
Insulin, effects of hypo- and hyper-thyroidism on the concentrations of glucose, ketone bodies and, in blood in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Insulin, evidence for the non-involvement of adenylate cyclase in the glucose-mediated release of, from mouse islets of Langerhans (Davis, B. & Lazarus, N. R.) 96P–97P
Insulin, evidence for the non-involvement of cyclic nucleotide phosphodiesterase in the glucose-mediated release of, from mouse islets of Langerhans (Bowen, V. & Lazarus, N. R.) 97P
Insulin, stimulation by, of the 'ureotelic' arginase activity of chicken liver (Grazi, E., Magri, E. & Sangiorgi, G.) 735–736
Intestine, small, monkey, substrate specificity of a highly active dipeptidase purified from (Das, M. & Radhakrishnan, A. N.) 463–465
Intestine, small, rat, accumulation of glucose by the mucosa of, after depletion of intracellular adenosine triphosphate (Leese, H. J. & Bronk, J. R.) 455–457
Intestine, small, rat, isolation and characterization of the lateral and basal plasma membranes of the epithelial cells of (Douglas, A. P., Kerley, R. & Isselbacher, K. J.) 1329–1338
Iron, non-haem, presence of, in the two protein components of nitrogenase from *Klebsiella pneumoniae* (Eady, R. R., Smith, B. E., Cook, K. A. & Postgate, J. R.) 655–675
Iron, utilization of, and its complexes by rat liver mitochondria (Barnes, R., Connelly, J. L. & Jones, O. T. G.) 1043–1055
Isocitrate lyase, localization of, in germinating cotton seeds (Prathapasenan, G. & Ramananda Rao, G.) 54P
Isoflavones, formation of glucosides and glucuronides of, by rabbit liver microsomal fraction (Labow, R. S. & Layne, D. S.) 491–497
Isothiouronium compounds, inhibition of pig kidney diamine oxidase by, and other substrate analogues (Bardsley, W. G. & Ashford, J. S.) 253–263

Jubilee Lecture, sixth: formation and stabilization of protein structure (Anfinsen, C. B.) 737–749

Keratan sulphate, biosynthesis of, in ox cornea *in vitro* (Handley, C. J. & Phelps, C. F.) 205–213
Keratin, wool, amino acid sequence of protein SCMK-B2C from the high-sulphur fraction of (Elleman, T. C.) 1229–1239
Keratin, wool, preparation and properties of proteins SCMK-B2A, SCMK-B2B and SCMK-B2C from the high-sulphur fraction of (Lindley, H. & Elleman, T. C.) 859–867
Ketonaemia, distribution and activity of 3-hydroxybutyrate dehydrogenase in tissues from pregnant sheep with (Watson, H. R. & Lindsay, D. B.) 53–57
Ketone bodies, effects of hypo- and hyper-thyroidism on the concentrations of insulin, glucose and, in blood in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Ketone bodies, formation and utilization of, by tissues of the adult pigeon (Bailey, E. & Horne, J. A.) 108P–109P
Ketone bodies, identification of the lactating mammary gland as a potential major site for the utilization of, in the rat (Page, M. A. & Williamson, D. H.) 459–460
Ketone bodies, role of, in the metabolism of the desert locust (Bailey, E., Horne, J. A., Izatt, M. E. G. & Hill, L.) 79P
Ketosis, bovine, comparison of the effects of starvation and, on intermediary metabolism in the lactating cow (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318
Kidney cortex, evaluation of the rate-limiting steps in the pathway of glucose metabolism in, of normal, diabetic, cortisone-treated and growth hormone-treated rats (Joseph, P. K. & Subrahmanyam, K.) 1293–1301
Kidney cortex, rabbit, isolation and characterization of the brush borders of (Quirk, S. J. & Robinson, G. B.) 1319–1328
Kidney cortex, sheep, subcellular distribution of 3-hydroxybutyrate dehydrogenase in, and other tissues (Watson, H. R. & Lindsay, D. B.) 53–57
Kidney, mouse, adenosine triphosphate-dependent stabilization of proteolytic activity in heterolysosomes from (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Kidney, pig, inhibition by substrate analogues of diamine oxidase from (Bardsley, W. G. & Ashford, J. S.) 253–263
Kidney, rat, perfused, isolated, carbohydrate metabolism in (Hems, D. A. & Gaja, G.) 421–426
Klebsiella pneumoniae, purification and properties of the two component proteins of nitrogenase from (Eady, R. R., Smith, B. E., Cook, K. A. & Postgate, J. R.) 655–675

β-Lactamases, R-factor-mediated, unusual, two, direct comparison of the properties of, produced by *Escherichia coli* (Dale, J. W. & Smith, J. T.) 173–174
Lactate dehydrogenase, heart, pig, protein fluorescence of (Holbrook, J. J.) 921–931
Lactate, effect of, on the regulation of glyceride biosynthesis in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078

Lactate, gluconeogenesis from, in isolated perfused rat kidney (Hems, D. A. & Gaja, G.) 421–426
Lactation, comparison of the effects of starvation and bovine ketosis on intermediary metabolism in the cow during (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318
Lactation, early, fatty acid biosynthesis in rabbit mammary gland during pregnancy and (Strong, C. R. & Dils, R.) 1303–1309
Lactation, identification of the mammary gland as a potential major site for the utilization of ketone bodies during, in the rat (Page, M. A. & Williamson, D. H.) 459–460
Leaves, spinach, inhibition by DL-glyceraldehyde of the assimilation of carbon dioxide during photosynthesis by isolated chloroplasts from (Stokes, D. M. & Walker, D. A.) 1147–1157
Leaves, tobacco, relationship between the biosynthesis of adenosine triphosphate and the natural electron acceptor for the biosynthesis of serine from glycine in (Bird, I. F., Cornelius, M. J., Keys, A. J. & Whittingham, C. P.) 191–192
Lecithin, *see* Phosphatidylcholine
Lens, calf, amino acid sequence of γ-crystallin (fraction II) from (Croft, L. R.) 961–970
Lens, ox, fluorescence of γ-crystallin from, after exposure to sunlight (Pirie, A.) 1365–1367
Light chain, κ, complete amino acid sequence of, of the myeloma protein secreted by mouse plasmacytoma MOPC 21 (Svasti, J. & Milstein, C.) 427–444
Light chains, immunoglobulin G, rabbit, intrachain disulphide bridges of, of allotypes b4 and b5 (Lamm, M. E. & Frangione, B.) 1357–1359
Lipase, clearing-factor, activity of, in the adipose tissue of rats adapted to controlled feeding schedules (Reichl, D.) 79–87
Lipids (Symposium) 1P–22P
Lipids, absorption of (Ganguly, J., Subbaiah, P. V. & Parthasarathy, S.) 8P–9P
Lipids, composition and metabolism of, during larval and pupal development of the silkmoth *Philosamia ricini* (Pant, R. & Nautiyal, G. C.) 46P
Lipids, fatty acid compositions of different classes of, in developing human brain (Srinivasa Rao, P. & Subba Rao, K.) 44P
Lipids, intestinal, incorporation of [U-^{14}C]glucose into, in vitamin A-deficient rats (Bhat, P. V. & Rama Rao, P. B.) 42P–43P
Lipids, intestinal, studies on, in normal and vitamin A-deficient rats (Ponnappa, B. C., Bhat, P. V. & Rama Rao, P. B.) 43P
Lipids, myelin, metabolism of, in developing brain (Davison, A. N.) 68P
Lipids, preparation and properties of a vesicular fraction enriched in, from mouse liver plasma membranes (Evans, W. H. & Gurd, J. W.) 691–700
Lipogenesis, activity of the pentose phosphate pathway for the metabolism of glucose and the formation of reducing equivalents for, in rat mammary-gland slices (Katz, J. & Wals, P. A.) 879–899
Lipogenesis, control of the activity of the pentose phosphate pathway by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for, in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1097–1102
Lipogenesis, effects of acetate, pyruvate, lactate, palmitate, electron acceptors, uncoupling agents and oligomycin on the regulation of, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078
Lipogenesis, effects of hormones on, in mammary-gland explants from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R.) 509–519
Lipogenesis, effects of palmitate and lipolytic agents on the regulation of, in isolated rat epididymal fat-cells (Saggerson, E. D.) 1057–1067
Lipogenesis, effects of the amount of glucose uptake on the activity of the pentose phosphate pathway and on the rate of, in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1089–1096
Lipogenesis in rabbit mammary gland during pregnancy and early lactation (Strong, C. R. & Dils, R.) 1303–1309
Lipolysis, activities of enzymes involved in, in the aorta of baboons suffering from atherosclerosis (Howard, A. N., Patelski, J., Bowyer, D. E. & Gresham, G. A.) 41P
Lipoprotein lipase, *see* Lipase, clearing-factor
Lipoprotein particles, evidence that, in the Golgi apparatus of guinea-pig liver are precursors of serum very-low-density lipoproteins (Chapman, M. J., Mills, G. L. & Taylaur, C. E.) 779–787
Lipoproteins, very-low-density, serum, guinea-pig, evidence that lipoprotein particles in the Golgi apparatus of the liver are precursors of (Chapman, M. J., Mills, G. L. & Taylaur, C. E.) 779–787
Liposomes, enzyme-containing, lysosomal localization of, injected into rats (Gregoriadis, G. & Ryman, B. E.) 142P–143P
Liver cells, rat, adult and foetal, study of the surface membrane of, by cell electrophoresis after treatment with specific antibodies and enzymes (Woo, J. & Cater, D. B.) 1273–1284
Liver, chick, newly hatched, presence of acetyl-coenzyme A carboxylase apoenzyme in (Ryder, E.) 183–185
Liver, chicken, stimulation by cortisol and by insulin of the 'ureotelic' arginase activity of (Grazi, E., Magri, E. & Sangiorgi, G.) 735–736
Liver, comparison of the effects of starvation and bovine ketosis on intermediary metabolism in, of the lactating cow (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318
Liver, effects of hypo- and hyper-thyroidism on the composition of, in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Liver, guinea-pig, evidence that lipoprotein particles in the Golgi apparatus of, are precursors of serum very-low-density lipoproteins (Chapman, M. J., Mills, G. L. & Taylaur, C. E.) 779–787
Liver, mouse, adenosine triphosphate-dependent stabilization of proteolytic activity in heterolysosomes from (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Liver, mouse, preparation and properties of nexuses and lipid-enriched vesicles from plasma membranes from (Evans, W. H. & Gurd, J. W.) 691–700
Liver, pig, mechanism of the degradation of L-serine *O*-sulphate by an enzyme system purified from (Tudball, N. & Thomas, P.) 41–46
Liver, rabbit, formation of glucosides and glucuronides of isoflavones and some other phenols by microsomal fraction from (Labow, R. S. & Layne, D. S.) 491–497

Liver, rat, adaptive behaviour of isoenzyme forms of alanine aminotransferases in, during development (Snell, K. & Walker, D. G.) 403–413
Liver, rat and mouse, purification and properties of guanine deaminase isoenzymes from (Sree Kumar, K., Sitaramayya, A. & Krishnan, P. S.) 1079–1088
Liver, rat, biosynthesis of ribonucleic acid by isolated mitochondria from (Fukamachi, S., Bartoov, B. & Freeman, K. B.) 299–309
Liver, rat, cholesterol 7α-hydroxylase activity in microsomal preparations from (Mitropoulos, K. A. & Balasubramaniam, S.) 1–9
Liver, rat, conversion of allyl alcohol into acrylic aldehyde by preparations of (Serafini-Cessi, F.) 1103–1107
Liver, rat, effects of emetine and of cycloheximide on the biosynthesis of protein by mitochondria from (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462
Liver, rat, ethylation of transfer ribonucleic acid of, after the administration of L-ethionine (Pegg, A. E.) 59–68
Liver, rat, evidence for the identity of oestrogen sulphatase and arylsulphatase C in the microsomal fraction of (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Liver, rat, inhibition by derivatives of rifamycin of soluble ribonucleic acid polymerases from (Onishi, T. & Muramatsu, M.) 1361–1364
Liver, rat, inhibition by substituted hydrazines of the activities of monoamine oxidases from pig brain and (Tipton, K. F.) 913–919
Liver, rat, investigation of the possible role of cytochrome *P*-450 in the biosynthesis and catabolism of cholesterol in, *in vivo* and *in vitro* (Atkin, S. D., Palmer, E. D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242
Liver, rat, metabolism of epoxides related to benzo[*a*]pyrene and to 7,8- and 9,10-dihydrobenzo[*a*]pyrene by preparations from (Waterfall, J. F. & Sims, P.) 265–277
Liver, rat, modification of the activity of pyruvate kinase *in vitro* by alteration of its ionic environment on the addition of mitochondria from (Meli, J. & Bygrave, F. L.) 415–420
Liver, rat, perfused, isolated, effects of 2-bromo-2-chloro-1,1,1-trifluoroethane on glycolysis and biosynthetic processes in (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 711–720
Liver, rat, perfused, isolated, protective effect of oleate on metabolic changes produced by 2-bromo-2-chloro-1,1,1-trifluoroethane in (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 721–723
Liver, rat, reaction of dihydropyrrolizines with deoxyribonucleic acid from, *in vitro* (White, I. N. H. & Mattocks, A. R.) 291–297
Liver, rat, regenerating, control of the biosynthesis of nucleic acids and nicotinamide nucleotides in (Ferris, G. M. & Clark, J. B.) 869–877
Liver, rat, ring hydroxylation of 3,5-di-t-butyl-4-hydroxytoluene by microsomal preparations from (Shaw, Y.-S. & Chen, C.) 1285–1291
Liver, rat, specific assay method for measuring the activity of arylsulphatase C, a marker enzyme for the microsomal fraction of (Milsom, D. W., Rose, F. A. & Dodgson, K. S.) 331–336
Liver, rat, use of yeast cytochrome *c* peroxidase for measurement of the generation of hydrogen peroxide by subcellular fractions of (Boveris, A., Oshino, N. & Chance, B.) 617–630
Liver, rat, utilization of iron and its complexes by mitochondria from (Barnes, R., Connelly, J. L. & Jones, O. T. G.) 1043–1055
Liver, sheep, subcellular distribution of 3-hydroxybutyrate dehydrogenase in, and other tissues (Watson, H. R. & Lindsay, D. B.) 53–57
Liver, squid, purification and characterization of chondrosulphatase from (Atsumi, K., Kawai, Y., Seno, N. & Anno, K.) 983–985
Loganic acid, methylation of the carboxyl group of, by a cell-free preparation from *Vinca rosea* (Madyastha, K. M., Guarnaccia, R. & Coscia, C. J.) 34P
Lymph-node cells, mouse, study of the surface membrane of, by cell electrophoresis after treatment with ribonuclease (Woo, J. & Cater, D. B.) 1273–1284
Lysosomes, deficiency of α-mannosidase in, in tissues of Angus cattle suffering from the inherited storage disease pseudolipidosis (mannosidosis) (Hocking, J. D., Jolly, R. D. & Batt, R. D.) 69–78
Lysosomes, hetero-, kidney and liver, mouse, adenosine triphosphate-dependent stabilization of proteolytic activity in (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Lysosomes, liver, rat, effect of increasing concentrations of potassium chloride on (Lee, D. & Allen, C.) 142P
Lysosomes, localization of hormonally induced α-amylase and proteinase in, of wheat aleurone cells (Gibson, R. A. & Paleg, L. G.) 367–375
Lysosomes, placental, human, purification and characterization of β-glucuronidase from (Contractor, S. F. & Shane, B.) 11–18

Malate, isolation of a particulate (membrane) fraction from *Mycobacterium smegmatis* showing phosphorylation coupled to the oxidation of (Prasada Reddy, T. L., Suryanarayana Murthy, P. & Venkitasubramanian, T. A.) 63P
Malate, metabolism of, in mycobacteria (Seshadri, R., Suryanarayana Murthy, P. & Venkitasubramanian, T. A.) 62P
Malonyl-coenzyme A–acyl-carrier protein transacylase, mechanism of (Joshi, V. C.) 43P–44P
Maltase, activity of, in brush borders isolated from rabbit kidney cortex (Quirk, S. J. & Robinson, G. B.) 1319–1328
Mammary gland, activity of the pentose phosphate pathway for the metabolism of glucose and the formation of reducing equivalents in slices of (Katz, J. & Wals, P. A.) 879–899
Mammary gland, effects of hormones on the biosynthesis of milk fat in explants of, from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R.) 509–519
Mammary gland, lactating, identification of, as a potential major site for the utilization of ketone bodies in the rat (Page, M. A. & Williamson, D. H.) 459–460
Mammary gland, rabbit, fatty acid biosynthesis in, during pregnancy and early lactation (Strong, C. R. & Dils, R.) 1303–1309
Manganous ions, oxidation of Schiff bases of pyridoxamine with α-oxo acids by peroxidase and (Hill, J. M.) 701–709

Mannan, solubilization from mung-bean seedlings and properties of an enzyme synthesizing (Heller, J. S. & Villemez, C. L.) 243–252
Mannose, phosphorylation of, by the inducible phosphoenolpyruvate-dependent hexose phosphotransferase system in *Escherichia coli* (Kornberg, H. L. & Reeves, R. E.) 1339–1344
Mannose-polymerizing enzyme, solubilization and properties of, from mung-bean seedlings (Heller, J. S. & Villemez, C. L.) 243–252
α-Mannosidase, lysosomal, deficiency of, in Angus cattle suffering from the inherited storage disease pseudolipidosis (mannosidosis) (Hocking, J. D., Jolly, R. D. & Batt, R. D.) 69–78
Mannosidosis, occurrence of, as an inherited lysosomal storage disease in Angus cattle (Hocking, J. D., Jolly, R. D. & Batt, R. D.) 69–78
Mast cells, P815Y, mouse, cultured, changes in nuclear proteins during the cell cycle in, separated by zonal centrifugation (Cross, M. E.) 1213–1219
Membrane, cell, molecular organization of lipids in, of *Escherichia coli* (Wakil, S. J., Esfahani, M., Limbrick, A. R., Knutton, S. & Oka, T.) 20P
Membrane, microsomal, liver, rat, effects of cabbage phospholipase D on the lipids and enzyme activities of (Kapoor, C. L., Prasad, R. & Garg, N. K.) 45P
Membrane, mitochondrial, yeast, investigation of the possibility that phospholipases cause the breakdown of (Dharmalingam, K. & Jayaraman, J. J.) 45P
Membrane, plasma, *see* Plasma membrane
Membrane, surface, cell, effects of a cobra-venom protein preferentially cytotoxic to certain cell types including Yoshida ascites-sarcoma cells on the lipid constituents of (Braganca, B. M. & Patel, T. N.) 46P
Membrane, surface, study of, of tumour, adult rat liver, foetal rat liver and mouse lymph-node cells by cell electrophoresis after treatment with specific antibodies and enzymes (Woo, J. & Cater, D. B.) 1273–1284
Membranes, biological, envelope of Semliki Forest virus as a model for (Renkonen, O., Gahmberg, C. G., Kaariainen, L. & Simons, K.) 20P–21P
Membranes, biological, lipid composition, permeability and structure of (van Deenen, L. L. M.) 19P
Membranes, cell, metabolism of inositol lipids and (Hawthorne, J. N.) 19P–20P
Membranes, cell, studies on, of bacilli (Lennarz, W. J.) 18P
Membranes, co-ordinated biosynthesis of phospholipids of, with the formation of ribosomes and accelerated protein biosynthesis during growth and development (Tata, J. R.) 18P
Membranes, role of lipids in the structure of (Crane, F. L.) 21P
Membranes, turnover and exchange of phospholipids in, of the nervous system (Dawson, R. M. C., Miller, E. & Jungalwala, F. B.) 18P
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Methanol, formation of glycine during growth of *Pseudomonas* AM1 on succinate and (Salem, A. R., Large, P. J. & Quayle, J. R.) 1203–1211
Methanol, role of glyoxylate, glycollate and acetate in the growth of *Pseudomonas* AM1 on (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115
Methylamine, formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 543–559
Methylamine, role of glyoxylate, glycollate and acetate in the growth of *Pseudomonas* AM1 on (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115
Methylamine, use of radioactively labelled substrate to demonstrate the formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 561–568
5-Methylcytosine, detection of, as the sole methylated base in deoxyribonucleic acid from cultured HeLa cells (Lawley, P. D., Crathorn, A. R., Shah, S. A. & Smith, B. A.) 133–138
Methyleicosaheptanol, ^{14}C-labelled, characterization of, formed in a reaction involving *S*-adenosyl[*Me*-^{14}C]-methionine catalysed by an enzyme obtained from mung-bean seedlings (Ludwig, S. A. & Villemez, C. L.) 605–610
Methylglyoxal synthase, purification and properties of, from *Escherichia coli* K12 (Hopper, D. J. & Cooper, R. A.) 321–329
N-Methylisonicotinate, metabolism of, by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 543–559
N-Methylisonicotinate, use of radioactively labelled substrate to study the metabolism of, by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 561–568
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine, comparison of chemical analyses at the nucleoside and base levels in investigation of the methylation of ribonucleic acid by, and other carcinogenic methylating agents (Lawley, P. D. & Shah, S. A.) 117–132
N-Methyl-*N*-nitrosourea, comparison of chemical analyses at the nucleoside and base levels in investigation of the methylation of ribonucleic acid by, and other carcinogenic methylating agents (Lawley, P. D. & Shah, S. A.) 117–132
N-Methyl-*N*-nitrosourea, modification by reaction with, of polycytidylate used as a template for ribonucleic acid polymerase (Ludlum, D. B. & Magee, P. N.) 729–731
Methylotroph, obligate (bacterium 4B6), activities of hexose phosphate synthase and tricarboxylic acid-cycle enzymes in (Colby, J. & Zatman, L. J.) 1373–1376
Mevalonate, biosynthesis of dolichols, ubiquinones, geranylgeraniol and farnesol from, in *Phytophthora cactorum* I.M.I. 21168 (Richards, J. B. & Hemming, F. W.) 1345–1352
Mevalonate, stereochemical aspects of the formation of double bonds in abscisic acid biosynthesized from, by avocado fruit (Milborrow, B. V.) 1135–1146
Microsomal fraction, adipose-tissue, epididymal, rat, biosynthesis of fatty acids from [1-^{14}C]acetyl-coenzyme A by (Kanoh, H. & Lindsay, D. B.) 847–857
Microsomal fraction, liver, rabbit, formation of glucosides and glucuronides of isoflavones and some other phenols by (Labow, R. S. & Layne, D. S.) 491–497
Microsomal fraction, liver, rat, evidence for the identity of oestrogen sulphatase and arylsulphatase C in (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Microsomal fraction, liver, rat, investigation of the possible relationship between cytochrome *P*-450 con-

tent, drug-metabolizing enzyme activity and the biosynthesis and catabolism of cholesterol in, *in vivo* and *in vitro* (Atkin, S. D., Palmer, E. D., English, P. D., Morgan, B., Cawthorne, M. A. & Green, J.) 237–242
Microsomal fraction, liver, rat, specific assay method for measuring the activity of arylsulphatase C, a marker enzyme for (Milsom, D. W., Rose, F. A. & Dodgson, K. S.) 331–336
Microsomal fraction, liver, rat, use of yeast cytochrome *c* peroxidase for measurement of the generation of hydrogen peroxide by (Boveris, A., Oshino, N. & Chance, B.) 617–630
Microsomal preparations, liver, rat, cholesterol hydroxylase activity in (Mitropoulos, K. A. & Balasubramaniam, S.) 1–9
Microsomal preparations, liver, rat, metabolism of epoxides related to benzo[*a*]pyrene and to 7,8- and 9,10-dihydrobenzo[*a*]pyrene by (Waterfall, J. F. & Sims, P.) 265–277
Microsomal preparations, liver, rat, ring hydroxylation of 3,5-di-t-butyl-4-hydroxytoluene by (Shaw, Y.-S. & Chen, C.) 1285–1291
Milk fat, effects of hormones on the biosynthesis of, in mammary-gland explants from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R.) 509–519
Milk proteins, buffalo, effect of hydrogen peroxide on (Srinivasan, A.) 50P
Mitochondria, adipose-tissue, epididymal, rat, biosynthesis of fatty acids from [1-^{14}C]acetyl-coenzyme A by (Kanoh, H. & Lindsay, D. B.) 847–857
Mitochondria, brain, rat, effect of phenylpyruvate on the metabolism of pyruvate by (Patel, M. S.) 677–684
Mitochondria, characterization of the cytochromes of, from *Tetrahymena pyriformis* strain ST (Lloyd, D. & Chance, B.) 1171–1182
Mitochondria, comparison of the physical properties of ribosomal ribonucleic acids from, from various mammalian sources (Mitra, R. S., Bartoov, B., Monahan, J. & Freeman, K. B.) 1033–1041
Mitochondria, effects of denervation on the activities of enzymes of, in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 803–809
Mitochondria, effects of emetine and of cycloheximide on the biosynthesis of protein by, from mammalian sources (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462
Mitochondria, isolation of active polyribosomes from the cytoplasm, chloroplasts and, of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365
Mitochondria, liver, rat, adaptive behaviour of isoenzyme forms of alanine aminotransferases in, and cytosol during development (Snell, K. & Walker, D. G.) 403–413
Mitochondria, liver, rat, isolated, biosynthesis of ribonucleic acid by (Fukamachi, S., Bartoov, B. & Freeman, K. B.) 299–309
Mitochondria, liver, rat, use of yeast cytochrome *c* peroxidase for measurement of the generation of hydrogen peroxide by (Boveris, A., Oshino, N. & Chance, B.) 617–630
Mitochondria, liver, rat, utilization of iron and its complexes by (Barnes, R., Connelly, J. L. & Jones, O. T. G.) 1043–1055
Mitochondria, pea, isolated, localization and interconversion of tetrahydrofolates in (Clandinin, M. T. & Cossins, E. A.) 29–40
Mitochondria, possible role of, in modification of the activity of pyruvate kinase and other calcium ion-sensitive metabolic activities in the cytoplasm (Meli, J. & Bygraves, F. L.) 415–420
Mitochondria, yeast, correlation between oligomycin-sensitivity and ergosterol content of a purified adenosine triphosphatase from (Swanljung, P., Swanljung, H. & Partis, M. D.) 479–480
Molecular weights, statistical estimation of, from normal and difference sedimentation boundaries in the ultracentrifuge (McCallum, M. A. & Spragg, S. P.) 389–402
Molybdenum, presence of, in the larger protein component of nitrogenase from *Klebsiella pneumoniae* (Eady, R. R., Smith, B. E., Cook, K. A. & Postgate, J. R.) 655–675
Monkey, substrate specificity of a highly active dipeptidase purified from the small intestine of (Das, M. & Radhakrishnan, A. N.) 463–465
Monoamine oxidases, inhibition by substituted hydrazines of the activities of, from pig brain and rat liver (Tipton, K. F.) 913–919
Monogalactosyl diglycerides, incorporation of fatty acids into, by spinach leaf cell-free preparations (Bajwa, S. S. & Sastry, P. S.) 44P
Mucin, isolation and characterization of, from dog submaxillary gland (Lombart, C. & Winzler, R. J.) 975–977
Mucosa, small-intestinal, rat, accumulation of glucose by, after depletion of intracellular adenosine triphosphate (Leese, H. J. & Bronk, J. R.) 455–457
Mucus, epithelial, plaice, interaction of metal ions with (Coombs, T. L., Fletcher, T. C. & White, A.) 128P–129P
Mucus, gastric, water-soluble, pig, effect of caesium chloride on the tertiary structure of (Snary, D., Allen, A. & Pain, R. H.) 123P–124P
Mucus, gastric, water-soluble, pig, fractionation of, by equilibrium density-gradient centrifugation in caesium chloride (Starkey, B. J., Snary, D. & Allen, A.) 123P
Mung bean, *see* Bean, mung
Musca domestica, *see* Housefly
Muscle, diaphragm, rat, effects of denervation on the activities of some dehydrogenases associated with the tricarboxylic acid cycle and of enzymes involved in the metabolism of adenine nucleotides in (Turner, L. V. & Manchester, K. L.) 803–809
Muscle, diaphragm, rat, effects of denervation on the glycogen content and on the activities of enzymes involved in the metabolism of glucose and glycogen in (Turner, L. V. & Manchester, K. L.) 789–801
Muscle, flight, activity of fructose diphosphatase in, from bumble-bees and the role of this enzyme in heat generation (Newsholme, E. A., Crabtree, B., Higgins, S. J., Thornton, S. D. & Start, C.) 89–97
Muscle, properties of the adenosine triphosphatase activity of, from the nematode *Ascaris suum* (Langer, B. W., Jr., Smith, W. J. & Theodorides, V. J.) 991–992
Muscle, skeletal, dogfish (*Scylliorhinus canicula*), purification and properties of creatine kinase from (Simonarson, B. & Watts, D. C.) 1241–1253

Muscle, skeletal, rat, conversion of [1-^{14}C]pyruvate into [^{14}C]alanine in, and its relevance to the effect of insulin on protein biosynthesis (Hider, R. C. & Meade, L.) 165–167
Muscle, skeletal, rat, effect of dietary protein intake on the biosynthesis of protein by cell-free systems containing ribosomes and transferases I and II obtained from (Alexis, S. D., Basta, S. & Young, V. R.) 521–530
Mycobacillin, isolation of peptides from a *Bacillus subtilis* B_3 cell-free system synthesizing (Sengupta, S. & Bose, S. K.) 47–52
Myeloma P3 cells, mouse, cyclic changes in the incorporation of labelled precursors into nucleic acids and protein in, during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Myeloma protein, complete amino acid sequence of the κ light chain of, secreted by mouse plasmacytoma MOPC 21 (Svasti, J. & Milstein, C.) 427–444
Myeloma protein, cyclic changes in the incorporation of [^{3}H]lysine into, in mouse myeloma P3 cells during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Myoglobin, effect of denervation on the content of, in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 803–809
Myoglobin, statistical estimation of molecular weights of, from normal and difference sedimentation boundaries in the ultracentrifuge (McCallum, M. A. & Spragg, S. P.) 389–402
Myosin, skeletal-muscle, rabbit, phosphorylated light-chain component of (Perrie, W. T., Smillie, L. B. & Perry, S. V.) 105P–106P
Myosin, skeletal-muscle, rabbit, proteolytic fragment of 26000 molecular weight from the heavy-chain fragment of (Stone, D. & Perry, S. V.) 106P

Nasal septum, sheep, production and utilization of uridine diphosphate glucuronic acid for the biosynthesis of glycosaminoglycans in cartilage from (Gainey, P. A. & Phelps, C. F.) 215–227
Nerve growth factor, changes in tissue and plasma concentrations of the biologically active species of, in the mouse during development (Hendry, I. A.) 1265–1272
Nerve growth factor, trans-synaptic regulation and the influence of, during development of the sympathetic nervous system in the mouse (Hendry, I. A. & Iversen, L. L.) 84P
Neuraminidase, study of the surface membrane of tumour and adult rat and foetal rat liver cells by cell electrophoresis after treatment with (Woo, J. & Cater, D. B.) 1273–1284
Neurons, evidence for the existence of separate pools of glutamate in glia and, of rat cerebral cortex (Okamoto, K. & Quastel, J. H.) 1117–1124
Neurons, interrelationship between glia and, in the metabolism of glutamate, glutamine and 4-aminobutyrate in rat cerebral cortex (Benjamin, A. M. & Quastel, J. H.) 631–646
Neurons, postganglionic, axoplasmic transport in, of the sympathetic nervous system (Banks, P. & Mayor, D.) 77P–78P
Neurophysins, rat, effect of the concentration of Bromophenol Blue on the resolution of, by polyacrylamide-gel electrophoresis (Burford, G. D. & Pickering, B. T.) 941–944
Neurotransmitters and metabolic regulation (Symposium) 69P–78P
Nicotiana tabacum, *see* Tobacco
Nicotinamide–adenine dinucleotide, enzymic interaction between isoniazid and, in *Mycobacterium tuberculosis* $H_{37}R_v$ (Devi, B. G., Ramakrishnan, T. & Gopinathan, K. P.) 63P
Nicotinamide–adenine dinucleotide phosphate, reduced, control of the activity of the pentose phosphate pathway by the requirement for, for fatty acid biosynthesis in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1097–1102
Nicotinamide–adenine dinucleotide phosphate, reduced, quenching by, of the protein fluorescence of *Neurospora crassa* glutamate dehydrogenase (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940
Nicotinamide–adenine dinucleotide, reduced, quenching by, of the protein fluorescence of pig heart lactate dehydrogenase (Holbrook, J. J.) 921–931
Nicotinamide nucleotides, control of the biosynthesis of nucleic acids and, in regenerating rat liver (Ferris, G. M. & Clark, J. B.) 869–877
Nitrate reductase, regulation of, in *Neurospora crassa* (Subramanian, K. N. & Sorger, G. J.) 23P
Nitrate reductase, role of light in the induction of, and nitrite reductase in rice seedlings (Sawhney, S. K. & Naik, M. S.) 23P
Nitrene, aryl, labelling of the antibody binding site with, on photolysis of the complex of specific rabbit antibody and the hapten ϵ-(4-azido-2-nitrophenyl)-L-lysine (Fleet, G. W. J., Knowles, J. R. & Porter, R. R.) 499–508
Nitrogen compounds, inorganic, metabolism of, in plants and micro-organisms (Nicholas, D. J. D.) 24P
Nitrogenase, purification and properties of the two component proteins of, from *Klebsiella pneumoniae* (Eady, R. R., Smith, B. E., Cook, K. A. & Postgate, J. R.) 655–675
Nitrogenous constituents, comparative study of soluble sugars and, of the seeds of members of the Family Cucurbitaceae (Moinuddin, Siddiqi, M. & Alam, M.) 56P
2-Nitro-5-mercaptobenzoate dianion, formation of, in the reaction of papain with 5,5′-dithiobis-(2-nitrobenzoate) dianion (Brocklehurst, K., Kierstan, M. & Little, G.) 811–816
Nitrosoureas, modification by reaction with, of polycytidylate used as a template for ribonucleic acid polymerase (Ludlum, D. B. & Magee, P. N.) 729–731
Noradrenaline, cellular control of the uptake, storage and release of, in sympathetic nerves (Smith, A. D.) 77P
Noradrenaline, neuronally mediated induction of enzymes involved in the biosynthesis of, in the central nervous system and peripheral nerves (Thoenen, H.) 69P–70P
Nuclear proteins, changes in, during the cell cycle in cultured mouse P815Y mast cells separated by zonal centrifugation (Cross, M. E.) 1213–1219
Nuclease S_1, use of, in the purification of duplexes formed by the self-renaturation of fractions in the separated

strands of mouse satellite deoxyribonucleic acid (Sutton, W. D. & Walker, P. M. B.) 193–198
Nuclease, staphylococcal, formation and stabilization of the structure of (Anfinsen, C. B.) 737–749
Nucleic acids, control of the biosynthesis of nicotinamide nucleotides and, in regenerating rat liver (Ferris, G. M. & Clark, J. B.) 869–877
Nucleotide sequences of two fragments from the coat-protein cistron of bacteriophage R17 ribonucleic acid (Jeppesen, P. G. N., Barrell, B. G., Sanger, F. & Coulson, A. R.) 993–1006
Nucleotides, coenzyme, regulation of the metabolism of, in plants (Ravindranath, S. D. & Appaji Rao, N.) 27P–28P
Nucleotides, incorporation of, into ribonucleic acid by isolated rat liver mitochondria (Fukamachi, S., Bartoov, B. & Freeman, K. B.) 299–309
Nucleotides, purine, possible role of 5-phosphoribosyl 1-pyrophosphate in the stimulation of the biosynthesis of, in rat uterus in response to oestradiol-17β (Oliver, J. M.) 771–777

Ochromonas malhamensis, metabolism of 24,25-dihydrolanosterol and cholesterol and the biosynthesis of phytosterols in (Beastall, G. H., Rees, H. H. & Goodwin, T. W.) 179–181
Oestradiol-17β, biosynthesis of spermine in the uterus of the ovariectomized rat in response to the administration of (Russell, D. H. & Potyraj, J. J.) 1109–1115
Oestradiol, enhancement by a preliminary incubation of the uptake of amino acids by uterus from rats primed by treatment with (Riggs, T. R. & Pan, M. W.) 19–27
Oestradiol-17β, possible role of 5-phosphoribosyl 1-pyrophosphate in the stimulation of the biosynthesis of purine nucleotides in rat uterus in response to (Oliver, J. M.) 771–777
Oestradiol receptor, transformation of the cytoplasmic complex of oestradiol and, into the nuclear complex in a cell-free system prepared from rat uterus (Gschwendt, M. & Hamilton, T. H.) 611–616
Oestradiol-17β 3-sulphate, evidence for the hydrolysis of, by rat liver microsomal arylsulphatase C (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Oestradiol, transformation of the cytoplasmic complex of oestradiol receptor and, into the nuclear complex in a cell-free system prepared from rat uterus (Gschwendt, M. & Hamilton, T. H.) 611–616
Oestrogen sulphatase, evidence for the identity of arylsulphatase C and, in rat liver microsomal fraction (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Oestrogens, concentration of, in jugular-venous plasma of cows during the oestrous cycle (Glencross, R. G., Pope, G. S. & Munro, I. B.) 81P
Oestrone sulphate, evidence for the hydrolysis of, by rat liver microsomal arylsulphatase C (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Oestrone [^{35}S]sulphate, sodium, metabolism of, in the guinea pig (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 347–352
Oleate, association of increased amounts of 5α-deoxycholate in the bile with cholelithiasis experimentally induced in the rabbit by feeding with (Kyd, P. A. & Bouchier, I. A. D.) 169–172
Oleate, protective effect of, on metabolic changes produced by 2-bromo-2-chloro-1,1,1-trifluoroethane in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 721–723
Oligomers, quaternary structure of, with dihedral symmetry (Milner-White, E. J.) 107P
Oligomycin, correlation between sensitivity to, and ergosterol content of a purified yeast mitochondrial adenosine triphosphatase (Swanljung, P., Swanljung, H. & Partis, M. D.) 479–480
Ommastrephes sloani pacificus, *see* Squid
Ornithine, metabolism of, in the developing sheep (Rattenbury, J. M., Jeacock, M. K. & Shepherd, D. A. L.) 143P–144P
Osmotic pressure, inner, use of sulphoethyl-Sephadex as a model for estimation of, of cartilage (Ogston, A. G. & Wells, J. D.) 685–690
Ovalbumin, denatured state of (Ahmad, F. & Salahuddin, A.) 49P
Ovomucoid, biosynthesis of, by hen oviduct tissue *in vitro* (McCairns, E. & Beeley, J. G.) 120P
Ovomucoid, cyanogen bromide cleavage of (Beeley, J. G.) 119P–120P
Ovomucoid, hydrogen ion equilibrium of, in the acid pH range (Waheed, A. & Salahuddin, A.) 49P
α-Oxo acids, oxidation of Schiff bases of pyridoxamine with, by manganous ions and peroxidase (Hill, J. M.) 701–709
3-Oxo steroids, intermediacy of, in the conversion of cholest-5-en-3β-ol into 5α-cholestan-3β-ol by the starfish *Asterias rubens* and *Porania pulvillus* (Smith, A. G., Goodfellow, R. & Goad, L. J.) 1371–1372
3-Oxo steroids, 16-unsaturated, formation of, as metabolic intermediates in boar testis homogenates (Brophy, P. J. & Gower, D. B.) 945–952
2-Oxobutyrate, oxidation of the Schiff base of pyridoxamine with, by manganous ions and peroxidase (Hill, J. M.) 701–709
Oxygen, role of glucose in the survival and 'recovery' of the isolated perfused rat heart subjected to lack of (Hearse, D. J. & Chain, E. B.) 1125–1133
Oxygen, role of limitation of the supply of, in the formation of poly-3-hydroxybutyrate during batch and continuous culture of *Azotobacter beijerinckii* N.C.I.B. 9067 (Senior, P. J., Beech, G. A., Ritchie, G. A. F. & Dawes, E. A.) 1193–1201

Palmitate, effect of, on the regulation of glyceride biosynthesis in isolated rat epididymal fat-cells (Saggerson, E. D.) 1057–1067
Papain, kinetics of the reversible reaction of, with 5,5′-dithiobis-(2-nitrobenzoate) dianion (Little, G. & Brocklehurst, K.) 475–477
Papain, reaction of 5,5′-dithiobis-(2-nitrobenzoate) dianion with (Brocklehurst, K., Kierstan, M. & Little, G.) 811–816
Papain, reactivities of the various protonic states in the reactions of L-cysteine and of, with 2,2′- and 4,4′-dipyridyl disulphide (Brocklehurst, K. & Little, G.) 471–474
Paraquat, metabolism by *Achromobacter* D of *N*-methylisonicotinate, a photolytic product of (Wright, K. A. & Cain, R. B.) 543–559

Paraquat, use of radioactively labelled substrate to study the metabolism by *Achromobacter* D of *N*-methylisonicotinate, a photolytic product of (Wright, K. A. & Cain, R. B.) 561–568
Pea (*Pisum sativum*) cotyledons, localization and interconversion of tetrahydrofolates in mitochondria isolated from (Clandinin, M. T. & Cossins, E. A.) 29–40
Pea (*Pisum sativum*) shoots, inhibition by DL-glyceraldehyde of the assimilation of carbon dioxide during photosynthesis by isolated chloroplasts from (Stokes, D. M. & Walker, D. A.) 1147–1157
Penicillin acylase, structural requirements of inducer for the formation of, in *Fusarium* sp. 7.5–5 (Thadhani, S. B., Borkar, P. S. & Ramachandran, S.) 49P–50P
Penicillinases, R-factor-mediated, unusual, two, direct comparison of the properties of, produced by *Escherichia coli* (Dale, J. W. & Smith, J. T.) 173–174
Penicillium duponti, purification and properties of glucose 6-phosphate dehydrogenases from *Penicillium notatum* and (Malcolm, A. A. & Shepherd, M. G.) 817–831
Penicillium notatum, purification and properties of glucose 6-phosphate dehydrogenases from *Penicillium duponti* and (Malcolm, A. A. & Shepherd, M. G.) 817–831
Pentose phosphate pathway, activity of, for the metabolism of glucose and the formation of reducing equivalents in rat mammary-gland slices (Katz, J. & Wals, P. A.) 879–899
Pentose phosphate pathway, control of the activity of, by the requirement for reduced nicotinamide–adenine dinucleotide phosphate for fatty acid biosynthesis in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1097–1102
Pentose phosphate pathway, effects of the amount of glucose uptake on the rate of fatty acid biosynthesis and on the activity of, in isolated rat epididymal fat-cells (Kather, H., Rivera, M. & Brand, K.) 1089–1096
Pepsin, chicken, purification and properties of a fraction of (Green, M. L. & Llewellin, J. M.) 108P
Pepsins 1, 2, 3 and 5, human, comparison of the properties of (Roberts, N. B. & Taylor, W. H.) 103P
Peptidase, yeast, radiochemical determination of a unique amino acid sequence around the reactive serine residue of a French-bean leaf carboxypeptidase and, that are inhibited by reaction with di-isopropyl phosphorofluoridate (Shaw, D. C. & Wells, J. R. E.) 229–235
Peptides, isolation of, from a mycobacillin-synthesizing cell-free system prepared from *Bacillus subtilis* B_3 (Sengupta, S. & Bose, S. K.) 47–52
Peroxidase, ferro-, horseradish, binding of ethyl isocyanide to (Phelps, C., Antonini, E. & Brunori, M.) 377–382
Peroxidase, horseradish, oxidation of Schiff bases of pyridoxamine with α-oxo acids by manganous ions and (Hill, J. M.) 701–709
Peroxidases, comparative study of, from goat thyroid gland and submaxillary gland (Haldar, I., Mahajani, U. & Datta, A. G.) 50P
Peroxidation, possible involvement of, in the formation of 7α-hydroxycholesterol and other oxidation products of cholesterol by rat liver microsomal preparations (Mitropoulos, K. A. & Balasubramaniam, S.) 1–9
Peroxisomes, leaf, spinach-beet, oxidation of oxalate and fumarate by (Leek, A. E. & Butt, V. S.) 87P
Peroxisomes, leaf, spinach-beet, oxidative decarboxylation of glycollate and glyoxylate by (Halliwell, B., Leek, A. E. & Butt, V. S.) 87P–88P
Peroxisomes, liver, rat, use of yeast cytochrome *c* peroxidase for measurement of the generation of hydrogen peroxide by (Boveris, A., Oshino, N. & Chance, B.) 617–630
Persea gratissima, *see* Avocado
Pesticides, biochemical evaluation of (Iyengar, L., Pandey, M. P., Venkobachar, C. & Prabhakara Rao, A. V. S.) 39P–40P
pH, intracellular, role of, in the regulation of cation exchanges in baker's yeast (Ryan, J. P. & Ryan, H.) 139–146
pH, intralysosomal, evidence for the presence of an adenosine triphosphate-dependent proton pump for the maintenance of, in mouse kidney and liver heterolysosomes (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Phage, *see* Bacteriophage
Phaseolain, leaf, French-bean, radiochemical determination of a unique amino acid sequence around the reactive serine residue of a yeast peptidase and, that are inhibited by reaction with di-isopropyl phosphorofluoridate (Shaw, D. C. & Wells, J. R. E.) 229–235
Phaseolus aureus, *see* Bean, mung
Phaseolus vulgaris, *see* Bean, French
[*acetyl*-^{14}C]Phenacetin, metabolism of, in various species (Smith, R. L. & Timbrell, J. A.) 140P–141P
Phenethylhydrazine, inhibition by, of the activities of monoamine oxidases from pig brain and rat liver (Tipton, K. F.) 913–919
Phenobarbitone, effect of treating male and female rats with, on the apparent kinetic parameters for the conjugation of 1,2-dichloro-4-nitrobenzene and 1-chloro-2,4-dinitrobenzene with reduced glutathione by liver glutathione *S*-aryltransferase (Darby, F. J. & Grundy, R. K.) 175–177
Phenols, formation of glucosides and glucuronides of, by rabbit liver microsomal fraction (Labow, R. S. & Layne, D. S.) 491–497
Phenylalanine ammonia-lyase, purification and properties of, from callus-tissue cultures of *Trigonella foenum-graecum* (Dhandapani, M., Antony, A. & Subba Rao, P. V.) 54P
Phenylalanine, lack of effect of, on the metabolism of pyruvate by rat brain mitochondria (Patel, M. C.) 677–684
Phenylketonuria, possible significance of the inhibition of brain mitochondrial pyruvate carboxylase activity by phenylpyruvate in patients suffering from (Patel, M. C.) 677–684
Phenylpyruvate, effect of, on the metabolism of pyruvate by rat brain mitochondria (Patel, M. S.) 677–684
Phosphatase, acid, isoenzymes of, in human endometrium (Sumner, N. A. & Brush, M. G.) 103P–104P
Phosphatase, alkaline, activity of, in brush borders isolated from rabbit kidney cortex (Quirk, S. J. & Robinson, G. B.) 1319–1328
Phosphatase, alkaline, activity of, in lateral and basal plasma membranes isolated from rat small-intestinal epithelial cells (Douglas, A. P., Kerley, R. & Isselbacher, K. J.) 1329–1338

Phosphatases, properties of, from the mosquito *Culex pipiens fatigans* (Lakshmi, M. B. & Subrahmanyam, D.) 51P

[^{32}P]Phosphate, inorganic, effect of adrenaline on the incorporation of, into the phospholipids of fat-cells prepared from rat epididymal fat-pads (Stein, J. M. & Hales, C. N.) 531–541

Phosphate, inorganic, effect of, on the activity of methylglyoxal synthase from *Escherichia coli* K12 (Hopper, D. J. & Cooper, R. A.) 321–329

Phosphatidylcholine, metabolism of, in brain tissue (Ansell, G. B.) 6P–8P

Phosphatidylinositol, distribution of molecular species of, in ox brain and its subcellular fractions (Luthra, M. G. & Sheltawy, A.) 587–595

3′-Phosphoadenosine 5′-sulphatophosphate, *see* Adenosine 3′-phosphate 5′-sulphatophosphate

Phosphodiesterase, partial purification and properties of, from bull semen (Kher, A. & Anand, S. R.) 52P

Phosphoenolpyruvate, dependence on, of the inducible hexose phosphotransferase system in *Escherichia coli* (Kornberg, H. L. & Reeves, R. E.) 1339–1344

Phosphoglucomutase, mechanism of, from *Micrococcus lysodeikticus* (Britton, H. G. & Clarke, J. B.) 99P

Phosphoglucomutase, regulation of (Sanwal, B. D., Duckworth, H. W. & Hollier, M. L.) 26P–27P

Phosphoglycerate mutases, diphosphoglycerate-dependent, formation of active phosphoenzymes with (Britton, H. G., Carreras, J. & Grisolia, S.) 100P

Phospholipase A, structure and enzymic properties of, from pig pancreas (de Haas, G. H.) 9P

Phospholipids, biosynthesis of, in cultured HeLa cells exposed to immunoglobulin G and complement (Güttler, F.) 953–960

Phospholipids, biosynthesis of the fatty acid components of, from [1-^{14}C]acetyl-coenzyme A by subcellular fractions of rat epididymal adipose tissue (Kanoh, H. & Lindsay, D. B.) 847–857

Phospholipids, effect of adrenaline on the incorporation of inorganic [^{32}P]phosphate into, of fat-cells prepared from rat epididymal fat-pads (Stein, J. M. & Hales, C. N.) 531–541

Phosphonolipids, naturally occurring, synthesis of (Baer, E.) 9P–10P

5-Phosphoribosyl 1-pyrophosphate, possible role of, in the control of the biosynthesis of nucleic acids and nicotinamide nucleotides in regenerating rat liver (Ferris, G. M. & Clark, J. B.) 869–877

5-Phosphoribosyl 1-pyrophosphate, possible role of, in the stimulation of the biosynthesis of purine nucleotides in rat uterus in response to oestradiol-17β (Oliver, J. M.) 771–777

Phosvitin, evidence for gene duplication during the induction by oestrogens of the biosynthesis of, in chicken liver (Jailkhani, B. & Talwar, G. P.) 66P–67P

Phosvitin, regulation of serine transfer ribonucleic acid during the oestrogen-induced biosynthesis of, in rooster liver (Grover, A., Sundharadas, G. & Talwar, G. P.) 65P

Photosynthesis, generation of reducing potential in (San Pietro, A.) 28P–29P

Photosynthesis, inhibition by DL-glyceraldehyde of the assimilation of carbon dioxide during, by isolated chloroplasts from pea shoots and spinach leaves (Stokes, D. M. & Walker, D. A.) 1147–1157

Phytophthora cactorum I.M.I. 21168, biosynthesis of dolichols, ubiquinones, geranylgeraniol and farnesol from mevalonate in (Richards, J. B. & Hemming, F. W.) 1345–1352

Phytosterols, metabolism of 24,25-dihydrolanosterol and cholesterol and the biosynthesis of, in *Ochromonas malhamensis* (Beastall, G. H., Rees, H. H. & Goodwin, T. W.) 179–181

α-Picoline, microbial transformation of 2-ethylpyridine, α-picolinate and (Shukla, O. P.) 64P

Pinocytosis, kinetic analysis of, in rat yolk-sac (Lloyd, J. B., Williams, K. E., Beck, F. & Kidston, M. E.) 144P–145P

Pisum sativum, *see* Pea

Placenta, human, purification and characterization of β-glucuronidase from lysosomes from (Contractor, S. F. & Shane, B.) 11–18

Plant sciences (Symposium) 22P–34P

Plasma, effects of hypo- and hyper-thryoidism on the concentration of insulin in, in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604

Plasma, human, presence in, of a heat-stable activator and a heat-stable inhibitor of placental lysosomal β-glucuronidase (Contractor, S. F. & Shane, B.) 11–18

Plasma membrane, iodination of mammalian cells catalysed by lactoperoxidase as a probe for externally located proteins of (Owen, E., Knight, V. A. & Thomas, H. W.) 130P

Plasma membrane, isolation from rat hepatoma cells of tumour-specific antigen associated with (Baldwin, R. W., Harris, J. R. & Price, M. R.) 130P–131P

Plasma membranes, isolation and characterization of, from rabbit kidney cortex (Quirk, S. J. & Robinson, G. B.) 1319–1328

Plasma membranes, lateral and basal, isolation and characterization of, from rat small-intestinal epithelial cells (Douglas, A. P., Kerley, R. & Isselbacher, K. J.) 1329–1338

Plasma membranes, liver, mouse, preparation and properties of nexuses and lipid-enriched vesicles from (Evans, W. H. & Gurd, J. W.) 691–700

Plasma, mouse, changes in the concentration of the biologically active species of nerve growth factor in, during development (Hendry, I. A.) 1265–1272

Plasma, rat, fibrinogen concentrations in, after the intravenous administration of fibrinopeptides (Ittyerah, T. R., Dodgson, K. S. & Curtis, C. G.) 733–734

Plasmacytoma Adj PC5, mouse, formation of pyrrolid-2-one-5-carboxylic acid at the *N*-terminus of the heavy chain of immunoglobulin G secreted by (Stott, D. I. & Munro, A. J.) 1221–1227

Plasmacytoma MOPC 21, mouse, complete amino acid sequence of the κ light chain of the myeloma protein secreted by (Svasti, J. & Milstein, C.) 427–444

Polyamines, biosynthesis of, in the uterus of the ovariectomized rat in response to the administration of oestradiol-17β (Russell, D. H. & Potyraj, J. J.) 1109–1115

Polycytidylate, modification by reaction with nitrosoureas of, used as a template for ribonucleic acid polymerase (Ludlum, D. B. & Magee, P. N.) 729–731

Polygalacturonate lyase, purification and properties of, from a *Bacillus* sp. associated with increased permeability of Sitka spruce (Ward, O. P. & Fogarty, W. M.) 126P

Poly-3-hydroxybutyrate, role of oxygen limitation in the formation of, during batch and continuous culture of *Azotobacter beijerinckii* N.C.I.B. 9067 (Senior, P. J., Beech, G. A., Ritchie, G. A. F. & Dawes, E. A.) 1193–1201

Polyisoprenoids, biosynthesis of, from mevalonate in *Phytophthora cactorum* I.M.I. 21168 (Richards, J. B. & Hemming, F. W.) 1345–1352

Polymyxin, biosynthesis of, by *Bacillus polymyxa* (Jayaraman, K.) 48P

Polyprenols, chemistry and biochemistry of, such as solanesol and dolichol (Morton, R. A.) 11P

Polyprenyl-*p*-hydroxybenzoate, cell-free biosynthesis of precursors of, in mammalian and bacterial systems (Rudney, H.) 13P–14P

Polyribosomes, active, isolation of, from the cytoplasm, mitochondria and chloroplasts of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365

Polysomes, *see* Polyribosomes

Porania pulvillus, *see* Starfish

Poriferasterol, metabolism of 24,25-dihydrolanosterol and cholesterol and the biosynthesis of, in *Ochromonas malhamensis* (Beastall, G. H., Rees, H. H. & Goodwin, T. W.) 179–181

Potassium *p*-acetylphenyl sulphate, use of, as substrate in a specific assay method for measuring the activity of arylsulphatase C, a marker enzyme for rat liver microsomal fraction (Milsom, D. W., Rose, F. A. & Dodgson, K. S.) 331–336

Potassium ions, effect of the concentration of, on cultured mouse sympathetic-nervous-system ganglia and its relevance to trans-synaptic modulation (Mackay, A. V. P. & Iversen, L. L.) 83P–84P

Potassium ions, role of glucose and, in the survival and 'recovery' of the anoxic isolated perfused rat heart (Hearse, D. J. & Chain, E. B.) 1125–1133

Potassium ions, role of intracellular pH in the regulation of the uptake of, by baker's yeast (Ryan, J. P. & Ryan, H.) 139–146

Pregnancy, distribution and activity of 3-hydroxybutyrate in tissues of sheep made ketonaemic during (Watson, H. R. & Lindsay, D. B.) 53–57

Pregnancy, fatty acid biosynthesis in rabbit mammary gland in, and early lactation (Strong, C. R. & Dils, R.) 1303–1309

Pregnancy, isolation and identification of 2-hydroxyoestrone 3-methyl ether from the urine of women during (Knuppen, R., Haupt, O. & Breuer, H.) 1369–1370

Progesterone, biosynthetic sequence and cofactor requirements for each step in the formation of androst-16-enes from, by boar testis homogenates (Brophy, P. J. & Gower, D. B.) 945–952

Prolactin, effect of, in control of the chain length of fatty acids biosynthesized in mammary-gland explants from pseudopregnant rabbits (Strong, C. R., Forsyth, I. & Dils, R.) 509–519

Prolactin, effect of, on adenylate cyclase activity in rat prostate-gland homogenate (Golder, M. P., Boyns, A. R., Harper, M. E. & Griffiths, K.) 725–727

L-Proline residue, evidence that the biosynthesis of mycobacillin by a cell-free system prepared from *Bacillus subtilis* B_3 starts from (Sengupta, S. & Bose, S. K.) 47–57

Propan-2-ol, oxidation of, by baker's yeast (Ryan, J. P. & Ryan, H.) 139–146

Propionate, effect of, on cation exchanges in baker's yeast (Ryan, J. P. & Ryan, H.) 139–146

Prostaglandins, biosynthesis and biological role of (Samuelsson, B.) 4P

Prostaglandins, biosynthesis of, in thrombocytes (Clausen, J. & Srivastava, K. C.) 4P

Prostate gland, rat, effect of prolactin on adenylate cyclase activity in homogenate of (Golder, M. P., Boyns, A. R., Harper, M. E. & Griffiths, K.) 725–727

Protease, *see* Proteinase

Protein, acetylcholine- and decamethonium-binding, isolation of, from heads of houseflies (Cattell, K. J. & Donnellan, J. F.) 187–189

Protein, biosynthesis of, by polyribosomes isolated from the cytoplasm, mitochondria and chloroplasts of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365

Protein, biosynthesis of, in magnesium-deficient rats (Amarlal, S. & Krishna Murti, C. R.) 47P

Protein, biosynthesis of, in *Mycobacterium tuberculosis* $H_{37}R_v$ and the effect of streptomycin (Shaila, M. S., Gopinathan, K. P. & Ramakrishnan, T.) 47P

Protein, cadmium-binding, studies on the identification of, of rat testis (Singh, K. & Nath, R.) 48P–49P

Protein, coat, nucleotide sequences of two fragments from the cistron for, of bacteriophage R17 ribonucleic acid (Jeppesen, P. G. N., Barrell, B. G., Sanger, F. & Coulson, A. R.) 993–1006

Protein, coat, properties of, of ribonucleic acid bacteriophage ZIK/1 and its biosynthesis by a cell-free system prepared from *Escherichia coli* A19 (Robinson, J. W.) 481–489

Protein, conversion of [1-^{14}C]pyruvate into [^{14}C]alanine in rat skeletal muscle and its relevance to the effect of insulin on the biosynthesis of (Hider, R. C. & Meade, L.) 165–167

Protein, dietary, effect of the intake of, on the biosynthesis of protein by cell-free systems containing ribosomes and transferases I and II obtained from rat skeletal muscle (Alexis, S. D., Basta, S. & Young, V. R.) 521–530

Protein, effect of dietary protein intake on the biosynthesis of, by cell-free systems containing ribosomes and transferases I and II obtained from rat skeletal muscle (Alexis, S. D., Basta, S. & Young, V. R.) 521–530

Protein, effects of emetine and of cycloheximide on the biosynthesis of, by mitochondria from mammalian sources (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462

Protein fluorescence of nicotinamide nucleotide-dependent dehydrogenases (Holbrook, J. J., Yates, D. W., Reynolds, S. J., Evans, R. W., Greenwood, C. & Gore, M. G.) 933–940

Protein fluorescence of pig heart lactate dehydrogenase (Holbrook, J. J.) 921–931

Protein kinase, adenosine 3′:5′-cyclic monophosphate-stimulated, possible significance of the activity of, associated with purified microtubule protein prepara-

tions from mammalian brain (Lagnado, J. R., Lyons, C. A., Weller, M. & Phillipson, O.) 95P
Protein, myeloma, complete amino acid sequence of the κ light chain of, secreted by mouse plasmacytoma MOPC 21 (Svasti, J. & Milstein, C.) 427–444
Protein, myeloma, cyclic changes in the incorporation of [^{3}H]lysine into, in mouse myeloma P3 cells during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Protein, organ-specific, ribonucleoprotein nature of, from monkey and goat brain (Sharma, N. C. & Talwar, G. P.) 68P
Protein SCMK-B2C, amino acid sequence of, from the high-sulphur fraction of wool keratin (Elleman, T. C.) 1229–1239
Protein, total, cyclic changes in the incorporation of [^{3}H]lysine into, in mouse myeloma P3 cells during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Proteinase, adenosine triphosphate-dependent stabilization of the activity of, in mouse kidney and liver heterolysosomes (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Proteinase, lysosomal nature of, induced by gibberellic acid in wheat aleurone cells (Gibson, R. A. & Paleg, L. G.) 367–375
Protein–polysaccharides, cartilage, aggregation of (Tsiganos, C. P., Hardingham, T. E. & Muir, H.) 121P
Protein–polysaccharides, cartilage, solubilization of, with lanthanum chloride (Mason, R. M. & Mayes, R. W.) 120P–121P
Proteins, component, two, purification and properties of, of nitrogenase from *Klebsiella pneumoniae* (Eady, R. R., Smith, B. E., Cook, K. A. & Postgate, J. R.) 655–675
Proteins, criteria of de-adherence of hydrophobic associations in (Lewin, S.) 104P–105P
Proteins, effect of the concentration of Bromophenol Blue on the resolution of, by polyacrylamide-gel electrophoresis (Burford, G. D. & Pickering, B. T.) 941–944
Proteins, effects of milk and of liver tissue extract on the incorporation of amino acids into, by mammary gland (Singh, A. & Ganguli, N. C.) 48P
Proteins, egg-yolk, oestrogen-induced secretion of, by male *Xenopus laevis* liver in organ culture (Clemens, M. J., Lofthouse, R. & Tata, J. R.) 97P–98P
Proteins, fluorescence of, after exposure to sunlight (Pirie, A.) 1365–1367
Proteins, formation and stabilization of the structure of (Anfinsen, C. B.) 737–749
Proteins, late, biosynthesis of, of bacteriophage T_4 amber mutant grown on *Escherichia coli* B (Devare, S. G. & Padayatty, J. D.) 48P
Proteins, natural frequency of errors in translation during the biosynthesis of (Loftfield, R. B. & Vanderjagt, D.) 1353–1356
Proteins, nuclear, changes in, during the cell cycle in cultured mouse P815Y mast cells separated by zonal centrifugation (Cross, M. E.) 1213–1219
Proteins, role of glycoproteins and, in the structural maintenance of nexuses isolated from mouse liver plasma membranes (Evans, W. H. & Gurd, J. W.) 691–700
Proteins SCMK-B2A, SCMK-B2B and SCMK-B2C, preparation and properties of, from the high-sulphur fraction of wool keratin (Lindley, H. & Elleman, T. C.) 859–867
Proteins, secreted, structure of (Leaback, D. H.) 126P–127P
Proteoglycan, *see* Protein–polysaccharide
Proteolipid, acetylcholine- and decamethonium-binding, isolation of, from heads of houseflies (Cattell, K. J. & Donnellan, J. F.) 187–189
Proton pump, adenosine triphosphate-dependent, evidence for the presence of, for the maintenance of intralysosomal pH in mouse kidney and liver heterolysosomes (Mego, J. L., Farb, R. M. & Barnes, J.) 763–769
Protoveratrine, stimulation by, of the release of amino acids from neurons in rat cerebral-cortex slices (Benjamin, A. M. & Quastel, J. H.) 631–646
Pseudolipidosis, identification of, in Angus cattle as an inherited lysosomal storage disease analogous to mannosidosis (Hocking, J. D., Jolly, R. D. & Batt, R. D.) 69–78
Pseudomonas AM1, formation of glycine during growth of, on methanol and succinate (Salem, A. R., Large, P. J. & Quayle, J. R.) 1203–1211
Pseudomonas AM1, involvement of glycollate in the metabolism of ethanol and of acetate by (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 99–106
Pseudomonas AM1, role of glyoxylate, glycollate and acetate in the growth of, on ethanol and on C_1 compounds (Dunstan, P. M., Anthony, C. & Drabble, W. T.) 107–115
Purine nucleotides, possible role of 5-phosphoribosyl 1-pyrophosphate in the stimulation of the biosynthesis of, in rat uterus in response to oestradiol-17β (Oliver, J. M.) 771–777
Pyridoxamine, oxidation of Schiff bases of α-oxo acids with, by manganous ions and peroxidase (Hill, J. M.) 701–709
Pyrrolid-2-one-5-carboxylic acid, formation of, at the *N*-terminus of mouse plasmacytoma Adj PC5 immunoglobulin G heavy chain (Stott, D. I. & Munro, A. J.) 1221–1227
Pyrrolizines, dihydro-, reaction of, with deoxyribonucleic acids *in vitro* (White, I. N. H. & Mattocks, A. R.) 291–297
Pyruvate carboxylase, mitochondrial, brain, rat, inhibition of, by phenylpyruvate (Patel, M. C.) 677–684
[1-^{14}C]Pyruvate, conversion of, into [^{14}C]alanine in rat skeletal muscle and its relevance to the effect of insulin on protein biosynthesis (Hider, R. C. & Meade, L.) 165–167
Pyruvate dehydrogenase phosphate phosphatase, stimulation by calcium ions of the activity of, from various mammalian sources (Denton, R. M., Randle, P. J. & Martin, B. R.) 161–163
Pyruvate, effect of, on the regulation of glyceride biosynthesis in isolated rat epididymal fat-cells (Saggerson, E. D.) 1069–1078
Pyruvate, effect of phenylpyruvate on the metabolism of, by rat brain mitochondria (Patel, M. S.) 677–684
Pyruvate kinase, possible role of mitochondria in modification of the activity of, by altering its ionic environment in the cytoplasm (Meli, J. & Bygrave, F. L.) 415–420

Pyruvate, oxidation of the Schiff base of pyridoxamine with, by manganous ions and peroxidase (Hill, J. M.) 701–709

RC gene, polymerization rates for ribonucleic acids in amino acid auxotrophs of *Escherichia coli* carrying the 'relaxed' and 'stringent' alleles of (Gray, W. J. H., Vickers, T. G. & Midgley, J. E. M.) 1021–1031
RC gene, synthesis and stability of ribonucleic acids in amino acid auxotrophs of *Escherichia coli* carrying the 'relaxed' and 'stringent' alleles of (Gray, W. J. H. & Midgley, J. E. M.) 1007–1020
Resistance factors, direct comparison of the properties of two unusual β-lactamases mediated by, in *Escherichia coli* (Dale, J. W. & Smith, J. T.) 173–174
Respiration, inhibitory effect of 2-bromo-2-chloro-1,1,1-trifluoroethane on, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 711–720
Respiration, protective effect of oleate on the inhibition by 2-bromo-2-chloro-1,1,1-trifluoroethane of, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 721–723
Reticulum, endoplasmic, liver, rat, specific assay method for measuring the activity of arylsulphatase C, a marker enzyme for (Milsom, D. W., Rose, F. A. & Dodgson, K. S.) 331–336
Retina, ox, solubilization from, of an enzyme system involved in the completion of the visual cycle by the regeneration of rhodopsin from all-*trans*-retinal (Amer, S. & Akhtar, M.) 987–989
all-*trans*-Retinal, solubilization from ox retina of an enzyme system involved in the completion of the visual cycle by the regeneration of rhodopsin from (Amer, S. & Akhtar, M.) 987–989
Retinol, transport of, in rat plasma and its nutritional regulation (Goodman, DeW. S., Muto, Y., Smith, J. E. & Milch, P.) 15P–16P
Rhodopseudomonas spheroides N.C.I.B. 8253, properties of the aerobic and anaerobic coproporphyrinogenase activities in extracts of (Tait, G. H.) 1159–1169
Rhodopsin, solubilization from ox retina of an enzyme system involved in the completion of the visual cycle by the regeneration of, from all-*trans*-retinal (Amer, S. & Akhtar, M.) 987–989
Ribonuclease, study of the surface membrane of tumour, adult rat liver, foetal rat liver and mouse lymph-node cells by cell electrophoresis after treatment with (Woo, J. & Cater, D. B.) 1273–1284
Ribonuclease, subcellular distribution of, induced by gibberellic acid in wheat aleurone cells (Gibson, R. A. & Paleg, L. G.) 367–375
Ribonucleases, properties of, from Yoshida ascites sarcoma (Bhandarkar, A., Ramanandra Rao, G. & Sirsi, M.) 52P
Ribonucleic acid, bacterial, biosynthesis of, in frog organs after intraperitoneal injection of bacteria (Anker, P. & Stroun, M.) 101P
Ribonucleic acid, bacteriophage R17, nucleotide sequences of two fragments from the coat-protein cistron of (Jeppesen, P. G. N., Barrell, B. G., Sanger, F. & Coulson, A. R.) 993–1006
Ribonucleic acid bacteriophage ZIK/1, properties of the coat protein of, and its biosynthesis by a cell-free system prepared from *Escherichia coli* A19 (Robinson, J. W.) 481–489
Ribonucleic acid, biosynthesis of, by isolated rat liver mitochondria (Fukamachi, S., Bartoov, B. & Freeman, K. B.) 299–309
Ribonucleic acid, comparison of chemical analyses at the nucleoside and base levels in investigation of the methylation of, by the carcinogens dimethyl sulphate, *N*-methyl-*N*-nitrosourea and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine (Lawley, P. D. & Shah, S. A.) 117–132
Ribonucleic acid, control of the biosynthesis of nicotinamide nucleotides, deoxyribonucleic acid and, in regenerating rat liver (Ferris, G. M. & Clark, J. B.) 869–877
Ribonucleic acid, cyclic changes in the incorporation of [^{3}H]uridine into, in mouse myeloma P3 cells during synchronous growth in tissue culture (Cowan, N. J. & Milstein, C.) 445–454
Ribonucleic acid, messenger, demonstration that embryonic mouse liver heterogeneous nuclear ribonucleic acid contains nucleotide sequences of, for mouse globin (Williamson, R. & Drewienkiewicz, C. E.) 92P–93P
Ribonucleic acid, messenger, studies on the heterogeneity of, for mouse globin (Lanyon, W. G., Paul, J. & Williamson, R.) 93P
Ribonucleic acid, messenger, synthesis and stability of, in relaxed and stringent amino acid auxotrophs of *Escherichia coli* (Gray, W. J. H. & Midgley, J. E. M.) 1007–1020
Ribonucleic acid polymerase, differences in the properties of the activities of, in larval and adult blowflies (Beebee, T. J. C. & Bond, R. P. M.) 91P
Ribonucleic acid polymerase, fluorescence studies on, from *Escherichia coli* B (Zaheer, F. & Nicholson, B. H.) 90P
Ribonucleic acid polymerase, inhibitor of, from *Neurospora crassa* (Mahadevan, P. R. & Bhagwat, A. S.) 66P
Ribonucleic acid polymerase, modification by reaction with nitrosoureas of polycytidylate used as a template for (Ludlum, D. B. & Magee, P. N.) 729–731
Ribonucleic acid polymerase, ribonucleic acid-dependent, purification and properties of, from *Halobacterium cutirubrum* N.R.C. 34001 (Louis, B. G. & Fitt, P. S.) 755–762
Ribonucleic acid polymerase, thiol groups of, from *Escherichia coli* B (King, A. M. Q. & Nicholson, B. H.) 90P–91P
Ribonucleic acid polymerases, soluble, inhibition by derivatives of rifamycin of, from rat liver (Onishi, T. & Muramatsu, M.) 1361–1364
Ribonucleic acid, ribosomal, binding of ethidium bromide to, from *Bacillus stearothermophilus* N.C.I.B. 8923 in the presence of spermine (Stevens, L. & Pascoe, G.) 279–289
Ribonucleic acid, ribosomal, biosynthesis of, by isolated rat liver mitochondria (Fukamachi, S., Bartoov, B. & Freeman, K. B.) 299–309
Ribonucleic acid, ribosomal, changes in the content of, during development of the chick embryo (Rao, U. V. & Cherayil, J. D.) 67P

Ribonucleic acid, transfer, ethylation of, of rat liver after the administration of L-ethionine (Pegg, A. E.) 59–68
Ribonucleic acid, transfer, fractionation of, from chick embryo (Anandaraj, M. P. J. S. & Cherayil, J. D.) 66P
Ribonucleic acid, transfer, studies on, in developing chick embryo (Maya Sundari, R., Cherayil, J. D. & Jacob, T. M.) 65P
Ribonucleic acid, use of [5-^{3}H]uridine for the pulse-labelling of, of mouse Ehrlich ascites-tumour cells (Harwood, R. & Itzhaki, S.) 91P–92P
Ribonucleic acids, polymerization rates for, in relaxed and stringent amino acid auxotrophs of *Escherichia coli* deprived of amino acids (Gray, W. J. H., Vickers, T. G. & Midgley, J. E. M.) 1021–1031
Ribonucleic acids, ribosomal, mitochondrial, comparison of the physical properties of, from various mammalian sources (Mitra, R. S., Bartoov, B., Monahan, J. & Freeman, K. B.) 1033–1041
Ribonucleic acids, ribosomal, sedimentation coefficients and base compositions of, from the cytoplasm, mitochondria and chloroplasts of *Euglena gracilis* (Avadhani, N. G. & Buetow, D. E.) 353–365
Ribonucleic acids, synthesis and stability of, in relaxed and stringent amino acid auxotrophs of *Escherichia coli* (Gray, W. J. H. & Midgley, J. E. M.) 1007–1020
Ribonucleic acids, transfer, aminoacyl-, effect of dietary protein intake on the capacity of rat skeletal-muscle ribosomes to bind (Alexis, S. D., Basta, S. & Young, V. R.) 521–530
Ribonucleic acids, transfer, thionucleotides in, of *Pseudomonas aeruginosa* and *Escherichia coli* (Prasada Rao, Y. S., Thimmappayya, B. & Cherayil, J. D.) 67P
Ribose 5-phosphate 1-pyrophosphate, possible role of, in the control of the biosynthesis of nucleic acids and nicotinamide nucleotides in regenerating rat liver (Ferris, G. M. & Clark, J. B.) 869–877
Ribose 5-phosphate 1-pyrophosphate, possible role of, in the stimulation of the biosynthesis of purine nucleotides in rat uterus in response to oestradiol-17β (Oliver, J. M.) 771–777
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomes, bacterial, location of spermine in, as indicated by treatment with 1,5-difluoro-2,4-dinitrobenzene and with ethidium bromide (Stevens, L. & Pascoe, G.) 279–289
Ribosomes, effect of dietary protein intake on the biosynthesis of protein by cell-free systems containing, and transferases I and II obtained from rat skeletal muscle (Alexis, S. D., Basta, S. & Young, V. R.) 521–530
Rifamide, inhibition by, of soluble ribonucleic acid polymerases from rat liver (Onishi, T. & Muramatsu, M.) 1361–1364
Rifampicin, inhibition by, of soluble ribonucleic acid polymerases from rat liver (Onishi, T. & Muramatsu, M.) 1361–1364
Rifamycin, inhibition by derivatives of, of soluble ribonucleic acid polymerases from rat liver (Onishi, T. & Muramatsu, M.) 1361–1364
Rose Bengal, inactivation of a purified pig liver L-serine *O*-sulphate-degrading enzyme system by photo-oxidation in the presence of (Tudball, N. & Thomas, P.) 41–46
Rumen epithelium, sheep, subcellular distribution of 3-hydroxybutyrate dehydrogenase in, and other tissues (Watson, H. R. & Lindsay, D. B.) 53–57

Saccharomyces cerevisiae, correlation between oligomycin-sensitivity and ergosterol content of a purified mitochondrial adenosine triphosphatase from (Swanljung, P., Swanljung, H. & Partis, M. D.) 479–480
Saccharomyces cerevisiae, metabolic factors limiting the growth of, subjected to γ-irradiation (Godbole, S. S. & Nadkarni, G. B.) 64P
Saccharomyces cerevisiae, purification and properties of sulphate adenylyltransferase (adenosine diphosphate) from (Adams, C. A. & Nicholas, D. J. D.) 647–654
Saccharomyces cerevisiae, role of intracellular pH in the regulation of cation exchanges in (Ryan, J. P. & Ryan, H.) 139–146
Salivary gland, submaxillary, dog, isolation and characterization of mucin from (Lombart, C. & Winzler, R. J.) 975–977
Salivary gland, submaxillary, mouse, changes in the concentration of the biologically active species of nerve growth factor in, during development (Hendry, I. A.) 1265–1272
Satellite deoxyribonucleic acid, *see* Deoxyribonucleic acid, satellite
Scylliorhinus canicula, *see* Dogfish
Sedimentation boundaries, normal and difference, statistical estimation of molecular weights from, in the ultracentrifuge (McCallum, M. A. & Spragg, S. P.) 389–402
Sephadex, sulphoethyl-, use of, as a model for estimation of the inner osmotic pressure of cartilage (Ogston, A. G. & Wells, J. D.) 685–690
Serine, formation of glycine and, during growth of *Pseudomonas* AM1 on methanol and succinate (Salem, A. R., Large, P. J. & Quayle, J. R.) 1203–1211
Serine, relationship between the biosynthesis of adenosine triphosphate and the natural electron acceptor for the biosynthesis of, from glycine in tobacco leaves (Bird, I. F., Cornelius, M. J., Keys, A. J. & Whittingham, C. P.) 191–192
Serine residue, reactive, radiochemical determination of a unique amino acid sequence around, of a French-bean carboxypeptidase and of a yeast peptidase that are inhibited by reaction with di-isopropyl phosphorofluoridate (Shaw, D. C. & Wells, J. R. E.) 229–235
L-Serine *O*-sulphate, mechanism of the degradation of, by an enzyme system purified from pig liver (Tudball, N. & Thomas, P.) 41–46
L-Serine *O*-sulphate, properties of the pig liver enzyme degrading (Tudball, N. & Thomas, P.) 133P
Serotonin, *see* 5-Hydroxytryptamine
Serum, guinea-pig, biosynthesis of phospholipids in cultured HeLa cells exposed to immunoglobulin G and (Güttler, F.) 953–960
Serum, guinea-pig, evidence that lipoprotein particles in the Golgi apparatus of the liver are presursors of very-low-density lipoproteins in (Chapman, M. J., Mills, G. L. & Taylaur, C. E.) 779–787
Sewage, application of continuous-culture theory to biological systems for the treatment of, and other wastes (Siddiqui, R. H. & Handa, B. K.) 35P
Sewage, catalase and proteinase activities in, sludges and sewage effluents (Sridhar, M. K. C. & Pillai, S. C.) 35P

Sewage, characterization of sludge from the extended aeration system to the activated-sludge system for the treatment of (Setty, A. G. T., Radhakrishna, G. N. & Siddiqui, R. H.) 36P
Sewage, decrease in the bacterial content in different types of oxidation ponds used for the treatment of (Parhad, N. M. & Rao, N. U.) 37P
Sewage, design and operation of processes for the treatment of, and industrial wastes (Khadilkar, C. H.) 37P
Sewage, long-term adaptation of activated-sludge organisms to accumulated sludge mass during the treatment of, and other organic wastes (Washington, D. R., Hetling, L. J. & Rao, S. S.) 35P
Sewage, rise in pH in oxidation ponds used for the treatment of (Rodgi, S. S., Kanabur, V. V., Dodakundi, G. B. & Patil, H. S.) 37P
Sewages, Indian, microbiology of the viscous scum formed by, and sewage effluents (Ganapati, S. V. & Amin, P. M.) 36P
Sex attractants, biochemistry of, of marine plants (Jaenicke, L.) 30P
Sheep, normal and ketonaemic, distribution and activity of 3-hydroxybutyrate dehydrogenase in tissues from (Watson, H. R. & Lindsay, D. B.) 53–57
Shikimate, formation of ω-cyclohexyl-fatty acids from, by *Bacillus acidocaldarius* (De Rosa, M., Gambacorta, A., Minale, L. & Bu'Lock, J. D.) 751–754
Shoots, pea, inhibition by DL-glyceraldehyde of the assimilation of carbon dioxide during photosynthesis by isolated chloroplasts from (Stokes, D. M. & Walker, D. A.) 1147–1157
Skeletal muscle, *see* Muscle, skeletal
Skin, rat, neonatal, production and utilization of uridine diphosphate glucuronic acid for the biosynthesis of glycosaminoglycans in (Gainey, P. A. & Phelps, C. F.) 215–227
Small intestine, *see* Intestine, small
Snail, garden (*Helix aspersa* Müller), amino acid sequence of cytochrome *c* from (Brown, R. H., Richardson, M., Boulter, D., Ramshaw, J. A. M. & Jefferies, R. P. S.) 971–974
Sodium hyaluronate, conformation of (Atkins, E. D. T., Phelps, C. F. & Sheehan, J. K.) 1255–1263
Sodium oestrone [^{35}S]sulphate, metabolism of, in the guinea pig (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 347–352
Soil, effect of pesticides applied to the soil on the biological activity of (Gowda, T. K. S. & Patil, R. B.) 56P–57P
Somatotrophin, *see* Growth hormone
Spermine, biosynthesis of, in the uterus of the ovariectomized rat in response to the administration of oestradiol-17β (Russell, D. H. & Potyraj, J. J.) 1109–1115
Spermine, location of, in bacterial ribosomes as indicated by treatment with 1,5-difluoro-2,4-dinitrobenzene and with ethidium bromide (Stevens, L. & Pascoe, G.) 279–289
Sphingolipidoses, cerebral, two (metachromatic leucodystrophy and infantile amaurotic idiocy), as human inborn errors of metabolism (Jatzkewitz, H.) 6P
Sphingolipidoses, nature of the metabolic abnormalities in (Brady, R. O.) 4P–6P
Spinacea oleracea, *see* Spinach
Spinach (*Spinacea oleracea*) leaves, inhibition by DL-glyceraldehyde of the assimilation of carbon dioxide during photosynthesis by isolated chloroplasts from (Stokes, D. M. & Walker, D. A.) 1147–1157
Squid (*Ommastrephes sloani pacificus*), purification and characterization of chondrosulphatase from liver of (Atsumi, K., Kawai, Y., Seno, N. & Anno, K.) 983–985
Starfish (*Asterias rubens*), intermediacy of 3-oxo steroids in the conversion of cholest-5-en-3β-ol into 5α-cholestan-3β-ol by (Smith, A. G., Goodfellow, R. & Goad, L. J.) 1371–1372
Starfish (*Porania pulvillus*), intermediacy of 3-oxo steroids in the conversion of cholest-5-en-3β-ol into 5α-cholestan-3β-ol by (Smith, A. G., Goodfellow, R. & Goad, L. J.) 1371–1372
Starvation, comparison of the effects of bovine ketosis and, on intermediary metabolism in the lactating cow (Baird, G. D., Heitzman, R. J. & Hibbitt, K. G.) 1311–1318
Stem bromelain, *see* Bromelain, stem
Steroid hormones, conversion of 23,24-dinor-chol-5-en-3β-ol into, by ox adrenal-gland homogenates (Tait, A. D.) 467–470
Steroids, formation of glucosides and glucuronides of, by rabbit liver microsomal fraction (Labow, R. S. & Layne, D. S.) 491–497
Steroids, oestrogenic, evidence for the hydrolysis of sulphate esters of, by rat liver microsomal arylsulphatase C (Dolly, J. O., Dodgson, K. S. & Rose, F. A.) 337–345
Steroids, 3-oxo, intermediacy of, in the conversion of cholest-5-en-3β-ol into 5α-cholestan-3β-ol by the starfish *Asterias rubens* and *Porania pulvillus* (Smith, A. G., Goodfellow, R. & Goad, L. J.) 1371–1372
Steroids, 3-oxo, 16-unsaturated, formation of, as metabolic intermediates in boar testis homogenates (Brophy, P. J. & Gower, D. B.) 945–952
Sterols, unusual features of the excretion and distribution of, in the white carneau pigeon (Subbiah, M. T. R., Kottke, B. A. & Martin, W. J.) 42P
Submaxillary gland, dog, isolation and characterization of mucin from (Lombart, C. & Winzler, R. J.) 975–977
Submaxillary gland, mouse, changes in the concentration of the biologically active species of nerve growth factor in, during development (Hendry, I. A.) 1265–1272
Succinate, formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 543–559
Succinate, formation of glycine during growth of *Pseudomonas* AM1 on methanol and (Salem, A. R., Large, P. J. & Quayle, J. R.) 1203–1211
Succinate, use of radioactively labelled substrate to demonstrate the formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 561–568
Succinic semialdehyde, formation of, during the degradation of *N*-methylisonicotinate by *Achromobacter* D (Wright, K. A. & Cain, R. B.) 543–559
Sulphate adenylyltransferase (adenosine diphosphate), purification and properties of, from baker's yeast (Adams, C. A. & Nicholas, D. J. D.) 647–654
[^{35}S]Sulphate, inorganic, urinary excretion of, after the administration of sodium oestrone [^{35}S]sulphate to guinea pigs (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 347–352

Sulphoethyl-Sephadex, use of, as a model for estimation of the inner osmotic pressure of (Ogston, A. G. & Wells, J. D.) 685–690
Sulphoglycolytic pathway, studies on, in plants (Benson, A. A. & Lee, R. F.) 29P–30P
Supernatant fraction, *see* Cytosol
Sympathetic ganglia, mouse, changes in the concentration of the biologically active species of nerve growth factor in, during development (Hendry, I. A.) 1265–1272
Synaptic vesicles, cholinergic, pure, isolation of, from the electric organs of *Torpedo marmorata* (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 833–845

Tannins, extraction and chemical structure of, from black-plum seeds (Bhatia, I. S. & Bajaj, K. L.) 56P
Temperature, thoracic, bumble-bee, role of flight-muscle fructose diphosphatase in heat generation for the maintenance during rest periods of, at a value adequate for flight (Newsholme, E. A., Crabtree, B., Higgins, S. J., Thornton, S. D. & Start, C.) 89–97
Testis, boar, formation of 16-unsaturated 3-oxo steroids as metabolic intermediates in homogenates of (Brophy, P. J. & Gower, D. B.) 945–952
Tetrahydrofolates, localization and interconversion of, in isolated pea mitochondria (Clandinin, M. T. & Cossins, E. A.) 29–40
Tetrahymena pyriformis strain ST, characterization of the cytochromes of mitochondria from (Lloyd, D. & Chance, B.) 1171–1182
Tetranitromethane, use of, to demonstrate the participation of an intermediate carbanion in the degradation of L-serine *O*-sulphate by an enzyme system purified from pig liver (Tudball, N. & Thomas, P.) 41–46
Tetrodotoxin, suppression by, of the release of amino acids from neurons in rat cerebral-cortex slices (Benjamin, A. M. & Quastel, J. H.) 631–646
Thiol group, essential, evidence for perturbation by structural transitions of the parameters that characterize the reaction of 2,2′-dipyridyl disulphide with, of stem bromelain (Brocklehurst, K., Crook, E. M. & Kierstan, M.) 979–982
Thiol group, reaction of 5,5′-dithiobis-(2-nitrobenzoate) dianion with, of the active-site cysteine residue of papain (Brocklehurst, K., Kierstan, M. & Little, G.) 811–816
Thiol groups, reactivity of, in dogfish (*Scylliorhinus canicula*) skeletal-muscle creatine kinase (Simonarson, B. & Watts, D. C.) 1241–1253
Thromboplastin, tissue, dissociation of, on treatment with butan-1-ol (Muthe, A. V., Desai, C. S. & Kale, N. R.) 47P
Thyroidectomy, effects of, on liver composition and on the concentrations of glucose, ketone bodies and insulin in blood in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Thyroxine, effects of, on liver composition and on the concentrations of glucose, ketone bodies and insulin in blood in the male rat (Aranda, A., Montoya, E. & Herrera, E.) 597–604
Tobacco (*Nicotiana tabacum*) leaves, relationship between the biosynthesis of adenosine triphosphate and the natural electron acceptor for the biosynthesis of serine from glycine in (Bird, I. F., Cornelius, M. J., Keys, A. J. & Whittingham, C. P.) 191–192
Torpedo marmorata, isolation of pure cholinergic synaptic vesicles from the electric organs of, and other fish of the Family Torpedinidae (Whittaker, V. P., Essman, W. B. & Dowe, G. H. C.) 833–845
Torpedo marmorata, morphology of subcellular fractions derived from the electric organs of *Torpedo nobiliana* and (Soifer, D. & Whittaker, V. P.) 845–846
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Transferases I and II, effect of dietary protein intake on the biosynthesis of protein by cell-free systems containing ribosomes and, obtained from rat skeletal muscle (Alexis, S. D., Basta, S. & Young, V. R.) 521–530
Translation, natural frequency of errors in, during protein biosynthesis (Loftfield, R. B. & Vanderjagt, D.) 1353–1356
Trehalase, activity of, in brush borders isolated from rabbit kidney cortex (Quirk, S. J. & Robinson, G. B.) 1319–1328
Tricarboxylic acid cycle, activities of hexose phosphate synthase and enzymes of, in the obligate methylotroph bacterium 4B6 (Colby, J. & Zatman, L. J.) 1373–1376
Tricarboxylic acid cycle, effects of denervation on the activities of some dehydrogenases associated with, in rat diaphragm muscle (Turner, L. V. & Manchester, K. L.) 803–809
Tricarboxylic acid cycle, effects of increased heart work on, and its interactions with glycolysis in the perfused rat heart (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159
Trichoderma koningii, purification and properties of the C_1 component of cellulase from (Wood, T. M. & McCrae, S. I.) 1183–1192
Triglyceride fatty acids, effects of increased heart work on the tricarboxylic acid cycle, glycolysis and the oxidation of, in the perfused rat heart (Neely, J. R., Denton, R. M., England, P. J. & Randle, P. J.) 147–159
4′,5,7-Trihydroxyflavone, metabolism of, and related compounds in the rat *in vivo* and by the intestinal microflora *in vitro* (Griffiths, L. A. & Smith, G. E.) 901–911
Trimethylamine, reduced nicotinamide–adenine dinucleotide phosphate- and oxygen-dependent *N*-oxygenation of, by *Pseudomonas aminovorans* (Large, P. J., Boulton, C. A. & Crabbe, M. J. C.) 137P–138P
Trimethylammonium compounds, inhibition of pig kidney diamine oxidase by, and other substrate analogues (Bardsley, W. G. & Ashford, J. S.) 253–263
Triokinase, partial purification and characterization of, from ox and human liver (Flynn, T. G. & McKay, D.) 135P–136P
Triose phosphates, roles of methylglyoxal synthase and glyceraldehyde 3-phosphate dehydrogenase in the catabolism of, in *Escherichia coli* (Hopper, D. J. & Cooper, R. A.) 321–329
Triphosphoinositide phosphomonoesterase, subcellular distribution of, in guinea-pig brain (Sheltawy, A., Brammer, M. & Borrill, D.) 579–586
Triticum vulgare, *see* Wheat
Tropomyosin, skeletal-muscle, rabbit, cyanogen bromide fragments of (Hodges, R. S., Sodek, J. & Smillie, L. B.) 102P
Tropomyosin B, subunit structure and biological activity of, from different muscle types (Cummins, P. & Perry, S. V.) 106P–107P

Trypsin, study of the surface membrane of rat hepatoma 223 cells by cell electrophoresis after treatment with (Woo, J. & Cater, D. B.) 1273–1284
Tryptophan, metabolism of, in micro-organisms (Nozaki, M. & Ishimura, Y.) 24P–25P
Tumour cells, rat and mouse, study of the surface membrane of, by cell electrophoresis after treatment with specific antibodies and enzymes (Woo, J. & Cater, D. B.) 1273–1284

Ubiquinones, biosynthesis of geranylgeraniol, farnesol, dolichols and, from mevalonate in *Phytophthora cactorum* I.M.I. 21168 (Richards, J. B. & Hemming, F. W.) 1345–1352
Urea, inhibitory effect of 2-bromo-2-chloro-1,1,1-trifluoroethane on the biosynthesis of, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 711–720
Urea, protective effect of oleate on the inhibition by 2-bromo-2-chloro-1,1,1-trifluoroethane of the biosynthesis of, in isolated perfused rat liver (Biebuyck, J. F., Lund, P. & Krebs, H. A.) 721–723
Ureides, effect of thiourea on the metabolism of, in *Neurospora crassa* Em5297a (Nirmala, J. & Sivarama Sastry, K.) 65P
Ureides, metabolism of, in germinating oilseeds and legumes (Paul, B., Kumar, V. & Singh, R.) 55P–56P
Uridine diphosphate glucose, utilization of, for the formation of glucosides of isoflavones and some other phenols by rabbit liver microsomal fraction (Labow, R. S. & Layne, D. S.) 491–497
Uridine diphosphate glucuronic acid, production and utilization of, in various mammalian tissues actively synthesizing glycosaminoglycans (Gainey, P. A. & Phelps, C. F.) 215–227
Uridine monophosphate, effect of, on the kinetic behaviour of wheat-germ aspartate carbamoyltransferase (Yon, R. J.) 311–320
Urine, excretion of metabolites of apigenin and related flavonoids in, in the rat (Griffiths, L. A. & Smith, G. E.) 901–911
Urine, excretion of metabolites of sodium oestrone [^{35}S]sulphate in, in the guinea pig (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 347–352
Urine, isolation and identification of 2-hydroxyoestrone 3-methyl ether from, of pregnant women (Knuppen, R., Haupt, O. & Breuer, H.) 1369–1370
Uterine cervix, human, normal and cancerous, effects of emetine and of cycloheximide on the biosynthesis of protein by mitochondria from (Chakrabarti, S., Dube, D. K. & Roy, S. C.) 461–462
Uterus, biosynthesis of spermine in, of the ovariectomized rat in response to the administration of oestradiol-17β (Russell, D. H. & Potyraj, J. J.) 1109–1115
Uterus, rat, oestradiol-primed, enhancement by preliminary incubation of the uptake of amino acids by (Riggs, T. R. & Pan, M. W.) 19–27
Uterus, rat, possible role of 5-phosphoribosyl 1-pyrophosphate in the stimulation of the biosynthesis of purine nucleotides in, in response to oestradiol-17β (Oliver, J. M.) 771–777
Uterus, rat, transformation of the cytoplasmic oestradiol–receptor complex into the nuclear complex in a cell-free system prepared from (Gschwendt, M. & Hamilton, T. H.) 611–616

Visual cycle, solubilization from ox retina of an enzyme system involved in the completion of, by the regeneration of rhodopsin from all-*trans*-retinal (Amer, S. & Akhtar, M.) 987–989
Vitamin B complex, effects of deficiency of, on the activities of liver enzymes (Bamji, M. S. & Sharda, D.) 58P
Vitamin C, *see* Ascorbate

Wall, cell, *see* Cell wall
Water, effects and control of the pollution of (Hawkes, H. A.) 145P
Wax esters, importance of, as major metabolic energy sources in marine animals (Benson, A. A. & Lee, R. F.) 10P
Wheat (*Triticum vulgare*) aleurone cells, lysosomal nature of hormonally induced enzymes in (Gibson, R. A. & Paleg, L. G.) 367–375
Wheat (*Triticum vulgare*) germ, kinetic behaviour suggesting an allosteric mechanism for regulation of the activity of aspartate carbamoyltransferase from (Yon, R. J.) 311–320
Wool keratin, amino acid sequence of protein SCMK-B2C from the high-sulphur fraction of (Elleman, T. C.) 1229–1239
Wool keratin, preparation and properties of proteins SCMK-B2A, SCMK-B2B and SCMK-B2C from the high-sulphur fraction of (Lindley, H. & Elleman, T. C.) 859–867

Xylanase, extracellular, production, purification and properties of, from *Bacillus polymyxa* (Fogarty, W. M. & Griffin, P. J.) 125P–126P

Yeast, baker's, radiochemical determination of the amino acid sequence around the reactive serine residue of a di-isopropyl phosphorofluoridate-sensitive carboxypeptidase from (Shaw, D. C. & Wells, J. R. E.) 229–235
Yeast, baker's (*Saccharomyces cerevisiae*), purification and properties of sulphate adenylyltransferase (adenosine diphosphate) from (Adams, C. A. & Nicholas, D. J. D.) 647–654
Yeast, baker's (*Saccharomyces cerevisiae*), role of intracellular pH in the regulation of cation exchanges in (Ryan, J. P. & Ryan, H.) 139–146
Yeast (*Saccharomyces cerevisiae*), correlation between oligomycin-sensitivity and ergosterol content of a purified mitochondrial adenosine triphosphatase from (Swanljung, P., Swanljung, H. & Partis, M. D.) 479–480
Yeast (*Saccharomyces cerevisiae*), metabolic factors limiting the growth of, subjected to γ-irradiation (Godbole, S. S. & Nadkarni, G. B.) 64P
Yeast, use of deoxyfluoro-D-glucopyranoses and related compounds in a study of the specificity of hexokinase from (Bessell, E. M., Foster, A. B. & Westwood, J. H.) 199–204